

Cucumber Report

Sep 7, 2022, 2:13:22 PM

Start : Sep 07, 2:12:00.400 PM

End : Sep 07, 2:13:21.374 PM

Duration : 1 m 20.974 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 0
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	<u>Personal Details Disbursement Maker Functionality</u>	1	0	1	0	1 m 20.974 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Personal Details Disbursement Maker Functionality	To check the functionality of Personal Details Disbursement Maker	12	9	0	3	1 m 20.971 s





(F)- Personal Details Disbursement Maker Functionality




FAILED	DURATION - 1 m 20.974 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 9 Fail - 0 Skip - 3	
/ 2:12:00.400 PM // 2:13:21.374 PM /					

(S)- To check the functionality of Personal Details Disbursement Maker

FAILED	DURATION - 1 m 20.971 s		Steps Total - 12 Pass - 9 Fail - 0 Skip - 3	
/ 2:12:00.403 PM // 2:13:21.374 PM /				
Personal Details Disbursement Maker Functionality				
@PDDM				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
			
2	And User Login as maker	PASSED	5.021 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on inbox	PASSED	0.184 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot 		
4	Then click on inbox search icon	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot 		
5	Then search Personal Details Disbursement Maker record	PASSED	1.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.081 s
	screenshot 		
6	And maker user open the record from inbox	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then click on Customer Details Segment button	PASSED	2.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot 		
8	Then open Customer Details record	PASSED	0.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.415 s
	screenshot 		
9	Then verify the field Customer Type	PASSED	49.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.206 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cebe1cc90d2c7c3a1c0c92e95335f64, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog.chromeOptions: {debuggerAddress: localhost:60953}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:60953/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2cebe1cc90d2c7c3a1c0c92e95335f64</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
10	Then verify the field Applicant Type	SKIPPED	0.000 s
11	Then verify the field Salutation	SKIPPED	0.000 s
12	Then verify the field First Name	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2cebe1cc90d2c7c3a1c0c92e95335f64, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog.chromeOptions: {debuggerAddress: localhost:60953}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60953/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2cebe1cc90d2c7c3a1c0c92e95335f64 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)	FAILED	0.244 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker


(F) Personal Details Disbursement Maker
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker


(F) Personal Details Disbursement Maker
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker


(F) Personal Details Disbursement Maker
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker

(F) Personal Details Disbursement Maker
Functionality



Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	380	APP_CREATE	DISBMKR	OPEMKR	in02040	07-Sep-2022 12:24	HLW	AHL
	388	APP_CREATE	APPDATAENT	CPUEXEC	in02040	07-Sep-2022 12:17	HLW	AHL
	374	APP_CREATE	APPDATAENT	CPUEXEC	in02040	07-Sep-2022 10:12	HLW	AHL
	323	APP_CREATE	DISBCKR	OPECHK	in02040	07-Sep-2022 2:56	HLW	AHL
	370	APP_CREATE	FCUVRFY	CPUEXEC	in02040	06-Sep-2022 19:26	HLW	AHL
	370	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Sep-2022 19:26	HLW	AHL
	364	APP_CREATE	OFFERING	CREOFF	in02040	06-Sep-2022 16:1	HLW	AHL
	345	APP_CREATE	APPDATAENT	CPUEXEC	in02040	06-Sep-2022 15:35	HLW	AHL
	363	APP_CREATE	NEWAPP	BREXEC	in02040	06-Sep-2022 14:53	HLW	AHL
	348	APP_CREATE	APPDATAENT	CPUEXEC	in02040	06-Sep-2022 12:22	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker

(F) Personal Details Disbursement Maker
Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Inbox

324

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	324	APP_CREATE	DISBMKR	OPEMKR	in02040	05-Sep-2022 15:44	HLW	AHL

Showing 1 to 1 of 1 entries

1

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker

(F) Personal Details Disbursement Maker
Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Inbox

324

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	324	APP_CREATE	DISBMKR	OPEMKR	in02040	05-Sep-2022 15:44	HLW	AHL

Showing 1 to 1 of 1 entries

1

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker

(F) Personal Details Disbursement Maker
Functionality


The screenshot shows the AZENTIO ONEBanking interface. The left sidebar contains a menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area is titled 'Customer Personal Information' and shows a table with 8 columns: CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, Status, and an Action column. The table is currently empty, showing only the header row.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Maker

(F) Personal Details Disbursement Maker
Functionality

The screenshot shows the AZENTIO ONEBanking interface. The left sidebar contains a menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area is titled 'Customer Personal Information' and shows a table with 8 columns: CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, Status, and an Action column. The table contains one entry for a customer named Mahesh Kumar Patra, with status 'Active'. The table is paginated, showing 1 to 1 of 1 entries.

Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>			Mahesh	Kumar	Patra	I	P	Active