

Cucumber Report

Jul 22, 2022, 6:12:39 PM

Start : Jul 22, 6:12:16.974 PM

End : Jul 22, 6:12:38.140 PM

Duration : 21.166 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	21.166 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - to check the functionality of list view buttons of approved records</u>	6	5	1	0	21.161 s





(F)- Check the functionality of product master


FAILED	DURATION - 21.166 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 6:12:16.974 PM // 6:12:38.140 PM /					

(S)- Product Master - to check the functionality of list view buttons of approved records

<div>FAILED</div> <div>DURATION - 21.161 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:12:16.979 PM // 6:12:38.140 PM /</div>				
<div>Check the functionality of product master</div>				
<div>@M10</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		
			
2	And User Login as maker	PASSED	4.753 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
			
4	And click on eye icon of product master	PASSED	0.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.350 s
	screenshot		
			
5	Then verify product master details list view fields should display all the fields	PASSED	1.658 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
			
6	Then values in list view should not be editable	FAILED	0.074 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=100.0.4896.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f4e01144b8945ee4de1993e176ddc945, sendKeysToElement {id=b894ca2e-b1a8-4e27-88b3-2baf32e46382, value=[Ljava.lang.CharSequence;@21dea711}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51		

#	Step / Hook Details	Status	Duration
	<p>(d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:57426}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57426/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (f4e01144b8945ee4de1993e176ddc945)] -> xpath: //tbody/tr[1]/td[2]/p-celleditor[1]/span[1]] Session ID: f4e01144b8945ee4de1993e176ddc945</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.values_in_list_view_should_not_be_editable(ProductMaster_Retail.java:523) at ?.values in list view should not be editable(file:///C:/Users/inindc00091/git/Azentio_UJS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:93) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.193 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master



<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Product Master - to check the functionality of list view buttons of approved records</u></p>	
<p><u>(F) Check the functionality of product master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Product Master - to check the functionality of list view buttons of approved records</u></p>	
<p><u>(F) Check the functionality of product master</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master

The screenshot displays the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table lists product records with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data, all with 'Active' status. At the bottom, a pagination bar shows 'Showing 1 to 5 of 105 entries' and a page selector with '1' highlighted.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	HOMPUR 3	Housing Loan 3	R	Active
	98303275	8	ASDFG	R	Active
	98303249	HOMEXT	Housing Loan	R	Active
	98303275	ad01	ad011	R	Active
	98303249	A	OK	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master

This screenshot is identical to the one above, showing the Azentio Product Master interface with the same sidebar, header, table of product records, and pagination bar.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	HOMPUR 3	Housing Loan 3	R	Active
	98303275	8	ASDFG	R	Active
	98303249	HOMEXT	Housing Loan	R	Active
	98303275	ad01	ad011	R	Active
	98303249	A	OK	R	Active