

Cucumber Report

23-Sep-2022, 4:27:20 pm

Start : Sep 23, 4:26:23.886 pm

End : Sep 23, 4:27:16.165 pm

Duration : 52.279 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 14


FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>To test the dept details screen</u>	1	0	1	0	52.279 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To test the dept details screen</u>	<u>verify while modification, when user keep any mandatory field blank and Fill the Invalid details</u>	15	14	1	0	52.274 s





(F)- To test the dept details screen

FAILED	DURATION - 52.279 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 14 Fail - 1 Skip - 0	
/ 4:26:23.886 pm // 4:27:16.165 pm /					





(S)- verify while modification, when user keep any mandatory field blank and Fill the Invalid details

<div>FAILED</div> <div>DURATION - 52.274 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 14</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 4:26:23.891 pm // 4:27:16.165 pm /				
To test the dept details screen				
@AT_DD_04				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	13.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
	screenshot		
			
2	And click on mail box	PASSED	0.899 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.341 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	And search for app data entry record	PASSED	0.573 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
			
4	And select the app data entry first record	PASSED	0.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
			
5	And user click on Customer Financials Tab	PASSED	5.485 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.954 s
	screenshot		
			
6	And user click on First Record Edit Icon	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.851 s
	screenshot		
			
7	And click on pencil icon in financial commitment list view record	PASSED	0.999 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.448 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And update the finance type dropdown field	PASSED	1.738 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.433 s
	screenshot		
			
9	And update the financial institution dropdown field	PASSED	0.635 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.443 s
	screenshot		
			
10	And update the account number field	PASSED	0.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
			
11	And update the sanction date calendar	PASSED	1.843 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And update the sanction amount	PASSED	0.385 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
			
13	And user update Invalid data to interest rate percentage field	PASSED	0.297 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
			
14	And save the updated record in customerfinancial commitment record	PASSED	2.028 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
			
15	And user verify the validation Messgae for Invalid data	FAILED	10.271 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-badge[contains(text(), 'Positive Integer Allowed')]' (tried for 10 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ULS_CustomerDeptDetailsSteps.user_verify_the_validation_messgae_for_invalid_data(ULS_CustomerDeptDetailsSteps.		

#	Step / Hook Details	Status	Duration
	<p>java:1125)</p> <p>at ?.user verify the validation Messgae for Invalid data(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ULS_CustomerDeptDetailsFEATURE.feature:82)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-badge[contains(text(),' Positive Integer Allowed')]"} (Session info: chrome=105.0.5195.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b3a133199aec90aa7bf35883a2690800, findElement {using=xpath, value=//ion-badge[contains(text(),' Positive Integer Allowed')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chromeOptions: {debuggerAddress: localhost:56973}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:56973/devtools, se.cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b3a133199aec90aa7bf35883a2690800</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.ULS_CustomerDeptDetailsSteps.user_verify_the_validation_messgae_for_invalid_data(ULS_CustomerDeptDetailsSteps.java:1125)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063)		

#	Step / Hook Details	Status	Duration
	<div>at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot </div>	PASSED	0.161 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot shows the AZENTIO ONE Banking dashboard. The left sidebar contains a menu with options: Dashboard, Configurations, Transactions, and Reports. The main content area is titled 'Product wise Analysis' and displays three charts: 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. All charts are currently blank with loading indicators. The top right of the dashboard shows user profile information and language/region settings.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot shows the AZENTIO ONE Banking dashboard with the 'Inbox' table displayed. The table has the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, Product, Workflow Type, Event Type, and Transaction Type. The table contains 10 rows of data. The bottom of the table shows pagination: 'Showing 1 to 10 of 113 entries' and a page selector with options 1, 2, 3, 4, 5, and 10.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	285	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 16:18	HLW	AHL		T	
	507	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 16:17	HLW	AHL		T	
	508	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 16:11	HLW	AHL		T	
	662	APP_CREATE	DUPAPPDEC	BRMANG	in02040	23-Sep-2022 16:11	HLW	AHL		T	T
	666	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 15:16	HLW	AHL		T	T
	633	APP_CREATE	APPDATENT	CPUEXEC	in02040	23-Sep-2022 15:8	HLW	AHL		T	T
	632	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 15:6	HLW	AHL		T	T
	515	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 15:0	HLW	AHL		T	
	541	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 14:57	HLW	AHL		T	
	606	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 14:55	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	285	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 16:18	HLW	AHL		T	
	507	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 16:17	HLW	AHL		T	
	508	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 16:11	HLW	AHL		T	
	662	APP_CREATE	DUPAPPDEC	BRMANG	in02040	23-Sep-2022 16:11	HLW	AHL		T	T
	666	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 15:16	HLW	AHL		T	T
	633	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 15:8	HLW	AHL		T	T
	632	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 15:6	HLW	AHL		T	T
	515	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 15:0	HLW	AHL		T	
	541	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 14:57	HLW	AHL		T	
	606	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 14:55	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details


(F) To test the dept details screen

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	633	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 15:8	HLW	AHL		T	T
	661	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 13:40	HLW	AHL		T	T
	262	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 12:17	HLW	AHL		T	
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details


(F) To test the dept details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

Transactions

Reports

APPLICATION ID

APPLICANT NAME

CUSTOMER ID

Prev Application Info Customer details Additional Customer Info **Customer Financials** Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

Customer Debt Details

Financial Commitments

Finance Type *
Auto Loan

Account Number *
111

Sanction Amount *
100

Current Principal Balance *
1000

Maturity Date *
09-Aug-2024

Amount Considered *
100

Remarks *
UpdatedRemark

Collateral Type *
Shares

Financial Institution *
Bank

Sanction Date *
08-Sep-2022

Interest Rate %
Arab National Bank

Tenure (Months) *
100

PHILIPPINE NATIONAL BANK

Installment Amount *
100

SABB

Saudi Hollandi Bank

IN Saudi Investment Bank

Next Due Date *
09-Jan-2020

United Motors

Closed Date
09-Feb-2022

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

Transactions

Reports

APPLICATION ID

APPLICANT NAME

CUSTOMER ID

Prev Application Info Customer details Additional Customer Info **Customer Financials** Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

Customer Debt Details

Financial Commitments

Finance Type *
Auto Loan

Account Number *
111

Sanction Amount *
100

Current Principal Balance *
1000

Maturity Date *
09-Aug-2024

Amount Considered *
100

Remarks *
UpdatedRemark

Collateral Type *
Shares

Financial Institution *
Bank

Sanction Date *
08-Sep-2022

Interest Rate %
80

Tenure (Months) *
100

Installment Amount *
100

Currency *
INR

Next Due Date *
09-Jan-2020

Closed Date
09-Feb-2022

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

Customer Employment List

Action	Employer Name	Nature of Employment	Employment Type	Status
	Bank of America	52973	98313385	Active

Showing 1 to 1 of 1 entries

Income

Action	Income header ID	Employer Name	Nature of Employment	Net Income	Net Deduction	Considered Income	Currency	Status
	348		SAL	40000	2000		23	Active

Showing 1 to 1 of 1 entries

Financial Commitments

Action	Financial Institution	Loan Amount	Installment Amount	Current Principal Balance	Tenure (months)	Next Due date	Balance Outstanding	Currency	Status
	53146	100	100	1000	100	08-Jan-2020	1000	52055	Active

Showing 1 to 1 of 1 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot displays the AZENTIO ONE Banking interface, specifically the 'Customer Financials' section. The left sidebar contains a menu with options: Dashboard, Configurations, Transactions, and Reports. The main content area is titled 'Customer Employment List' and includes a search bar, a '+ Add' button, and a table with columns: Action, Employer Name, Nature of Employment, Employment Type, and Status. A single entry is shown for 'Bank of America' with a status of 'Active'. Below this is the 'Income' section, which has a similar table with columns: Action, Income header ID, Employer Name, Nature of Employment, Net Income, Net Deduction, Considered Income, Currency, and Status. A single entry is shown for 'SAL' with a status of 'Active'. The 'Financial Commitments' section follows, with a table containing columns: Action, Financial Institution, Loan Amount, Installment Amount, Current Principal Balance, Tenure (months), Next Due date, Balance Outstanding, Currency, and Status. A single entry is shown for '53146' with a status of 'Active'. Each section includes a 'Showing 1 to 1 of 1 entries' message and pagination controls.

Action	Employer Name	Nature of Employment	Employment Type	Status
	Bank of America	52973	98313385	Active

Action	Income header ID	Employer Name	Nature of Employment	Net Income	Net Deduction	Considered Income	Currency	Status
	348		SAL	40000	2000	23		Active

Action	Financial Institution	Loan Amount	Installment Amount	Current Principal Balance	Tenure (months)	Next Due date	Balance Outstanding	Currency	Status
	53146	100	100	1000	100	08-Jan-2020	1000	52055	Active