

Cucumber Report

07-Oct-2022, 6:14:34 pm

Start : Oct 07, 6:13:44.605 pm

End : Oct 07, 6:14:29.134 pm

Duration : 44.529 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	1	0	1	0	44.529 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	<u>Creation of Warehouse Master record- Add Template</u>	19	8	1	10	44.525 s

(F)- check the functionality of the Warehouse Master



FAILED	DURATION - 44.529 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 19 Pass - 8 Fail - 1 Skip - 10	
/ 6:13:44.605 pm // 6:14:29.134 pm /					


(S)- Creation of Warehouse Master record- Add Template

<div>FAILED</div> <div>DURATION - 44.525 s</div>			<div>Steps</div> <div>Total - 19</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 10</div>	
/ 6:13:44.609 pm // 6:14:29.134 pm /				
check the functionality of the Warehouse Master				
@AT_WHM_T001_creation				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	19.590 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.434 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.621 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.439 s
	screenshot		
			
4	And user click list view icon of Warehouse Master	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.640 s
	screenshot		
			
5	And user click on Add icon for Warehouse master	PASSED	0.585 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.697 s
	screenshot		
			
6	And user Enter the value in description and verify it	PASSED	1.030 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
			
7	And user Enter the value in Address field and verify it	PASSED	0.344 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user Enter the value in country field and verify it	PASSED	9.385 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot 		
9	And user Enter the value in state field and verify it org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-xlc-c320="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label="Select, State *">...</ion-select> is not clickable at point (1490, 285). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-2" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20002; --width:802.016px;">...</ion-popover> (Session info: chrome=105.0.5195.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8f5c210861d2305ee4054e8289288f92, clickElement {id=d7ad8d35-9bcc-4f3a-8af4-c12272a32a17}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:57394}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57394/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (8f5c210861d2305ee4054e8289288f92)] -> xpath: //ion-select[@aria-label='Select, State *']] Session ID: 8f5c210861d2305ee4054e8289288f92 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)	FAILED	1.164 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.WareHouseMaster.user_enter_the_value_in_state_field_and_verify_it(WareHouseMaster.java:118) at ?.user Enter the value in state field and verify it(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:12) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.157 s
10	And user Enter the value in Location field and verify it	SKIPPED	0.000 s
11	And user Enter the value in Zip code field and verify it	SKIPPED	0.001 s
12	And user Enter the value in Phone field and verify it	SKIPPED	0.000 s
13	And user Enter the value in Fax field and verify it	SKIPPED	0.000 s
14	And user Enter the value in Email field and verify it	SKIPPED	0.000 s
15	And user Enter the value in Contact person field and verify it	SKIPPED	0.000 s
16	And user save the warehouse master Record	SKIPPED	0.000 s
17	And user goto the Maker Inbox and store the Referance ID	SKIPPED	0.000 s
18	Then user Click on Action Icon	SKIPPED	0.000 s
19	And user verify the submit button and submit the Record from Maker stage	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template


(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template


(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template


(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template

(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template

(F) check the functionality of the
Warehouse Master

The screenshot shows the AZENTIO ONEBOOKING interface. On the left is a blue sidebar with a search bar and a menu containing: Dashboard, Configurations (Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Due master, Product master), Pricing indicator, Transactions, and Reports. The main area is titled 'Warehouse Master' and contains a table with 5 entries. Each entry has an 'Action' icon, 'Description', 'Address', 'Country', 'State', 'City', 'Zip Code', 'Phone 1', 'Fax', 'E-mail', 'Contact Person', and 'Status' (all marked 'Active').

Action	Description	Address	Country	State	City	Zip Code	Phone 1	Fax	E-mail	Contact Person	Status
	Ware house	panchseel colony	1105415	1105474	909935	98303323	9027827789	78001923	g@g.com	soni	Active
	ASDFGH	ASDFG	1105415	1105474	909932	98303323	987546213	9876541	a@a	ime	Active
	Union new	Union new new	1105415	1105474	909931	98303323	589092344510	878977	D@b.com	ugcu@	Active
	Shweta	Raipur	1105415	1105474	909934	98303324	625325462	98784	as@g.com	wdy	Active
	union	NIT campus	1105415	1105474	909933	98303323	464547580	67958	av@gmail.com	FVUFDYUGCVGY	Active

At the bottom of the table, it says 'Showing 1 to 5 of 9 entries' with pagination controls.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template

(F) check the functionality of the
Warehouse Master

The screenshot shows the AZENTIO ONEBOOKING interface with the 'Warehouse Master' form. The left sidebar is identical to the previous screenshot. The main area is titled 'Warehouse Master' and contains a form with the following fields: Description (text input with 'TMB_Description'), Country (dropdown menu), Location (dropdown menu), Phone 1 (text input), E-Mail (text input), Address (text input), State (dropdown menu), Zip Code (dropdown menu), Fax (text input), and Contact Person (text input). There are red asterisks next to Country, Location, Address, State, and Zip Code, indicating they are required fields.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template

(F) check the functionality of the
Warehouse Master

AZENTIO ONE Banking

Search the menu

Warehouse Master

Description: TMB_Description

Address: TMB KULS

Country: Country

State: Select

Location: Select

Zip Code: Zip code

Phone 1:

E-Mail:

Contact Person:

Left Sidebar Menu:

- Dashboard
- Configurations
 - Warehouse Master
 - Collateral sub type
 - LO Module Waiver
 - Collateral type
 - Fee master
 - Asset Auto Master
 - Charge master
 - Asset CD Master
 - Appropriation master
 - Due master
 - Product master
- Pricing indicator
- Transactions
- Reports

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template

(F) check the functionality of the
Warehouse Master

AZENTIO ONE Banking

Search the menu

Warehouse Master

Description: TMB_Description

Address: TMB KULS

Country: Country

State: Select

Location: Select

Zip Code: Zip code

Phone 1:

E-Mail:

Contact Person:

Country Dropdown List:

- AF
- AX
- AL
- DZ
- AS
- AD
- AO
- AI
- AQ
- AG
- AR
- AM
- AW

Left Sidebar Menu:

- Dashboard
- Configurations
 - Warehouse Master
 - Collateral sub type
 - LO Module Waiver
 - Collateral type
 - Fee master
 - Asset Auto Master
 - Charge master
 - Asset CD Master
 - Appropriation master
 - Due master
 - Product master
- Pricing indicator
- Transactions
- Reports

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Warehouse Master record-
Add Template

(F) check the functionality of the
Warehouse Master

The screenshot displays the 'Warehouse Master' form in the AZENTIO ONE Banking application. The interface includes a top navigation bar with the logo, a search bar, and user profile information. A left sidebar contains a menu with options like Dashboard, Configurations, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Due master, Product master, Pricing indicator, Transactions, and Reports. The main form area is titled 'Warehouse Master' and contains several input fields: 'Description' (with 'TMB_Description' entered), 'Country' (with a dropdown menu showing a list of country codes from AF to AW), 'Address' (with 'TMB KULS' entered), 'State' (with a 'Select' dropdown), 'Zip Code' (with a dropdown), 'Fax', and 'Contact Person'. The form is designed for creating or editing warehouse master records.