

Cucumber Report

09-Sep-2022, 5:28:28 pm

Start : Sep 09, 5:28:02.793 pm

End : Sep 09, 5:28:27.364 pm

Duration : 24.571 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 8


FAILED - 1

SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	<u>Check The functionality of the Personal Details App data Entry</u>	1	0	1	0	24.571 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	verify customer details list view	15	8	1	6	24.563 s

(F)- Check The functionality of the Personal Details App data Entry




FAILED	DURATION - 24.571 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 8 Fail - 1 Skip - 6	
/ 5:28:02.793 pm // 5:28:27.364 pm /					


(S)- verify customer details list view


<div>FAILED</div> <div>DURATION - 24.563 s</div>	<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 5:28:02.801 pm // 5:28:27.364 pm /</div>			
<div>Check The functionality of the Personal Details App data Entry</div>			
<div>@AT_PDE_004</div>			


#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	11.063 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
			
2	Then user click on Transaction Module	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click on Application Details	PASSED	5.373 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot 		
4	And user click on Inbox Icon	PASSED	0.269 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot 		
5	And user click search icon	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot 		
6	And user search Appdata Entry	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s

#	Step / Hook Details	Status	Duration
	<p>screenshot</p> 		
7	And user click on First record of Appdata Entry	PASSED	0.217 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.630 s
8	And user click on Customer Details Tab	PASSED	0.664 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.303 s
9	And user verify the CIF ID List view	FAILED	0.122 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7533c9944866af1ca7e811240b838f1d, clickElement {id=8a7c825e-cffe-4bc5-ae32-fc774a3eb18b}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:49554}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49554/devtools..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (7533c9944866af1ca7e811240b838f1d)] -> xpath: //ion-row[1]/ion-col[1]/ion-card[1]/table[1]/tbody[1]/tr[1]/td[4]/span[1]] Session ID: 7533c9944866af1ca7e811240b838f1d</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.PersonalDetails_AppDataEntry.user_verify_the_cif_id_list_view(PersonalDetails_AppDataEntry.java:1164) at ?.user verify the CIF ID List view(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/PersonalDetails_AppDataEntry.feature:127) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.133 s
10	And user verify the First Name List View	SKIPPED	0.000 s
11	And user verify the Middle Name List View	SKIPPED	0.000 s
12	And user Verify the Last Name List View	SKIPPED	0.000 s
13	And user verify the Customer Type List View	SKIPPED	0.001 s
14	And user verify the Applicant Type List View	SKIPPED	0.000 s
15	And user verify the Status List View	SKIPPED	0.001 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify customer details list view</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify customer details list view</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the
Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the
Personal Details App data Entry

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXFC	in02040	06-Aug-	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the
Personal Details App data Entry

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the
Personal Details App data Entry

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	10703	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 16:40	HLW	AHL
	10696	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 14:22	HLW	AHL
	10653	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 12:38	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Customer Personal Information

Prev Application Info **Customer details** Additional Customer Info Cust Next

Form fields (placeholders):



- First Name, Last Name, Middle Name
- Mobile Number, Email Address
- Address Line 1, Address Line 2, City, State, Zip
- Customer Type, Customer Status
- Other fields for identification and contact information.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the
Personal Details App data Entry

The screenshot displays the Azenzio ONE Banking application interface. The top navigation bar includes the Azenzio logo, a search bar, and various utility icons. The left sidebar contains a menu with options like Dashboard, Configurations, Transactions, Application manager, and Customer details. The main content area is titled 'Customer Personal Information' and shows a table with columns for Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. A single entry for 'Aakash Patel' is visible, with a status of 'Active'. The bottom right corner features a blue circular button with a white icon.

Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>	 		Aakash		Patel	I	P	Active

Showing 1 to 1 of 1 entries