

# Cucumber Report

Aug 26, 2022, 12:36:29 PM

**Start : Aug 26, 12:36:09.358 PM**

**End : Aug 26, 12:36:28.481 PM**

**Duration : 19.123 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 6**


**FAILED - 1**

**SKIPPED - 5**







#	Feature Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	1	0	1	0	19.123 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	<u>collateral - to check the functionality of list view buttons of approved records</u>	12	6	1	5	19.120 s

**(F)- collateral Functionality**


<b>FAILED</b>	<b>DURATION - 19.123 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 6 Fail - 1 Skip - 5	
/ 12:36:09.358 PM // 12:36:28.481 PM /					


**(S)- collateral - to check the functionality of list view buttons of approved records**

<div>FAILED</div> <div>DURATION - 19.120 s</div>		<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:36:09.361 PM // 12:36:28.481 PM /				
collateral Functionality				
@M9				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		
			
2	And User Login as maker	PASSED	5.525 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Asset collateral config	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		
			
4	Then click on collateral eye icon	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
			
5	Then verify collateral details list view fields should display all the fields	PASSED	1.544 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
			
6	Then values in collateral list view should not be editable	PASSED	0.057 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	<p>Then verify collateral add button should allow to create new record</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;span class="p-button-icon pi pi-arrow-left" aria-hidden="true"&gt;&lt;/span&gt; is not clickable at point (291, 118). Other element would receive the click: &lt;div class="p-tooltip-text"&gt;...&lt;/div&gt; (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c8ba87c8105357814c8dd4e968bb78c2, clickElement {id=35d56386-882c-4627-9bf8-d85a362a7b26}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:62840}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62840/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c8ba87c8105357814c8dd4e968bb78c2)] -&gt; xpath: //button[@ng-reflect-text='Go Back']/span[1]] Session ID: c8ba87c8105357814c8dd4e968bb78c2</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.Collateral.verify_collateral_add_button_should_allow_to_create_new_record(Collateral.java:397) at ?.verify collateral add button should allow to create new record(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Collateral.feature:73) </pre>	FAILED	2.322 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.134 s
			
8	Then verify collateral search box should display matching record with matched data	SKIPPED	0.000 s
9	Then verify collateral search box should not display any record with mismatched data	SKIPPED	0.000 s
10	Then click on collateral export to pdf button system should download Pdf file	SKIPPED	0.000 s
11	Then click on collateral export to excel button system should download Excel file	SKIPPED	0.001 s
12	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
<u>(S) collateral - to check the functionality of list view buttons of approved records</u>	
<u>(F) collateral Functionality</u>	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
<u>(S) collateral - to check the functionality of list view buttons of approved records</u>	
<u>(F) collateral Functionality</u>	



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral - to check the functionality of  
list view buttons of approved records

(F) collateral Functionality

AZENTIO  
ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defi...

Transactions

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral - to check the functionality of  
list view buttons of approved records

(F) collateral Functionality

AZENTIO  
ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

Product wise Analysis

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral - to check the functionality of  
list view buttons of approved records

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main content area is titled 'List of Asset/Collateral categories' and features a table with the following columns: Action, Asset/Collateral Category Code, AssetCollateral Category Description, Created By, and Status. The table lists five entries, all with a status of 'Active'. Below the table, a pagination bar shows 'Showing 1 to 5 of 76 entries' and a set of navigation buttons. A search bar and an 'Export' button are located at the top right of the table area.

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD40	FixedDepo	in00135	Active
	FD39	FixedDepo	in00135	Active
	FD38	FixedDepo	in00135	Active
	FD35	FixedDepo	in00135	Active
	FD33	FixedDepo	in00135	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral - to check the functionality of  
list view buttons of approved records

(F) collateral Functionality

This screenshot is identical to the one above, showing the AZENTIO ONEBanking application interface with the 'List of Asset/Collateral categories' table. The table contains five entries, all marked as 'Active'. The interface includes a sidebar menu, a search bar, an 'Export' button, and a pagination bar indicating 'Showing 1 to 5 of 76 entries'.

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD40	FixedDepo	in00135	Active
	FD39	FixedDepo	in00135	Active
	FD38	FixedDepo	in00135	Active
	FD35	FixedDepo	in00135	Active
	FD33	FixedDepo	in00135	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral - to check the functionality of  
list view buttons of approved records

(F) collateral Functionality

The screenshot displays the Azentio ONEBanking interface for the 'Asset / Collateral Category Detail' form. The left sidebar contains a navigation menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main form area includes a 'Go Back' button and a title 'Asset / Collateral categories'. The form fields are: 'Description' (text input), 'Asset / Collateral Category Code' (text input), 'Module' (dropdown menu), 'Registration Required' (toggle switch), 'Repossession Allowed' (toggle switch), and 'Remarks' (text area). The top right of the interface shows user information, language (Engl...), location (LOS), and a user profile icon.