

# Cucumber Report

Jul 25, 2022, 4:21:34 PM

Start : Jul 25, 4:21:12.614 PM

End : Jul 25, 4:21:34.087 PM

Duration : 21.473 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 9  
FAILED - 1  
SKIPPED - 54







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	21.473 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	64	9	1	54	21.469 s


**(F)- Product Master Retail Functionality**





<b>FAILED</b>	<b>DURATION - 21.473 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 64 Pass - 9 Fail - 1 Skip - 54	
/ 4:21:12.614 PM // 4:21:34.087 PM /					


**(S)- verify Checker user is able to Approve the record**

<div>FAILED</div> <div>DURATION - 21.469 s</div>		<div></div>	<div>Steps</div> <div>Total - 64</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 54</div>	<div></div>
/ 4:21:12.618 PM // 4:21:34.087 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail_Approve_Reject_Return				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.676 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.638 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.744 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	1.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
			
10	Then verify the field Remarks	FAILED	0.183 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5bfa96de305493282fd64aedfe98653a, sendKeysToElement {id=7a2a6f00-8ad5-4739-b492-6629f6103417, value=[Ljava.lang.CharSequence;@1d17423f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80		

#	Step / Hook Details	Status	Duration
	<p>(7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:62796}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62796/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (5bfa96de305493282fd64aedfe98653a)] -&gt; xpath: //ion-textarea[1]//textarea[1]] Session ID: 5bfa96de305493282fd64aedfe98653a</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  atjdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source)  at stepdefinitions.ProductMaster_Retail.verify_the_field_remarks(ProductMaster_Retail.java:185)  at ?.verify the field Remarks(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:58)  * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.145 s
11	Then click on save button	SKIPPED	0.000 s
12	Then validate Success pop up	SKIPPED	0.000 s
13	Then click on inbox	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	And open record for Approve	SKIPPED	0.000 s
15	Then submit the Record	SKIPPED	0.000 s
16	Then click on Product Master eye icon	SKIPPED	0.000 s
17	Then click on Product Master add button	SKIPPED	0.000 s
18	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
19	Then Enter Product Code for Return	SKIPPED	0.000 s
20	Then Enter Product Description	SKIPPED	0.001 s
21	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
22	Then verify the field Remarks	SKIPPED	0.000 s
23	Then click on save button	SKIPPED	0.000 s
24	Then validate Success pop up	SKIPPED	0.001 s
25	Then click on inbox	SKIPPED	0.000 s
26	And open record for Return	SKIPPED	0.000 s
27	Then submit the Record	SKIPPED	0.000 s
28	Then click on Product Master eye icon	SKIPPED	0.000 s
29	Then click on Product Master add button	SKIPPED	0.000 s
30	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
31	Then Enter Product Code for reject	SKIPPED	0.000 s
32	Then Enter Product Description	SKIPPED	0.000 s
33	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
34	Then verify the field Remarks	SKIPPED	0.000 s
35	Then click on save button	SKIPPED	0.000 s
36	Then validate Success pop up	SKIPPED	0.000 s
37	Then click on inbox	SKIPPED	0.000 s
38	And open record for Reject	SKIPPED	0.000 s
39	Then submit the Record	SKIPPED	0.000 s
40	Then user logout from the application	SKIPPED	0.000 s
41	And User Login as Checker	SKIPPED	0.000 s
42	Then click on Menu	SKIPPED	0.000 s
43	Then click on inbox	SKIPPED	0.000 s
44	Then Open the record to approve it	SKIPPED	0.000 s
45	Then approve the record	SKIPPED	0.000 s
46	Then Open the record to return it	SKIPPED	0.000 s
47	Then return the record	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
48	Then Open the record to reject it	SKIPPED	0.000 s
49	Then reject the record	SKIPPED	0.000 s
50	Then user logout from the application	SKIPPED	0.000 s
51	Given User launch the kuls application	SKIPPED	0.000 s
52	And User Login as maker	SKIPPED	0.000 s
53	Then click on Product Setup	SKIPPED	0.000 s
54	Then click on Product Master eye icon	SKIPPED	0.000 s
55	Then click on search icon	SKIPPED	0.000 s
56	Then search approved record	SKIPPED	0.000 s
57	Then close the search input field	SKIPPED	0.000 s
58	Then click on search icon	SKIPPED	0.001 s
59	Then search Rejected record	SKIPPED	0.000 s
60	Then close the search input field	SKIPPED	0.000 s
61	Then click on Product Master edit icon	SKIPPED	0.000 s
62	Then click on search icon	SKIPPED	0.000 s
63	Then search the record	SKIPPED	0.000 s
64	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product wise Analysis dashboard. The left sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is titled "Product wise Analysis" and contains three charts: "Product-wise Amount Financed", "Subproduct-wise Amount Financed", and "Scheme wise Amount Financed". All three charts are currently empty, displaying only a loading spinner. The top navigation bar includes a hamburger menu, language selection (English), location selection (LOS), software version (Azentio Software), and user information (Puneet, 01-Sep-2023). The bottom of the dashboard indicates it is "Powered by Metabase".

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record


(F) Product Master Retail Functionality

The screenshot shows the Azentio Product wise Analysis dashboard. The left sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is titled "Product wise Analysis" and contains three charts: "Product-wise Amount Financed", "Subproduct-wise Amount Financed", and "Scheme wise Amount Financed". The "Product-wise Amount Financed" chart is a bar chart showing the amount financed for different product codes. The data is as follows:


Productcode	Amount Financed
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

The "Subproduct-wise Amount Financed" and "Scheme wise Amount Financed" charts are currently empty, displaying only a loading spinner. The top navigation bar includes a hamburger menu, language selection (English), location selection (LOS), software version (Azentio Software), and user information (Puneet, 01-Sep-2023). The bottom of the dashboard indicates it is "Powered by Metabase".

## (F) Product Master Retail Functionality



## (F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table lists product entries with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 117 entries' with pagination controls.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303275	dep555	dep555	R	Active
	98303275	dep55	dep55	R	Active
	98303249	PR07	Loan	R	Active
	98303249	PR04	Loan	R	Active
	98303249	PR11	Loan	R	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record


(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the first screenshot. The main content area has a top header with the same navigation and user profile. Below the header is a 'Product Master' section with a back button and a red notification icon. The form contains several fields: Product Group (dropdown menu open showing options: Deposits, Lending (selected), Trade, Treasury), Product Code (text input), Product Description (text input), Retail/Corporate (dropdown menu open showing 'Select'), and Remarks (text area). The dropdown menu for Product Group is open, showing 'Lending' as the selected option.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality




The screenshot shows the 'Product Master' form in the AZENTIO software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header is a section titled 'Product Master' with a blue underline. The form contains several input fields: 'Product Group' with a dropdown menu showing 'Lending', 'Product Code' with a text input field containing 'PR10', 'Product Description' with a text input field containing 'Loan', 'Retail/Corporate' with a dropdown menu showing 'Select', 'DM Code' with a text input field, and 'Remarks' with a large text area. The form is styled with a clean, modern design using white and light gray colors.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality



The screenshot shows the 'Product Master' form in the AZENTIO software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header is a section titled 'Product Master' with a blue underline. The form contains several input fields: 'Product Group' with a dropdown menu showing 'Lending', 'Product Code' with a text input field containing 'PR10', 'Product Description' with a text input field containing 'Loan', 'Retail/Corporate' with a dropdown menu showing 'Select', 'DM Code' with a text input field, and 'Remarks' with a large text area. The form is styled with a clean, modern design using white and light gray colors.

### (F) Product Master Retail Functionality

English
LOS
Azentio Software

Puneet  
01-Sep-2023

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

## Product Master

---

Product Group \*

Product Code \*

Product Description \*

Retail/Corporate \*

Select  
  
 Corporate  
  
 Retail ✓

DM Code

Remarks

## (F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

**Product master**

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English

LOS

Azentio Software

Puneet

01-Sep-2023

<

Product Master

Product Master

Product Group \*

Lending

Product Code \*

PR10

Product Description \*

Loan

Retail/Corporate \*

Retail

DM Code

Remarks