

Cucumber Report

Sep 22, 2022, 6:39:39 PM

Start : Sep 22, 6:39:03.758 PM

End : Sep 22, 6:39:37.859 PM

Duration : 34.101 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 16


FAILED - 1

SKIPPED - 23







#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	34.101 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of Customer Address Details screen</u>	<u>To verify user can not able to create the customer address deatisl with invalid input</u>	40	16	1	23	34.062 s





(F)- Check the functionality of Customer Address Details screen





FAILED	DURATION - 34.101 s	Scenarios		Steps	
/ 6:39:03.758 PM // 6:39:37.859 PM /		Total - 1		Total - 40	
		Pass - 0		Pass - 16	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 23	

(S)- To verify user can not able to create the customer address deatisl with invalid input




<div>FAILED</div> <div>DURATION - 34.062 s</div>	<div></div>	<div>Steps</div> <div>Total - 40</div> <div>Pass - 16</div> <div>Fail - 1</div> <div>Skip - 23</div>	<div></div>
<div>/ 6:39:03.797 PM // 6:39:37.859 PM /</div>			
<div>Check the functionality of Customer Address Details screen</div>			
<div>@AT_CAD_004</div>			

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.285 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.421 s
	screenshot		
			
2	And User Login as maker	PASSED	3.442 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.728 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And click on mail box	PASSED	0.617 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
	screenshot 		
4	And search for app data entry record	PASSED	0.989 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot 		
5	And select the app data entry first record	PASSED	0.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot 		
6	And go to additional customer info tab	PASSED	1.569 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.398 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And select the additional customer info first record	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.553 s
	screenshot		
			
8	And click on add button under the address details	PASSED	0.813 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.517 s
	screenshot		
			
9	And click on save button without filling the mandatory field	PASSED	0.580 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		
			
10	Then verify address type field should show the validation message	PASSED	0.047 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then verify address status field should show the validation message	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
			
12	Then verify Residential or Occupancy Status should show validation message	PASSED	0.434 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
			
13	Then verify address line 1 field should show the validation message	PASSED	0.064 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
			
14	Then verify address line 2 field should show the validation message	PASSED	0.045 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
15	Then verify Country field should show the validation message	PASSED	0.041 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
			
16	Then verify provide id field should show the validation message	PASSED	0.044 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
			
17	Then verify Neighbourhood District Name field should show the validation message	FAILED	10.030 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (5c5e6912f0d0f199a960afeb54af673f)] -> xpath: '/ion-label[text()=' Neighbourhood/District Name ']/ancestor::digital-text-box//parent::ion-col//ion-badge] (tried for 10 second(s) with 1 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:103) at stepdefinitions.ULS_CustomerAddressDetails_Steps.verify_neighbourhood_district_name_field_should_show_the_validation_message(ULS_CustomerAddressDetails_Steps.java:148) at ?.verify Neighbourhood District Name field should show the validation message(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:222) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
18	Then verify City id field should show the validation message	SKIPPED	0.000 s
19	Then verify Zip Code field should show the validation message	SKIPPED	0.002 s
20	Then verify Occupancy Date field should show the validation message	SKIPPED	0.000 s
21	Then verify system should show the validation message post entering the special character input in address line one input box	SKIPPED	0.000 s
22	Then verify system should show the validation message post entering the special character input in address line two input box	SKIPPED	0.001 s
23	Then verify system should show the validation message post entering the special character input in neighborhood district name input box	SKIPPED	0.000 s
24	Then verify system should show the validation message post entering the special character input in Zip code input box	SKIPPED	0.000 s
25	Then verify system should show the validation message post entering the special character input in Latitude details of the address input box	SKIPPED	0.001 s
26	Then verify system should show the validation message post entering the special character input in Longitude details of the address input box	SKIPPED	0.000 s
27	Then verify system should show the validation message post entering the special character input in Land mark input box	SKIPPED	0.000 s
28	Then verify system should show the validation message post entering the special character input in Landlord Name input box	SKIPPED	0.000 s
29	Then verify system should show the validation message post entering the special character input in Landlord Name input box	SKIPPED	0.000 s
30	Then verify system should show the validation message post entering the special character input in Landlord mobile number input box	SKIPPED	0.000 s
31	Then verify system should show the validation message post enter the above seven digit pin code	SKIPPED	0.000 s
32	Then verify system should show the validation post enter the negative po box number	SKIPPED	0.000 s
33	Then verify system should show the validation post enter the invalid landlord mobile number	SKIPPED	0.004 s
34	Then verify system should not allow user to enter character input in po box number	SKIPPED	0.001 s
35	Then verify system should not allow user to enter character input in duration of stay	SKIPPED	0.000 s
36	Then verify system should not allow user to enter character input in Rent amount	SKIPPED	0.000 s
37	Then verify system should show the validation for invalid mobile number in mobile number field	SKIPPED	0.001 s
38	Then verify system should show the validation for invalid mobile number in mobile number field	SKIPPED	0.000 s
39	When user enter above 7 digit in po box number field	SKIPPED	0.000 s
40	Then system should show the validation for po box number	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input


(F) Check the functionality of Customer
Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking

Engl...
LOS
Aze...

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	648	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 18:25	HLW	AHL		T	T
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	615	APP_CREATE	FCUVRFY	CPUEXEC	in02040	22-Sep-2022 16:45	HLW	AHL		T	T
	645	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 16:42	HLW	AHL		T	T
	618	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 16:35	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	639	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 15:8	HLW	AHL		T	T
	610	APP_CREATE	DISBCKR	OPECHK	in02040	22-Sep-2022 14:56	HLW	AHL		T	T

Showing 1 to 10 of 102 entries
<<
<
1
2
3
4
5
>
>>
10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking











Engl...
LOS
Aze...

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	617	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 11:5	HLW	AHL		T	T
	616	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 10:41	HLW	AHL		T	T

Showing 1 to 10 of 43 entries
<<
<
1
2
3
4
5
>
>>
10

(F) Check the functionality of Customer Address Details screen

Inbox											
Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	617	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 11:5	HLW	AHL		T	T
	616	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 10:41	HLW	AHL		T	T

(F) Check the functionality of Customer Address Details screen

[illegible]

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes the logo, a search icon, a calendar icon, a notification icon, and language/region dropdowns (Engl..., LOS, Aze...). Below the navigation bar is a breadcrumb trail: Prev, Application Info, Customer details, Additional Customer Info (highlighted), Customer Financials, Facility Info, Document Details, Offering, Repayment Sch, Next. The main heading is "Customer Personal Information". Below this is another breadcrumb trail: Prev, Application Info, Customer details, Additional Customer Info (highlighted), Customer Financials, Facility Info, Document Details, Offering, Repayment Sch, Next. The content area is currently empty.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar is identical to the previous screenshot. The breadcrumb trail is: Prev, Application Info, Customer details, Additional Customer Info (highlighted), Customer Financials, Facility Info, Document Details, Offering, Repayment Sch, Next. The main heading is "References List View". Below this heading are three input fields: "Application ID :", "Applicant Name :", and "Customer ID :". Below the input fields is another breadcrumb trail: Prev, Application Info, Customer details, Additional Customer Info (highlighted), Customer Financials, Facility Info, Document Details, Offering, Repayment Sch, Next. The content area is currently empty.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Repayment Next

Approve Reject Return Eligibility Check Print

Customer Address

Customer Address

Address Type *
Select
Required field

Residential Or Occupancy Status *
Select

Address Line 1 *

Required field

Country *
Select
Required field

Neighbourhood/District Name *
Please fill all the details

Address Status *
Select

Communication Address
Address Line 2 *

Required field

Province Id *
Select
Required field

City Id *
Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Repayment Next

Approve Reject Return Eligibility Check Print

Customer Address

Customer Address

Address Type *
Select
Required field

Residential Or Occupancy Status *
Select

Address Line 1 *

Required field

Country *
Select
Required field

Neighbourhood/District Name *
Please fill all the details

Address Status *
Select

Communication Address
Address Line 2 *

Required field

Province Id *
Select
Required field

City Id *
Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the 'Customer Address' form in the AZENTIO ONEBanking application. The form is part of a multi-step process, with 'Additional Customer Info' currently selected. The form contains several required fields marked with a red asterisk and a 'Required field' label: Address Type, Residential Or Occupancy Status, Address Line 1, Country, Neighbourhood/District Name, Address Status, Address Line 2, Province Id, and Communication Address. The 'Communication Address' field has a toggle switch. A blue error message bar at the bottom states 'Please fill all the details'. The top navigation bar includes links for 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info', 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', 'Repayment', and 'Next'. The top right corner shows the user's profile and language settings.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

This screenshot is identical to the one above, showing the 'Customer Address' form in the AZENTIO ONEBanking application. It displays the same form fields, navigation bar, and error message.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the 'Customer Address' form in the AZENTIO ONEBanking application. The form is part of a multi-step process, with 'Additional Customer Info' currently selected. The form contains several required fields marked with a red asterisk and a 'Required field' label: Address Type, Address Status, Residential Or Occupancy Status, Address Line 1, Address Line 2, Country, Province Id, and Neighbourhood/District Name. There are also dropdown menus for Address Type, Address Status, Residential Or Occupancy Status, Country, and Province Id. A toggle switch for 'Communication Address' is present. At the bottom, a blue banner reads 'Please fill all the details'. The top navigation bar includes links for 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info', 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', 'Repayment', and 'Next'. The top right corner shows the user's profile and language settings.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

This is a duplicate of the screenshot above, showing the 'Customer Address' form in the AZENTIO ONEBanking application. The form is part of a multi-step process, with 'Additional Customer Info' currently selected. The form contains several required fields marked with a red asterisk and a 'Required field' label: Address Type, Address Status, Residential Or Occupancy Status, Address Line 1, Address Line 2, Country, Province Id, and Neighbourhood/District Name. There are also dropdown menus for Address Type, Address Status, Residential Or Occupancy Status, Country, and Province Id. A toggle switch for 'Communication Address' is present. At the bottom, a blue banner reads 'Please fill all the details'. The top navigation bar includes links for 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info', 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', 'Repayment', and 'Next'. The top right corner shows the user's profile and language settings.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the 'Customer Address' form in the AZENTIO ONEBanking application. The form is part of a multi-step process, with 'Additional Customer Info' currently selected. The form contains several required fields, each marked with a blue 'Required field' label. The fields are: Address Type (dropdown), Address Status (dropdown), Residential Or Occupancy Status (dropdown), Address Line 1 (text input), Address Line 2 (text input), Country (dropdown), Province Id (dropdown), and Neighbourhood/District Name (text input). There is a 'Communication Address' toggle switch. At the bottom, a blue banner reads 'Please fill all the details'. The top navigation bar includes links for 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info', 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', 'Repayment', and 'Next'. The top right corner shows the user's profile and language settings.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

This is a duplicate of the screenshot above, showing the 'Customer Address' form in the AZENTIO ONEBanking application. The form is part of a multi-step process, with 'Additional Customer Info' currently selected. The form contains several required fields, each marked with a blue 'Required field' label. The fields are: Address Type (dropdown), Address Status (dropdown), Residential Or Occupancy Status (dropdown), Address Line 1 (text input), Address Line 2 (text input), Country (dropdown), Province Id (dropdown), and Neighbourhood/District Name (text input). There is a 'Communication Address' toggle switch. At the bottom, a blue banner reads 'Please fill all the details'. The top navigation bar includes links for 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info', 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', 'Repayment', and 'Next'. The top right corner shows the user's profile and language settings.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can not able to create
the customer address deatisl with invalid
input

(F) Check the functionality of Customer
Address Details screen

The screenshot displays the 'Customer Address' form within the AZENTIO ONEBanking application. The interface includes a top navigation bar with the application logo, user profile, and language/region settings. Below this is a breadcrumb trail showing the current step: 'Additional Customer Info'. The form itself is titled 'Customer Address' and contains several input fields, many of which are marked as 'Required field' with a blue label. The fields are organized into two columns:

- Left Column:**
 - Address Type * (Dropdown menu)
 - Residential Or Occupancy Status * (Dropdown menu)
 - Address Line 1 * (Text input)
 - Country * (Dropdown menu)
 - Neighbourhood/District Name * (Text input)
- Right Column:**
 - Address Status * (Dropdown menu)
 - Communication Address (Toggle switch)
 - Address Line 2 * (Text input)
 - Province Id * (Dropdown menu)
 - City Id * (Dropdown menu)

At the top of the form, there are input fields for 'Application ID', 'Applicant Name', and 'Customer ID'. A navigation bar at the bottom of the form contains buttons for 'Approve', 'Reject', 'Return', 'Eligibility Check', 'Print', and a help icon. A blue sidebar on the left side of the screen contains various navigation icons.