

# Cucumber Report

31 Aug 2023, 3:46:02 PM

Start : Aug 31, 3:45:05.771 PM

End : Aug 31, 3:45:59.267 PM

Duration : 53.496 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 7  
FAILED - 1  
SKIPPED - 7







#	Feature Name	T	P	F	S	Duration
1	Activity History	1	0	1	0	53.496 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Activity History</u>	<u>check if the system Retrieve "BVN " input on local beneficiary screen</u>	15	7	1	7	53.488 s





**(F)- Activity History**


<b>FAILED</b>	<b>DURATION - 53.496 s</b>	Scenarios		Steps	
/ 3:45:05.771 PM // 3:45:59.267 PM /		Total - 1		Total - 15	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	


**(S)- check if the system Retrieve "BVN " input on local beneficiary screen**

<div>FAILED</div> <div>DURATION - 53.488 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 3:45:05.779 PM // 3:45:59.267 PM /</div>				
<div>Activity History</div>				
<div>@AH_002</div>				

#	Step / Hook Details	Status	Duration
1	And User_609 loads the test datasetup for the test case id AH_002	PASSED	0.007 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot		
			
2	Given User_609 navigates to the OmniScreen Admin Url and login with the valid credentials	PASSED	21.754 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User_609 Click on the Parameters menu	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
			
4	And User_609 Click on the Profile Management submenu	PASSED	1.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
			
5	And User_609 Click on the Business Profile screen under Parameters	PASSED	6.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.395 s
	screenshot		
			
6	And User_609 Enter the Profile Name in Business Profile under Parameters	PASSED	0.475 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.525 s
	screenshot		
			
7	And User_609 Enter the Brief Description in Business Profile under Parameters	PASSED	0.561 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.422 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	<p><b>And User_609 Select the Application in Business Profile under Parameters</b></p> <p>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression document.querySelector("#applications_OADM10040") because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string 'document.querySelector("#applications_OADM10040")' is not a valid XPath expression. (Session info: chrome=116.0.5845.140) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [de8793a27a97925bae9bf6f5b595bbc6, findElement {using=xpath, value=document.querySelector("#applications_OADM10040")}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.140, chrome: {chromedriverVersion: 115.0.5790.102 (90efd4b0ad6..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:57308}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57308/devtoo..., se:cdpVersion: 116.0.5845.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: de8793a27a97925bae9bf6f5b595bbc6</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194)  at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)  at utilities.UserUtility_614.waitHelper(UserUtility_614.java:52)  at utilities.UserUtility_614.selectFromDropdown(UserUtility_614.java:523)  at stepdefinitions.  ActivityHistory_609.User_609_Select_the_Application_in_Business_Profile_under_Parameters(ActivityHistory_609.java:88)  at ?.User_609 Select the Application in Business Profile under Parameters(file:///C:/Users/inindc00609/eclipse-workspace/</p>	FAILED	0.303 s

#	Step / Hook Details	Status	Duration
	Azentio_DigitalBanking_Vijay/src/test/java/Features/ActivityHistory_609.feature:16) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot		
		PASSED	0.483 s
9	And User_609 Click on Root in Business Profile under Parameters	SKIPPED	0.000 s
10	And User_609 Click on Retail in Business Profile under Parameters	SKIPPED	0.000 s
11	And User_609 Enable the Session Activity History flag in Business Profile under Parameters	SKIPPED	0.000 s
12	And User_609 Click the Save Button in Business Profile under Parameters	SKIPPED	0.001 s
13	And User_609 Click the Search Button in Business Profile under Parameters	SKIPPED	0.000 s
14	And User_609 Enter the Business Profile input in Business Profile under Parameters	SKIPPED	0.000 s
15	And User_609 Click the Approve Button in Business Profile under Parameters	SKIPPED	0.001 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) check if the system Retrieve "BVN "  
input on local beneficiary screen

(F) Activity History

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) check if the system Retrieve "BVN "  
input on local beneficiary screen

(F) Activity History


The screenshot displays the AZENTIO web application interface. The top navigation bar is blue and contains the AZENTIO logo, a user profile icon, and user information: "User : VIMAL" and "Company : BPM". The date "31 August 2023" is also shown. On the right side of the navigation bar, there are links for "Inbox", "Full Screen", "Options", "Advanced Options", "Switch View", "Home", "Log Out", and "Help". Below the navigation bar, there is a sidebar menu with the following options: "Menu Options", "Parameters", "Process", and "Reports". The main content area is currently blank. At the bottom of the page, there is a footer with the text: "Copyright©2023 Azentio ©All Rights Reserved. BML Cross Channel Admin 3.4.0.0 Build 2258" and "Powered by" followed by a logo.



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) check if the system Retrieve "BVN "  
input on local beneficiary screen


(F) Activity History



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) check if the system Retrieve "BVN "  
input on local beneficiary screen

(F) Activity History



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) check if the system Retrieve "BVN "  
input on local beneficiary screen

(F) Activity History

The screenshot shows the AZENTIO system interface. The left sidebar contains a 'Menu Options' list with 'Parameters' expanded, showing 'Business Profile' selected. The main content area displays the 'Business Profile' form for 'OADM10040'. The form includes fields for 'Profile Name', 'Brief Description', 'Allowed Features', and 'Limits'. The 'Limits' section is currently empty.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) check if the system Retrieve "BVN "  
input on local beneficiary screen

(F) Activity History

The screenshot shows the AZENTIO system interface. The left sidebar contains a 'Menu Options' list with 'Parameters' expanded, showing 'Business Profile' selected. The main content area displays the 'Business Profile' form for 'OADM10040'. The form includes fields for 'Profile Name', 'Brief Description', 'Allowed Features', and 'Limits'. The 'Limits' section is currently empty.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) check if the system Retrieve "BVN "  
input on local beneficiary screen

(F) Activity History

The screenshot displays the AZENTIO system interface for configuring a Business Profile. The left sidebar shows a menu with options like Settings, Profile Management, Business Profile, Sub Profile, User Management, OTP Report, Channels and Services Settings, Authentication Matrix, ATH & Branches, Limits Management, Integration Settings, Multi-Approve, Process, and Reports. The main content area is titled 'Parameters / Profile Management / Business Profile' and shows a form for 'Business Profile' with fields for 'Profile Name' and 'Brief Description', both containing 'RetailTest'. Below this is a section for 'Allowed Features' with a dropdown menu for 'Applications' and a table for 'Allowed System Features' showing a single entry 'Root'. A 'Limits' table is also present, currently empty. At the bottom, there are sections for 'Criteria' and 'Registration Charges'. The footer indicates 'Copyright©2023 Azentio ©All Rights Reserved' and 'Powered By'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) check if the system Retrieve "BVN "  
input on local beneficiary screen

(F) Activity History

This screenshot is identical to the one above, showing the AZENTIO system interface for configuring a Business Profile. It includes the same sidebar menu, main content area with 'Business Profile' form fields, 'Allowed Features' section, 'Limits' table, and footer information.