


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Application Login and verify	1	0	1	0	26.951 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Application Login and verify	System should display notification to checker2 user for	18	7	1	10	26.944 s
		approving/rejecting the task or record					

DETAILED SECTION -- 4 --

(F)- Application Login and verify

FAILED	DURATION - 26.951 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 12:30:31.048 A	AM // 12:30:57.999 AM /	Pass - 0	1	Pass - 7	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- System should display notification to checker2 user for approving/rejecting the task or record

FAILED	DURATION - 26.944 s	10								-;			-, -					Steps		
/ 12:30:31.0	55 AM // 12:30:57.999 AM /	8	1				¦ -		-				1	- ¦ -		-		Total - 18		N
Application L	ogin and verify	4	-										-	- -				Pass - 7 Fail - 1	18	
@Budget Bu		- 0	_			-	<u> </u>	<u> </u>	<u> </u>	<u> </u>			1				_	Skip - 10		
- 0 =				1 2	3	4	5	6	7	8	9	10	11	12	13	14	15			

#	Step / Hook Details	Status	Duration
1	Given Maker login	PASSED	10.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
	# O AND TO SAME AND THE SAME A		
2	And Maker click on the direction tab	PASSED	0.577 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		


3 Then Maker click on the budget PASSED 0.125 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 4 Then Maker click on budget transfer eye button PASSED 0.256 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Maker click on add button PASSED 0.256 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then Maker click on budget transfer eye button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Maker click on add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Maker fill the details and save AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED A645 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		This is the control of the control o		
screenshot 4 Then Maker click on budget transfer eye button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And Maker click on add button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And Maker click on add button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Creenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.354 s 0.354 s PASSED 0.256 s	3	Then Maker click on the budget	PASSED	0.125 s
Then Maker click on budget transfer eye button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
4 Then Maker click on budget transfer eye button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Maker click on add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.241 s PASSED O.316 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Maker click on add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Maker fill the details and save AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s 0.241 s PASSED 0.316 s 4.645 s PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.097 s		POUR STANDARD BY THE STANDARD		
screenshot 5 And Maker click on add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Maker fill the details and save AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.645 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.097 s	4	Then Maker click on budget transfer eye button	PASSED	0.354 s
5 And Maker click on add button PASSED 0.241 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Maker fill the details and save AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.316 s PASSED 0.316 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
5 And Maker click on add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Maker fill the details and save AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.645 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.241 s 0.316 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Maker fill the details and save AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.645 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.316 s		10 10 10 10 10 10 10 10		
Screenshot 6 Then Maker fill the details and save AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.097 s	5	And Maker click on add button	PASSED	0.241 s
6 Then Maker fill the details and save AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.645 s 0.097 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
6 Then Maker fill the details and save AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.645 s O.097 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.097 s		Part		
	6	Then Maker fill the details and save	PASSED	4.645 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s
		screenshot		


#	Step / Hook Details	Status	Duration
	Companies Comp		
7	Then Maker click on the notification icon	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot	1	
	*** **********************************		
8	Then Maker submit the budget transfer record	FAILED	3.603 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-lgm-c290="" aria-disabled="true" class="subButton ios button button-solid button-disabled ion-activatable ion-focusable hydrated" disabled="" ion-button="" ng-reflect-disabled="true"> is not clickable at point (723, 436). Other element would receive the click <ion-col_ngcontent-lgm-c290="" class="md hydrated" ion-col="" ng-reflect-size="12" size="12" size-lg="12" size-sm="12" style="flex: 0 0 calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'lNMUVADP014667', ip: '10.1.47.117', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [d033ad1e410133b0230701908fdb1520, clickElement {id=ab4f8abe-94ac-44b2-bc72-7a0fb72cd27f}] Capabilities {accepthsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45} (76e4c1bb2ab46, userDataDir: C:\Users\NINIDC-1\AppDataL}, goog:chromeOptions: {debuggerAddress: localhost:53432}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53432/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true) Element: [[ChromeDriver: chrome on WINDOWS (d033ad1e410133b0230701908fdb1520] -> xpati: //ion-button[contains(text(), 'Submir')] Session ID: d033ad1e410133b0230701908fdb1520] -> xpati: //ion-button</ion-col_ngcontent-lgm-c290=""></ion-button>		

DETAILED SECTION -- 7 -

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:277) at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.Budget_BudgetTransfer_BP_BT.maker_submit_the_budget_transfer_record(Budget_BudgetTransfer_BP_BT.java:231) at ?.Maker submit the budget transfer record(file:///C:/Users/inindc00082/eclipse-workspace/ AzentioAutomationFrameworkMakingchangesinmaker/src/test/java/features/Budget_BudgetTransfer_BP_BT_System&UAT.feature:60) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		
	# Outstanding State of the Control o		
9	Then user login to checker1	SKIPPED	0.000 s
10	And click on notification icon	SKIPPED	0.000 s
11	And click on action button button of the record which we want to approve	SKIPPED	0.001 s
12	Then user approve the record	SKIPPED	0.000 s
13	And user write the remark & submit the record	SKIPPED	0.000 s
14	Then User should login to checker2	SKIPPED	0.000 s
15	Then click on open pool	SKIPPED	0.000 s
16	And Verify for claming the record	SKIPPED	0.000 s
17	Then User should click on notification icon on reviewer2 home page	SKIPPED	0.000 s
18	Then Verify the clamed record is showing or not	SKIPPED	0.001 s

EXPANDED SECTION --- 8 --





EXPANDED SECTION -- 10 --

