

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Application Login and verify system generates notification at checker stage	1	0	1	0	27.148 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Application Login and verify system	BP_SB_03_02 To verify system generates notification at	7	6	1	0	27.140 s
	generates notification at checker stage	checker login					

DETAILED SECTION -- 4 --

(F)- Application Login and verify system generates notification at checker stage

FAILED	DURATION - 27.148 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 5:12:09.706	AM // 5:12:36.854 AM /	Pass - 0	1	Pass - 6	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- BP_SB_03_02 To verify system generates notification at checker login




#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and login to Checker1	PASSED	11.348 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
	# ® - Propositions Prior to layer - Analysis - Control © ■ ©		
	Seed Seed		
2	When Click on the Security management	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.112 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Click on the Notification AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Find the budget code which is submitted from maker AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Find the budget code which is submitted from maker AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.112 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.321 s		Final Accounts Final Accounts Final Accounts B 0 000 D increased Total S 0		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Click on the Notification AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Find the budget code which is submitted from maker AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Find the budget code which is submitted from maker AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.112 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.321 s				
Screenshot 4 Then Click on the Notification PASSED 1.921 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Find the budget code which is submitted from maker AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then Click on action Button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.	3	·		
4 Then Click on the Notification PASSED 1.921 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Find the budget code which is submitted from maker AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.001 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.108 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.321 s			PASSED	0.129 s
4 Then Click on the Notification PASSED 1.921 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.147 s 5 And Find the budget code which is submitted from maker PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.112 s 6 Then Click on action Button PASSED 1.108 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.321 s			_	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Find the budget code which is submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Click on action Button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.108 s PASSED 0.321 s		■ © COD STANDARD CONTRACTOR © ■ © CONTRACTOR © © © CONTRACTOR © © CONTRACTOR © © © CONTRACTOR © © © CONTRACTOR © © © CONTRACTOR © CONTR		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Find the budget code which is submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Click on action Button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.108 s PASSED 0.321 s	1	Then Click on the Notification	DASSED	1 021 s
screenshot And Find the budget code which is submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click on action Button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.108 s PASSED 0.321 s	4			
5 And Find the budget code which is submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Click on action Button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.108 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.321 s			TASSED	0.147 3
And Find the budget code which is submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click on action Button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.108 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.321 s		© \$10,000 tight \$70,000 tight \$20,000 tight \$20,000 tight \$10,000 tig	-	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Click on action Button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.108 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.321 s				
Screenshot 6 Then Click on action Button AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.321 s	5			
6 Then Click on action Button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.321 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
6 Then Click on action Button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.108 s 0.321 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.321 s				
	6	Then Click on action Button	PASSED	1.108 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
		screenshot]	


DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	PRODUCT AND ADMINISTRATION OF THE CONTROL OF THE CO		
7	And Verify the record is generated by opening the record	FAILED	0.095 s
	java.lang.NullPointerException: Cannot invoke "pageobjects.KUBS_ReviewerObj.reviewerApproveButton()" because "this.reviewer" is null at stepdefinitions.Budget_BudgetSupplementary_BP_SB. verify_the_record_is_generated_by_opening_the_record(Budget_BudgetSupplementary_BP_SB.java:137) at ?.Verify the record is generated by opening the record(file:///C:/Users/inindc00082/git/AzentioAutomationFramework/ AzentioAutomationFramework/src/test/java/features/Budget_BudgetSupplementary_TC.feature:16) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	Screenshot		

EXPANDED SECTION --- 7 -







EXPANDED SECTION -- 10 --

