

Lesson Objectives

After completing this lesson, you should be able to do the following:


- List the features of Oracle10g
- Discuss the theoretical and physical aspects of a relational database
- Describe the Oracle implementation of RDBMS and ORDBMS
- Understand the goals of the course

Goals of the Course

After completing this course, you should be able to do the following:

- Identify the major structural components of Oracle Database 10g
- Retrieve row and column data from tables with the SELECT statement
- Create reports of sorted and restricted data
- Employ SQL functions to generate and retrieve customized data
- Run data manipulation language (DML) statements to update data in Oracle Database 10g
- Obtain metadata by querying the dictionary views


Oracle10g




Oracle10g



Oracle Database 10g



Oracle Application Server 10g



Application development framework

Application server

Oracle Enterprise Manager 10*g*Grid Control


- Software provisioning
- Application service level monitoring




Relational and Object Relational Database Management Systems

- Relational model and object relational model
- User-defined data types and objects
- Fully compatible with relational database
- Support of multimedia and large objects
- High-quality database server features


Oracle Internet Platform



System Development Life Cycle



Data Storage on Different Media




Relational Database Concept


- Dr. E. F. Codd proposed the relational model for database systems in 1970.
- It is the basis for the relational database management system (RDBMS).
- The relational model consists of the following:
 - Collection of objects or relations
 - Set of operators to act on the relations
 - Data integrity for accuracy and consistency

Definition of a Relational Database

A relational database is a collection of relations or two-dimensional tables.




Data Models



Tables on disk


Entity Relationship Model

 Create an entity relationship diagram from business specifications or narratives:




- Scenario
 - "... Assign one or more employees to a department ..."
 - "... Some departments do not yet have assigned employees..."

Entity Relationship Modeling Conventions



Relating Multiple Tables

- Each row of data in a table is uniquely identified by a primary key (PK).
- You can logically relate data from multiple tables using foreign keys (FK).



Relational Database Terminology


EMPLOYEE ID LAST NAME FIRST NAME SALARY COMMISSION PCT DEPARTMENT ID 100 King Steven 24000 90 101 Kochhar 17000 90 Neena 102 De Haan 17000 90 Lex 60 103 Hunold Alexander 9000 104 Ernst 60 Bruce 6000 6 60 107 Lorentz Diana 4200 124 Mourgos Kevin 5800 50 141 Rajs 3500 50 Trenna 142 Davies 50 Curtis 3100 143 Matos Randall 50 2600 144 Vargas Peter 2500 50 149 Zlotkey Eleni 10500 80 174 Abel Ellen 11000 .3 80 176 Taylor Jonathon 8600 178 Grant .15 Kimberely 7000 10 200 Whalen Jennifer 4400 Michael 13000 20 Hartstein 202 Fay 20 Pat 6000 205 Higgins Shelley 110 12000 206 Gietz William 110 8300

Relational Database Properties


A relational database:

- Can be accessed and modified by executing structured query language (SQL) statements
- Contains a collection of tables with no physical pointers
- Uses a set of operators

Communicating with an RDBMS Using SQL



Oracle's Relational Database Management System



SQL Statements

SELECT INSERT Data manipulation language (DML) UPDATE DELETE **MERGE** CREATE ALTER **DROP Data definition language (DDL) RENAME** TRUNCATE COMMENT **GRANT Data control language (DCL)** REVOKE COMMIT **Transaction control** ROLLBACK SAVEPOINT

Tables Used in the Course

EMPLOYEES

	EMPLOYE	E_ID	FIRST_NAME	LAST_NAME	Е	MAIL	PHON	ΝE.	NUMBER	HIRE_DATE	JOB	_ID	SALA	
	100		Steven	King	SKING		515.123.4567		4567	17-JUN-87	AD_PRE	S	240	
		101	Neena	Kochhar	ochhar NK		515.123.		4568	21-SEP-89	AD_VP		170	
	102 Le		Lex	De Haan	aan LDE		515.123.4569		13-JAN-93	AD_VP		170		
	103		Alexander	Hunold	AHU	AHUNOLD		590.423.4567		03-JAN-90	IT_PROG		90	
	104		Bruce	Ernst	BERNST		590.423.4568		21-MAY-91	IT_PROG		60		
	107 Diana		Lorentz	DLC	DLORENTZ		590.423.5567		07-FEB-99	IT_PROG		42		
		124 Kevin M		Mourgos	KMOURGOS		650.123.		5234	16-NOV-99	ST_MAN		58	
		141 Trenna		Rajs	TRAJS		650.121.8009		8009	17-OCT-95	ST_CLERK		35	
	142		Curtis	Davies	CDA	WIES	650.12		2994	29-JAN-97	ST_CLERK		31	
DAD	ADTHERT ID DEDARTHERT			ME MANAGED		ID LOCATIO		1.2874		15-MAR-98	ST_CLERK		26	
PARTMENT_ID DEPAI								1.2004		09-JUL-98	ST_CLERK		25	
10 Adm			inistration		200		1700	1	244 420040	00 1481 00	O		405	
20 Marketing				201		1800	= GRA		LOWEST_SAL		HIGHEST_SAL			
50 Shipping				124		1500		Α	1000		2999			
60 IT				103		1400	. '	В	3000		5999			
80 Sales				149 2		2500		С	6000			9999		
	90 Executive				100 1		1700		D	10000		14999		
	110 Accounting				205		1700		E	15000			24999	
	190 Contracting						1700		F		25000			40000

DEPARTMENTS

JOB GRADES

Summary

- Oracle Database 10g is the database for grid computing.
- The database is based on the object relational database management system.
- Relational databases are composed of relations, managed by relational operations, and governed by data integrity constraints.
- With the Oracle server, you can store and manage information by using the SQL language and PL/SQL engine.