

# Strictifying monoidal structure, revisited

Paul Blain Levy

University of Birmingham

November 19, 2024

# Outline

- 1 The problem
- 2 Label-bearing categories
- 3 The results
- 4 Warning
- 5 Conclusions

# Two kinds of strictification

- A monoidal structure is **strict** when the associator, left unitor and right unitor consist of identity maps.

# Two kinds of strictification

- A monoidal structure is **strict** when the associator, left unitor and right unitor consist of identity maps.
- Strictifying a monoidal category means finding an **equivalent monoidal category** that's strict.
- This is always possible.

# Two kinds of strictification

- A monoidal structure is **strict** when the associator, left unitor and right unitor consist of identity maps.
- Strictifying a monoidal category means finding an **equivalent monoidal category** that's strict.
- This is always possible.
- Let  $\mathcal{C}$  be a category. Strictifying a monoidal structure on  $\mathcal{C}$  means finding an **isomorphic monoidal structure** on  $\mathcal{C}$  that's strict.
- When is this possible?

# For structured sets, structure strictification isn't straightforward

- Schauenburg (2001) claimed that, on a **category of structured sets**, any monoidal structure can be strictified.
- This was incorrect, but his methods work in many cases.

# Counterexample

Let  $\mathcal{C}$  be the category of sets with at most one element, and bijections.  
Monoidal structure:

$$\begin{aligned}\emptyset \oplus \emptyset &\stackrel{\text{def}}{=} \emptyset \\ \emptyset \oplus \{x\} &\stackrel{\text{def}}{=} \{0\} \\ \{x\} \oplus \emptyset &\stackrel{\text{def}}{=} \{0\} \\ \{x\} \oplus \{y\} &\stackrel{\text{def}}{=} \emptyset\end{aligned}$$

with  $\emptyset$  as unit. It's strictly associative and strictly symmetric.

# Counterexample

Let  $\mathcal{C}$  be the category of sets with at most one element, and bijections.  
Monoidal structure:

$$\begin{aligned}\emptyset \oplus \emptyset &\stackrel{\text{def}}{=} \emptyset \\ \emptyset \oplus \{x\} &\stackrel{\text{def}}{=} \{0\} \\ \{x\} \oplus \emptyset &\stackrel{\text{def}}{=} \{0\} \\ \{x\} \oplus \{y\} &\stackrel{\text{def}}{=} \emptyset\end{aligned}$$

with  $\emptyset$  as unit. It's strictly associative and strictly symmetric.  
A strictification  $\square$  would satisfy

$$\begin{aligned}(\{0\} \square \{0\}) \square \{1\} &= \{0\} \square (\{0\} \square \{1\}) \\ \emptyset \square \{1\} &= \{0\} \square \emptyset \\ \{1\} &= \{0\}\end{aligned}$$



# Label-bearing categories

A **label-bearing category** consists of the following:

- ① A category  $\mathcal{C}$ , with certain objects designated **empty**.

## Requirement

Any isomorphism to or from an empty object is an identity.

A **label-bearing category** consists of the following:

- ① A category  $\mathcal{C}$ , with certain objects designated **empty**.

**Requirement**

Any isomorphism to or from an empty object is an identity.

- ② For any thing  $x$  and object  $a$ , an isomorph  $(x \cdot a, \theta_{a,x})$  of  $a$ .

**Requirement**

If  $a$  is nonempty, then  $x \cdot a = y \cdot b$  implies  $x = y$ .

# Examples of label-bearing categories

- **Set, Grp, Top.** Take  $x \cdot a \stackrel{\text{def}}{=} \{x\} \times a$ .
- Categories of structured sets.
- $\mathcal{C}^{\text{op}}$ , for a label-bearing category  $\mathcal{C}$ .
- $\prod_{i \in I} \mathcal{C}_i$ , for label-bearing categories  $(\mathcal{C}_i)_{i \in I}$ .  
An object is empty when all its components are.
- $\text{Fam}(\mathcal{C})$ , for a category  $\mathcal{C}$ .

## Key result

On a label-bearing category,  
any **product-like** or **sum-like** structure is strictifiable.

We need to define these notions.

## Key result

On a label-bearing category,  
any **product-like** or **sum-like** structure is strictifiable.

We need to define these notions.

## Compositionality

- Product-like structure on  $\mathcal{C}$  gives one on  $\mathcal{C}^{\text{op}}$ .
- Sum-like structure on  $\mathcal{C}$  gives one on  $\mathcal{C}^{\text{op}}$ .
- Product-like structures on  $(\mathcal{C}_i)_{i \in I}$  gives one on  $\prod_{i \in I} \mathcal{C}_i$ .
- Sum-like structures on  $(\mathcal{C}_i)_{i \in I}$  gives one on  $\prod_{i \in I} \mathcal{C}_i$ .

On a label-bearing category  $\mathcal{C}$ , a monoidal structure is **product-like** when  $a \otimes b$  is empty if  $a$  or  $b$  is.

On a label-bearing category  $\mathcal{C}$ , a monoidal structure is **product-like** when  $a \otimes b$  is empty if  $a$  or  $b$  is.

- Why not require that  $a \otimes b$  is nonempty if  $a$  and  $b$  are?  
Because this would exclude the product on  $\mathbf{Set}^2$ .
- Why not require the unit to be nonempty?  
Because this would exclude the product on  $\mathbf{Set}^0$ .

# Decomposing the unit

A monoid has **indecomposable unit** when  $a \otimes b = I$  implies  $a = I$  and hence  $b = I$ .



# Decomposing the unit

A monoid has **indecomposable unit** when  $a \otimes b = I$  implies  $a = I$  and hence  $b = I$ .

## Examples

- 1 Nonnegative reals under addition.
- 2 Any monoid where  $\otimes$  is idempotent. Proof:

$$\begin{aligned} a \otimes b = I \text{ implies } a &= a \otimes I \\ &= a \otimes a \otimes b \\ &= a \otimes b \\ &= I \end{aligned}$$

On a label-bearing category  $\mathcal{C}$ , a monoidal structure is **sum-like** when:

- The unit is empty.
- $a \otimes b$  is empty iff both  $a$  and  $b$  are.
- The class monoid of empty objects has indecomposable unit.

# All monoidal structures?

Let  $\mathcal{C}$  be a label-bearing category such that:

- Every nonempty object is weakly terminal.
- Every empty object is initial.
- Every morphism to an empty object is from an empty object.

Then every monoidal structure on  $\mathcal{C}$  can be strictified.

Examples include **Set** and **Poset**.

# All monoidal structures?

Let  $\mathcal{C}$  be a label-bearing category such that:

- Every nonempty object is weakly terminal.
- Every empty object is initial.
- Every morphism to an empty object is from an empty object.

Then every monoidal structure on  $\mathcal{C}$  can be strictified.

Examples include **Set** and **Poset**.

Don't know about **Rel** or **Bij** or **Set**<sup>2</sup> or **Fam(Set)**.

## Warning: preservation of inclusions

On **Set**, the standard implementation of  $\times$  and  $+$  **preserve inclusions**.

## Warning: preservation of inclusions

On **Set**, the standard implementation of  $\times$  and  $+$  **preserve inclusions**.

But no implementation of products preserves inclusions **and** is strict.

Likewise for sums.

# Conclusions

Many categories such as **Set** and  $\mathbf{Set}^2$  and  $\mathbf{Fam}(\mathbf{Set})$  are **label-bearing**.

On such a category, a monoidal structure that is either **product-like** or **sum-like** can be strictified.

And for certain categories e.g. **Set**, this means any monoidal structure.

# Conclusions

Many categories such as **Set** and  $\mathbf{Set}^2$  and  $\mathbf{Fam}(\mathbf{Set})$  are **label-bearing**.

On such a category, a monoidal structure that is either **product-like** or **sum-like** can be strictified.

And for certain categories e.g. **Set**, this means any monoidal structure.

## Bonus corollary

As a “category with two monoidal structures”,

$(\mathbf{Set}, \times, +)$  is equivalent to one where both structures are strict.