

# Bill of Materials

# BCMMODULE

Project:	CM001_V4.PrjPcb	
Variant:	CM001c	
Revision:	4.0	
Creation Date:	07.09.2018	14:06:05
Bearbeiter:	Mierau	

Art-Nr.	Quantität	Designator	Value	Description	Hersteller	Bestellbezeichnung	Footprint	S/T	Hersteller1	Bestellbezeichnung1	Lieferant
08.0001.0__	23	C1, C2, C4, C7, C8, C9, C10, C11, C12, C13, C14, C15, C39, C40, C41, C55, C62, C77, C95, C96, C118, C122, C126	10uF_03_10V_X7R	Capacitor 0603 10uF 10V X7R			CC1608-0603	SMD			
08.0002.0__	82	C3, C20, C28, C31, C33, C37, C38, C42, C43, C44, C45, C46, C47, C48, C49, C50, C51, C52, C53, C54, C56, C57, C58, C59, C60, C61, C63, C64, C65, C66, C67, C68, C69, C70, C71, C72, C73, C74, C75, C76, C78, C79, C80, C81, C82, C83, C84, C85, C86, C87, C88, C92, C93, C94, C97, C98, C99, C100, C101, C102, C103, C105, C107, C108, C109, C110, C111, C112, C113, C114, C115, C116, C117, C119, C120, C121, C124, C127, C128, C129, C130, C158	0.1uF/6V3_01_X7R	Capacitor 0201 6,3V X7R	any		CC0603-0201	SMD			
08.0002.	4	C16, C18, C24, C125	2.2uF/6V3_02_X7R	Capacitor 0402 6V3 X7R			CC1005-0402	SMD			
08.0002.____	1	C17	2.2uF/10V_02_X7R	Capacitor 0402 10V X7R			CC1005-0402	SMD			
08.0002.	1	C19	470pF_02	Capacitor 0402 50V X7R			CC1005-0402	SMD			
08.0002.0037	4	C21, C22, C25, C26	18pF_02	Capacitor 0402 50V NPO			CC1005-0402	SMD			
08.0002.0009	2	C32, C123	1nF/50V_02	Capacitor 0402 X7R 50V			CC1005-0402	SMD			
08.0002.0030	3	C89, C90, C91	1uF/10V_01	Capacitor 0201 10V X6S			CC0603-0201	SMD			
08.0002.0011	1	C104	1uF/10V_02	Capacitor 0402 10V X5R			CC1005-0402	SMD			

08.0002.0041	1	C106	1uF/25V_02_X6S	Capacitor 0402 25V X6S			CC1005-0402	SMD			
08.0002.0____	1	C152	0.1uF/16V_02_X7R	Capacitor 0402 16V X7R			CC1005-0402	SMD	muRata	GCM188R70J225KE22D	
04.0501.00__	1	IC3	SN74LVC1G06DCK	Single buffer/line driver, 5V-tolerant Input, Open collector, SOT353(SC70)	TI	SN74LVC1G06DCK	SOT353	SMD			Arrow
04.0701.	1	IC5	AM3358BZCZA100	Cortex A8 Processor 15x15_industriell	Texas Instruments	AM3358BZCZA100	BGA324_RM0.8_15x15	SMD			digikey
04.0701.	1	IC7	CAT24C32C5CTR	Serial EEPROM; 2-wire, 8192 x 8 bits	ON SEMI	CAT24C32C5CTR	WLCSP5	SMD			
04.0701.0145	1	IC12	DDR3L-800-SDRAM-4G-256Mx16_i	DDR3L 800MHz SDRAM; 4Giga 256M x 16, industrial	Intelligent Memory	IM4G16D3FABG-125I	BGA96_T9_P8_9X14	SMD			Memphis
04.0701.	1	IC13	eMMC-4GB	Flash Card 4G-byte 3.3V MultiMedia Card 153-Pin WFBGA	Hynix	H26M31001HPR	BGA153_P14_P5_11P5X13	SMD	Kingston	KE4CN2H5A-A58	memphis
04.0501.0057	1	IC16	74LVC1G07DCK	Single Buffer/Driver With Open-Drain Output SOT353 (SC70)	TI	74LVC1G07DCK	SOT353	SMD			Arrow
12.0501.	3	L1, L2, L3	2.2uH_20	Inductor 2520; 2,2uH; 1,3A	MURATA	LQM2HPN2R2MG0L	CR9879-2520	SMD			
12.0501.	3	L4, L5, L6	150L	Inductor 150 Ohm Ferrite 0805, 800mA	Laird-Signal Integrity Products	LI0805H151R-10	CR2012-0805	SMD			digikey,
05.0401.0022	1	LD1	LEDgn_b_03	Leuchtdiode bright grün 0603, RV(5mA)@3V3=100OHM	Würth Elektronik	150060VS75000	CD1608-0603	SMD			Würth Elektronik
	4	PM1, PM2, PM3, PM4	PMR	Passer Markierung rund			PASSER_RUND				
09.0002.0003	1	R1	100k_02	Resistor; 0402; 1%			CR1005-0402	SMD			
09.0002.0028	3	R3, R4, R97	1k5_02	Resistor; 0402; 1%			CR1005-0402	SMD			
09.0002.0002	9	R5, R6, R7, R8, R27, R29, R30, R162, R165	0R_02	Resistor; 0402; 5%			CR1005-0402	SMD			
09.0002.0023	1	R10	470k_02	Resistor; 0402; 1%			CR1005-0402	SMD			
09.0002.	1	R11	280k_02	Resistor; 0402; 1%			CR1005-0402	SMD			
09.0002.	1	R12	820R_02	Resistor; 0402; 1%			CR1005-0402	SMD			
09.0002.0004	17	R14, R54, R96, R98, R100, R101, R102, R103, R104, R105, R106, R107, R108, R109, R110, R111, R156	10k_02	Resistor; 0402; 1%			CR1005-0402	SMD			
09.0002.0015	1	R17	1M_02	Resistor; 0402; 1%			CR1005-0402	SMD			
09.0002.0014	2	R18, R28	33R_02	Resistor; 0402; 1%			CR1005-0402	SMD			
09.0002.0016	1	R22	49R9_02	Resistor; 0402; 1%			CR1005-0402	SMD			
09.0002.0017	3	R26, R163, R164	4k75_02	Resistor; 0402; 1%			CR1005-0402	SMD			
09.0002.0070	16	R57, R65, R66, R67, R68, R80, R82, R83, R84, R85, R86, R87, R88, R89, R94, R95	100k_01	Resistor 0201, 1/20W			CR0603-0201	SMD			
09.0002.0071	1	R99	240R_02	Resistor; 0402; 1%			CR1005-0402	SMD			
04.0901.	1	SR1	TPS65217DRSL	TPS65217x Single-Chip PMIC for Battery-Powered Systems	TI	TPS65217DRSL	RSL48+1_TI_TPS	SMD			
04.0901.	1	SR2	TL5209	IC LDO VOLT REG 500MA 8-SOIC	TI	TL5209DR	SO8	SMD			Arrow

12.0601.00__	1	Y1	32.768kHz_i	Quarz; 3,2x1,5mm, -40°C bis 85°C	Epson	FC-135 32.7680KA-A3	CM3215	SMD			
12.0601.0029	1	Y2	24MHz_CM3225_i	Quarz; 3,2x2,5mm, 20pF, -40°C bis 85°C	Fox Electronics	FQ3225BR-24.000	QUARZ CM3225	SMD	Comtec Crystals	A024000000CIFBPN43D B	Digikey