

Rocket Nozzle Equations

Ben Calow

September 14, 2025.

Contents

Nomenclature	2
1 Thermodynamic Relations	3
1.1 Gas Constant	3
1.2 Sonic Velocity	3
1.3 Isentropic Flow Relation	3
1.4 Isentropic Total To Static Temperature Relation	3
1.5 Isentropic Total To Static Pressure Relation	3
1.6 Isentropic Nozzle Area Ratio	3
1.7 Isentropic Mach Number	3
2 Isentropic Flow	4
2.1 Isentropic Exit Velocity	4
2.2 Choked Mass Flow Rate	4
2.3 Thrust	4
References	5

Nomenclature

A	Area
c	Speed of sound
\dot{m}	Mass flow rate
M	Molecular mass
Ma	Mach number
$mol\%$	Mole percentage
P	Pressure
R'	Universal gas constant
R	Specific gas constant
T	Temperature
v	Velocity
ϵ	Nozzle area ratio
γ	Ratio of specific heats
ρ	Density

Subscripts

a	Ambient
c	Chamber
e	Exit
t	Throat
x,y	Given position
0	Stagnation

1 Thermodynamic Relations [1]

1.1 Gas Constant

$$R = \frac{R'}{M} \quad (1.1)$$

1.2 Sonic Velocity

$$c = \sqrt{\gamma RT} \quad (1.2)$$

1.3 Isentropic Flow Relation

$$\frac{T_x}{T_y} = \left(\frac{P_x}{P_y} \right)^{\frac{\gamma}{\gamma-1}} \quad (1.3)$$

1.4 Isentropic Total To Static Temperature Relation

$$0 = \frac{T}{T_0} \left[1 + \frac{1}{2} (\gamma - 1) Ma^2 \right] \quad (1.4)$$

1.5 Isentropic Total To Static Pressure Relation

$$0 = \frac{P}{P_0} \left[1 + \frac{1}{2} (\gamma - 1) Ma^2 \right]^{\frac{\gamma}{\gamma-1}} \quad (1.5)$$

1.6 Isentropic Nozzle Area Ratio

The Isentropic Nozzle Area Ratio Calculation

$$\frac{A_y}{A_x} = \frac{Ma_x}{Ma_y} \sqrt{\left\{ \frac{1 + \left[\frac{\gamma-1}{2} \right] Ma_y^2}{1 + \left[\frac{\gamma-1}{2} \right] Ma_x^2} \right\}^{\frac{\gamma+1}{\gamma-1}}} \quad (1.6)$$

1.7 Isentropic Mach Number

Equations (1.4) and (1.5) can be rearranged to solve for the Mach Number

$$Ma = \sqrt{\frac{2}{\gamma-1} \left(\frac{T_0}{T} - 1 \right)} \quad (1.7)$$

$$Ma = \sqrt{\frac{2}{\gamma-1} \left(\frac{P_0^{\frac{\gamma-1}{\gamma}}}{P} - 1 \right)} \quad (1.8)$$

2 Isentropic Flow [1]

2.1 Isentropic Exit Velocity

$$v_e = \sqrt{\frac{2\gamma}{\gamma-1}RT_0 \left[1 - \left(\frac{P_e}{P_0} \right)^{\frac{\gamma-1}{\gamma}} \right]} \quad (2.1)$$

2.2 Choked Mass Flow Rate

$$\dot{m} = A_t P_0 \gamma \frac{\sqrt{\frac{2}{\gamma+1} \frac{\gamma+1}{\gamma-1}}}{\sqrt{\gamma R T_0}} \quad (2.2)$$

2.3 Thrust

$$F = \dot{m} v_e + (P_e - P_a) A_e \quad (2.3)$$

References

- [1] G. P. Sutton and O. Biblarz, *Rocket Propulsion Elements*, 9th ed. Wiley, 2017.