3.3 – Exponent Laws Worksheet #2

MPM1D

Simplify the following expressions, and then evaluate where possible:

1.
$$(x^7)(x^3)(x^6)$$

5.
$$[(-1)^3]^3$$

2.
$$5^9 \div 5^6$$

6.
$$4^6 \div 4^9$$

3.
$$(x^3)^5$$

7.
$$2n^4 \cdot 5n^4$$

4.
$$(y^3)^2 (y^5)$$

8.
$$\frac{x^4x^7}{x^{11}}$$

9.
$$9xy^2 \cdot 3x^5y^2$$

$$13. \qquad \frac{10p^4}{6p^2}$$

10.
$$(2b^2)^4$$

$$14. \qquad \frac{4y^4}{14yx^8}$$

$$11. \qquad \frac{-3r^3}{3r}$$

$$15. \qquad \frac{16yx^4}{6x^8y^2}$$

12.
$$7v^3 \cdot 10u^3v^5 \cdot 2uv^3$$

$$16. \qquad \frac{(8x^3)(4xy^3)}{2x^4 \cdot 14y^3}$$

- 17. Consider the expression $\frac{(-3m^2n)(4m^3n^2)}{(2m^4n^2)(3mn)}$
- a) Substitute m = 4 and n = -3 into the expression and evaluate it:

b) Simplify the original expression using the exponent laws:

c) What are the advantages and disadvantages of the two methods?

18. Your job: Invent an expression containing exponents that, when simplified, is equal to:

$$2p^2q$$

- Show all the steps required to prove that your expression simplifies correctly.
- The simplification should include all three exponent laws if possible. (product, quotient and power of a power).
- You are free to introduce any variables or operations you wish, as long as your original expression simplifies to the above expression

Answers:

1)
$$x^{16}$$
 2) 125 3) x^{15} 4) y^{11} 5) -1 6) $\frac{1}{64}$ 7) 10 n^8 8) 1

9)
$$27x^6y^4$$
 10) $16b^8$ 11) $-r^2$ 12) $140u^4v^{11}$ 13) $\frac{5p^2}{3}$ 14) $\frac{2y^3}{7x^8}$

15)
$$\frac{8}{3x^4y}$$
 16) $\frac{8}{7}$ 17) a) -2 b) -2 c) answers may vary 18) answers vary