

# Audit Report Web3Land

January 2022

Type BEP20

Network BSC

Address 0xed93d534fa9d14218b001fc48127720bcae66f16

Audited by © coinscope



# **Table of Contents**

lable of Contents	1
Contract Review	3
Audit Updates	3
Contract Analysis	4
ELFM - Exceed Limit Fees Manipulation	5
Description	5
Recommendation	5
Contract Diagnostics	6
L01 - Public Function could be Declared External	7
Description	7
Recommendation	7
L02 - State Variables could be Declared Constant	8
Description	8
Recommendation	8
L05 - Unused State Variable	9
Description	9
Recommendation	9
L04 - Conformance to Solidity Naming Conventions	10
Description	10
Recommendation	10
L09 - Dead Code Elimination	10
Description	11
Recommendation	11
L07 - Missing Events Arithmetic	12
Description	12
Recommendation	12



Contract Functions	13
Contract Flow	20
Domain Info	21
Summary	22
Disclaimer	23
About Coinscope	24



# **Contract Review**

Contract Name	WEB3
Compiler Version	v0.8.11+commit.d7f03943
Optimization	200 runs
Licence	None
Explorer	https://bscscan.com/token/0xed93d534fa9d14218b00 1fc48127720bcae66f16
Symbol	WEB3
Decimals	18
Total Supply	300,000,000
Source	contract.sol
Domain	web3land.net

# **Audit Updates**

Initial Audit	1st February 2022
Corrected	



# **Contract Analysis**

CriticalMediumMinorPass

Severity	Code	Description
•	ST	Contract Owner is not able to stop or pause transactions
•	OCTD	Contract Owner is not able to transfer tokens from specific address
•	OTUT	Owner Transfer User's Tokens
•	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
•	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
•	MT	Contract Owner is not able to mint new tokens
•	ВТ	Contract Owner is not able to burn tokens from specific wallet
•	ВС	Contract Owner is not able to blacklist wallets from selling



### **ELFM** - Exceed Limit Fees Manipulation

Criticality	medium
Location	contract.sol#L751

### Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the setExtraSellFee function with a high percentage value.

Then in the case when the user has to sell, he can have total fees of 25% + extrasellFee of 25% = 50% total fees.

```
if(takeFee) {
    require(tradingOpen,"WEB3: Trading is not open yet");
    uint256 fees = amount * totalFees / 100;
    if(automatedMarketMakerPairs[to]){
        fees += amount * extraSellFee / 100;
    }
```

#### Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



# **Contract Diagnostics**

CriticalMediumMinor

Severity	Code	Description
•	L01	Public Function could be Declared External
•	L02	State Variables could be Declared Constant
•	L05	Unused State Variable
•	L04	Conformance to Solidity Naming Conventions
•	L09	Dead Code Elimination
•	L07	Missing Events Arithmetic



### L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L1558,L1514,L1242 and 22 more

### Description

Public functions that are never called by the contract should be declared external to save gas.

```
process
getAccountAtIndex
dividendTokenBalanceOf
...
```

### Recommendation

Use the external attribute for functions never called from the contract.



### L02 - State Variables could be Declared Constant

Criticality	minor
Location	contract.sol#L1066,L1064

### Description

Constant state variables should be declared constant to save gas.

swapTokensAtAmount
deadWallet

### Recommendation

Add the constant attribute to state variables that never change.



### L05 - Unused State Variable

Criticality	minor
Location	contract.sol#L415

### Description

There are segments that contains unused state variable.

MAX\_INT256

### Recommendation

Remove unused state variables.



# L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L1475,L1074,L925 and 8 more

### Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow \_ at the beginning of the mixed\_case match for private variables and unused parameters.

```
_account
_developmentWalletAddress
magnitude
...
```

### Recommendation

Follow the Solidity naming convention. https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions



### L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L443,L420,L432 and 4 more

### Description

Functions that are not used in the contract, and make the code's size bigger.

sub
mul
div
...

### Recommendation

Remove unused functions.



### L07 - Missing Events Arithmetic

Criticality	minor
Location	contract.sol#L1201,L1179,L1173 and 2 more

### Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
maxWalletTokens = 30000000 * 10 ** 18 * maxWalletPercent
extraSellFee = value
developmentFee = value
...
```

### Recommendation

Emit an event for critical parameter changes.



# **Contract Functions**

Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
IUniswapV2Ro uter01	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	1	-
	removeLiquidityWithPermit	External	1	-
	removeLiquidityETHWithPermit	External	<b>✓</b>	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	1	-



	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
IUniswapV2Ro uter02	Interface	IUniswapV2 Router01		
	removeLiquidityETHSupportingFeeOn TransferTokens	External	1	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	1	-
	swapExactTokensForTokensSupporti ngFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingF eeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingF eeOnTransferTokens	External	✓	-
IUniswapV2Fa ctory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	<b>✓</b>	-
	setFeeToSetter	External	✓	-
IUniswapV2Pai r	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-



	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	mint	External	<b>✓</b>	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	1	-
IERC20Metada ta	Interface	IERC20		
	name	External		-
	symbol	External		-
	decimals	External		-
Ownable	Implementation	Context		
	<constructor></constructor>	Public	1	-
	owner	Public		-
	renounceOwnership	Public	<b>✓</b>	onlyOwner
	transferOwnership	Public	<b>✓</b>	onlyOwner
SafeMathInt	Library			



	toUint256Safe	Internal		
SafeMathUint	Library			
	toInt256Safe	Internal		
IterableMappin g	Library			
	get	Public		-
	getIndexOfKey	Public		-
	getKeyAtIndex	Public		-
	size	Public		-
	set	Public	1	-
	remove	Public	1	-
ERC20	Implementation	Context, IERC20, IERC20Met adata		
	<constructor></constructor>	Public	1	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	1	-
	allowance	Public		-
	approve	Public	1	-
	transferFrom	Public	1	-
	increaseAllowance	Public	1	-
	decreaseAllowance	Public	1	-
	_transfer	Internal	1	
	_mint	Internal	1	
	_burn	Internal	1	
	_approve	Internal	1	
	_beforeTokenTransfer	Internal	1	
	_afterTokenTransfer	Internal	1	



DividendPayin gTokenOption alInterface	Interface			
	withdrawableDividendOf	External		-
	withdrawnDividendOf	External		-
	accumulativeDividendOf	External		-
DividendPayin gTokenInterfac e	Interface			
	dividendOf	External		-
	distributeRewardsDividends	External	✓	-
	withdrawDividend	External	1	-
DividendPayin gToken	Implementation	ERC20, Ownable, DividendPay ingTokenInt erface, DividendPay ingTokenOp tionalInterfa		
	<constructor></constructor>	Public	1	ERC20
	distributeRewardsDividends	External	✓	onlyOwner
	withdrawDividend	Public	1	-
	_withdrawDividendOfUser	Internal	✓	
	rescueTokens	Public	✓	-
	dividendOf	Public		-
	withdrawableDividendOf	Public		-
	withdrawnDividendOf	Public		-
	accumulativeDividendOf	Public		-
	_transfer	Internal	1	
	_mint	Internal	1	
	_burn	Internal	<b>√</b>	
	_setBalance	Internal	<b>√</b>	
WEB3	Implementation	ERC20, Ownable		
	<constructor></constructor>	Public	✓	ERC20




	<receive ether=""></receive>	External	Payable	-
U	updateDividendTracker	External	✓	onlyOwner
U	updateUniswapV2Router	External	✓	onlyOwner
е	excludeFromFees	Public	✓	onlyOwner
е	excludeMultipleAccountsFromFees	External	✓	onlyOwner
s	setDevelopmentWallet	External	<b>√</b>	onlyOwner
S	setrewardFees	External	✓	onlyOwner
S	setLiquidityFee	External	✓	onlyOwner
s	setDevelopmentFee	External	✓	onlyOwner
s	setExtraSellFee	External	✓	onlyOwner
O	ppenTrading	External	✓	onlyOwner
re	rescueTokens	External	✓	-
S	setAutomatedMarketMakerPair	External	✓	onlyOwner
li	imitMaxWallet	External	✓	onlyOwner
_	_setAutomatedMarketMakerPair	Private	✓	
U	updateGasForProcessing	External	✓	onlyOwner
U	updateClaimWait	External	✓	onlyOwner
Q	getClaimWait	External		-
g	getTotalDividendsDistributed	External		-
is	sExcludedFromFees	Public		-
v	vithdrawableDividendOf	Public		-
d	dividendTokenBalanceOf	Public		-
е	excludeFromDividends	External	✓	onlyOwner
9	getAccountDividendsInfo	External		-
9	getAccountDividendsInfoAtIndex	External		-
р	processDividendTracker	External	✓	-
C	claim	External	✓	-
g	getLastProcessedIndex	External		-
g	getNumberOfDividendTokenHolders	External		-
_	transfer	Internal	✓	
S	swapAndLiquify	Private	✓	
S	swapTokensForEth	Private	✓	
	swapETHforRewardsandSendToDivid ends	Private	✓	
а	addLiquidity	Private	✓	



WEB3Dividend Tracker	Implementation	Ownable, DividendPay ingToken		
	<constructor></constructor>	Public	<b>✓</b>	DividendPayin gToken
	_transfer	Internal		
	withdrawDividend	Public		-
	excludeFromDividends	External	✓	onlyOwner
	updateClaimWait	External	✓	onlyOwner
	getLastProcessedIndex	External		-
	getNumberOfTokenHolders	External		-
	getAccount	Public		-
	getAccountAtIndex	Public		-
	canAutoClaim	Private		
	setBalance	External	✓	onlyOwner
	process	Public	✓	-
	processAccount	Public	1	onlyOwner



# **Contract Flow**





## Domain Info

Domain Name	web3land.net
Registry Domain ID	2667633871_DOMAIN_NET-VRSN
Creation Date	2022-01-12T00:18:21Z
Updated Date	2022-01-12T00:18:21Z
Registry Expiry Date	2023-01-12T00:18:21Z
Registrar WHOIS Server	whois.godaddy.com
Registrar URL	http://www.godaddy.com
Registrar	GoDaddy.com, LLC
Registrar IANA ID	146

The domain has been created 1 day before the creation of the audit. It will expire in 12 months.

There is no public billing information, the creator is protected by the privacy settings.



# Summary

Web3land aims to be a fully decentralised, fully customizable, virtual reality, community driven, play to earn gaming ecosystem. The smart contract analysis reported no compiler errors and 1 medium severity issue. The project owner can change fees but there are limitations of how much he can increase them (25% for buying, up to 50% for selling). A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.



### Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Coinscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Coinscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Coinscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Coinscope team disclaims any liability for the resulting losses.



# **About Coinscope**

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Coinscope is aiming to make crypto discoverable and efficient globally. It provides all the essential tools to assist users draw their own conclusions.



The Coinscope.co team

https://www.coinscope.co