

Audit Report **ECOVERSE**

February 2022

Type BEP20

Network BSC

Address 0xf8f0f2906c3a0c2f00b3d2d6beb189806efe7b7c

Audited by © coinscope



Table of Contents

Table of Contents	1
Contract Review	3
Audit Updates	3
Contract Analysis	4
ST - Stop Transactions	5
Description	5
Recommendation	5
ELFM - Exceed Limit Fees Manipulation	6
Description	6
Recommendation	6
BC - Blacklisted Contracts	7
Description	7
Recommendation	7
Contract Diagnostics	8
L01 - Public Function could be Declared External	9
Description	9
Recommendation	9
L02 - State Variables could be Declared Constant	10
Description	10
Recommendation	10
L04 - Conformance to Solidity Naming Conventions	11
Description	11
Recommendation	11
L09 - Dead Code Elimination	12
Description	12
Recommendation	12



L07 - Missing Events Arithmetic	13
Description	13
Recommendation	13
L15 - Local Scope Variable Shadowing	14
Description	14
Recommendation	14
Contract Functions	15
Contract Flow	20
Domain Info	21
Summary	22
Disclaimer	23
About Coinscope	24



Contract Review

Contract Name	Ecoverse
Compiler Version	v0.6.12+commit.27d51765
Optimization	200 runs
Licence	MIT
Explorer	https://bscscan.com/token/0xf8F0f2906c3A0c2F00b3 d2d6beb189806Efe7b7C
Symbol	EVS
Decimals	18
Total Supply	500,000,000
Source	contract.sol
Domain	evsworld.io

Audit Updates

Initial Audit	21st February 2022
Corrected	



Contract Analysis

CriticalMediumMinorPass

Severity	Code	Description
•	ST	Contract Owner is not able to stop or pause transactions
•	OCTD	Contract Owner is not able to transfer tokens from specific address
•	OTUT	Owner Transfer User's Tokens
•	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
•	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
•	MT	Contract Owner is not able to mint new tokens
•	ВТ	Contract Owner is not able to burn tokens from specific wallet
•	ВС	Contract Owner is not able to blacklist wallets from selling



ST - Stop Transactions

Criticality	medium
Location	contract.sol#L1184

Description

The contract owner has the authority to stop transactions for all users excluding the owner. The owner may take advantage of it by setting the maxTxAmount to zero.

```
function _tokenTransfer(address sender, address recipient, uint256 amount)
private {
      if(_isExcludedFromFee[sender] || _isExcludedFromFee[recipient]){
          removeAllFee();
      }
      else{
          require(amount <= _maxTxAmount, "Transfer amount exceeds the maxTxAmount.");
      }
}</pre>
```

Recommendation

The contract could embody a check for not allowing setting the _maxTxAmount less than a reasonable amount. A suggested implementation could check that the maximum amount should be more than a fixed percentage of the total supply.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



ELFM - Exceed Limit Fees Manipulation

Criticality	critical
Location	contract.sol#L1156,1160,1164

Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the setDevelopmentFee function with a high percentage value.

```
function setDevelopmentFee(uint256 newFee) external onlyOwner() {
    _DevelopmentFee = newFee;
}
```

Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



BC - Blacklisted Contracts

Criticality	medium
Location	contract.sol#L1152

Description

The contract owner has the authority to stop contracts from transactions. The owner may take advantage of it by calling the blacklistAddress function.

```
require(!_isBlacklisted[from] && !_isBlacklisted[to], 'Blacklisted
address');
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

CriticalMediumMinor

Severity	Code	Description
•	L01	Public Function could be Declared External
•	L02	State Variables could be Declared Constant
•	L04	Conformance to Solidity Naming Conventions
•	L09	Dead Code Elimination
•	L07	Missing Events Arithmetic
•	L15	Local Scope Variable Shadowing



L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L434,443,449,454,462,768,772,776,780,789 and 14 more

Description

Public functions that are never called by the contract should be declared external to save gas.

setSwapAndLiquifyEnabled
includeInFee
excludeFromFee
isExcludedFromFee
excludeFromReward
reflectionFromToken
deliver
totalFees
isExcludedFromReward
...

Recommendation

Use the external attribute for functions never called from the contract.



L02 - State Variables could be Declared Constant

Criticality	minor
Location	contract.sol#L705,703,704,699

Description

Constant state variables should be declared constant to save gas.

```
_tTotal
_symbol
_name
_decimals
```

Recommendation

Add the constant attribute to state variables that never change.



L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L506,507,524,546,943,949,1191,693,707,710 and 7 more

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_maxTxAmount
BurningAddress
_BurnFee
DevelopmentWallet
_DevelopmentFee
MarketingWallet
_MarketingFees
_liquidityFee
_taxFee
...
```

Recommendation

Follow the Solidity naming convention.

https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions



L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L360,320,330,345,355,267,294,239,212,228

Description

Functions that are not used in the contract, and make the code's size bigger.

```
mod
_msgData
sendValue
isContract
functionCallWithValue
functionCall
_functionCallWithValue
...
```

Recommendation

Remove unused functions.



L07 - Missing Events Arithmetic

Criticality	minor
Location	contract.sol#L1156,1160,1165,1180,1184

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
_maxTxAmount = _tTotal.mul(maxTxPercent).div(10 ** 2)
numTokensSellToAddToLiquidity = newAmount
_BurnFee = newFee
_DevelopmentFee = newFee
_MarketingFees = newFee
```

Recommendation

Emit an event for critical parameter changes.



L15 - Local Scope Variable Shadowing

Criticality	minor
Location	contract.sol#L794,975

Description

The are variables that are defined in the local scope containing the same name from an upper scope.

owner

Recommendation

The local variables should have different names from the upper scoped variables.



Contract Functions

Туре	Bases		
Function Name	Visibility	Mutability	Modifiers
Interface			
totalSupply	External		-
balanceOf	External		-
transfer	External	1	-
allowance	External		-
approve	External	✓	-
transferFrom	External	1	-
Library			
add	Internal		
sub	Internal		
sub	Internal		
mul	Internal		
div	Internal		
div	Internal		
mod	Internal		
mod	Internal		
Implementation			
_msgSender	Internal		
_msgData	Internal		
Library			
-	Internal		
	Function Name Interface totalSupply balanceOf transfer allowance approve transferFrom Library add sub sub mul div div mod mod Implementation _msgSender	Function Name Visibility Interface totalSupply External balanceOf External transfer allowance approve External transferFrom External Library add Internal sub Internal div Internal div Internal div Internal mul div Internal mod Internal mod Internal Implementation _msgSender	Function Name Visibility Interface totalSupply balanceOf transfer allowance External approve External transferFrom External Library add Internal sub Internal div Internal div Internal div Internal mod Internal mod Internal Implementation _msgSender _msgData Internal Library isContract sendValue functionCall Internal Internal



	functionCallWithValue	Internal	✓	
	functionCallWithValue	Internal	1	
	_functionCallWithValue	Private	✓	
Ownable	Implementation	Context		
	<constructor></constructor>	Internal	1	
	owner	Public		-
	renounceOwnership	Public	1	onlyOwner
	transferOwnership	Public	1	onlyOwner
	geUnlockTime	Public		-
	lock	Public	✓	onlyOwner
	unlock	Public	1	-
IUniswapV2Fa ctory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	1	-
	setFeeTo	External	1	-
	setFeeToSetter	External	1	-
IUniswapV2Pai	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	1	-
	transferFrom	External	1	-
	DOMAIN_SEPARATOR	External		-



	PERMIT_TYPEHASH	External		_
	nonces	External		-
	permit	External	√	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	mint	External	√	-
	swap	External	1	-
	skim	External	1	-
	sync	External	✓	-
	initialize	External	✓	-
IUniswapV2Ro	Interface			
uter01				
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	1	-
	removeLiquidityWithPermit	External	1	-
	removeLiquidityETHWithPermit	External	√	-
	swapExactTokensForTokens	External	1	-
	swapTokensForExactTokens	External	1	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	1	-
	swapExactTokensForETH	External	1	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-




	getAmountsOut	External		_
	getAmountsIn	External		-
IUniswapV2Ro uter02	Interface	IUniswapV2 Router01		
	removeLiquidityETHSupportingFeeOn TransferTokens	External	1	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupporti ngFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupporting FeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupporting FeeOnTransferTokens	External	1	-
Ecoverse	Implementation	Context, IERC20, Ownable		
	<constructor></constructor>	Public	1	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	1	-
	allowance	Public		-
	approve	Public	√	-
	transferFrom	Public	√	-
	increaseAllowance	Public	1	-
	decreaseAllowance	Public	√	-
	isExcludedFromReward	Public		-
	totalFees	Public		-
	deliver	Public	√	-
	reflectionFromToken	Public		-
	tokenFromReflection	Public		-
	excludeFromReward	Public	√	onlyOwner
	includeInReward	External	1	onlyOwner



_transferBothExcluded	Private	1	
<receive ether=""></receive>	External	Payable	-
_reflectFee	Private	1	
_getValues	Private		
_getTValues	Private		
_getRValues	Private		
_getRate	Private		
_getCurrentSupply	Private		
_takeLiquidity	Private	✓	
calculateTaxFee	Private		
calculateLiquidityFee	Private		
removeAllFee	Private	1	
restoreAllFee	Private	√	
isExcludedFromFee	Public		-
_approve	Private	✓	
_transfer	Private	✓	
swapAndLiquify	Private	✓	lockTheSwap
swapTokensForEth	Private	1	
addLiquidity	Private	1	
_tokenTransfer	Private	✓	
_transferStandard	Private	✓	
_transferToExcluded	Private	✓	
_transferFromExcluded	Private	✓	
excludeFromFee	Public	✓	onlyOwner
includeInFee	Public	✓	onlyOwner
blacklistAddress	External	✓	onlyOwner
setTeamFee	External	✓	onlyOwner
setDevelopmentFee	External	✓	onlyOwner
setExchangeFee	External	✓	onlyOwner
setMarketingWallet	External	✓	onlyOwner
setDevelopmentWallet	External	✓	onlyOwner
setBurningAddress	External	✓	onlyOwner
setnumTokensSellToAddToLiquidity	External	1	onlyOwner
setMaxTxPercent	External	✓	onlyOwner
setSwapAndLiquifyEnabled	Public	1	onlyOwner



Contract Flow





Domain Info

Domain Name	evsworld.io
Registry Domain ID	e4d14bc24bf44dcab513da397258e1bb-DONUTS
Creation Date	2022-01-16T22:16:41Z
Updated Date	2022-01-21T22:17:36Z
Registry Expiry Date	2023-01-16T22:16:41Z
Registrar WHOIS Server	whois.registrar.eu
Registrar URL	http://www.registrar.eu
Registrar	Hosting Concepts B.V. d/b/a Registrar.eu
Registrar IANA ID	1647

The domain has been created about 1 month before the creation of the audit. It will expire in 11 months.

There is no public billing information, the creator is protected by the privacy settings.



Summary

EVS is aiming to be a decentralized ecosystem that will provide users with a platform that includes everything they need to experience Metaverse, GameFi, and NFT. The Project has a friendly and growing community. There are some functions that can be abused by the owner, like manipulating fees up to 100%, stopping transactions for everyone but the owner and blacklisting users from trading. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.



Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Coinscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Coinscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Coinscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Coinscope team disclaims any liability for the resulting losses.



About Coinscope

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Coinscope is aiming to make crypto discoverable and efficient globally. It provides all the essential tools to assist users draw their own conclusions.



The Coinscope.co team

https://www.coinscope.co