

Audit Report **4MOVE**

May 2022

Github https://github.com/4move-develop/contract

Commit cdfa034b00d78adcaf95871d422338b99b390deb

Audited by © cyberscope



Table of Contents

| Table of Contents | 1 |
|--|----|
| Contract Review | 3 |
| Source Files | 3 |
| Audit Updates | 3 |
| Contract Analysis | 4 |
| ULTW - Unlimited Liquidity to Team Wallet | 5 |
| Description | 5 |
| Recommendation | 5 |
| Contract Diagnostics | 7 |
| MTS - Manipulate Total Supply | 8 |
| Description | 8 |
| Recommendation | 8 |
| L01 - Public Function could be Declared External | 9 |
| Description | 9 |
| Recommendation | 9 |
| L02 - State Variables could be Declared Constant | 10 |
| Description | 10 |
| Recommendation | 10 |
| L04 - Conformance to Solidity Naming Conventions | 11 |
| Description | 11 |
| Recommendation | 11 |
| L05 - Unused State Variable | 12 |
| Description | 12 |
| Recommendation | 12 |
| L09 - Dead Code Elimination | 13 |
| Description | 13 |

| Recommendation | 13 |
|--|----|
| L13 - Divide before Multiply Operation | 14 |
| Description | 14 |
| Recommendation | 14 |
| Contract Functions | 15 |
| Contract Flow | 20 |
| Domain Info | 21 |
| Summary | 22 |
| Disclaimer | 23 |
| About Cyberscope | 24 |



Contract Review

| Github | https://github.com/4move-develop/contract |
|------------------|--|
| Commit | cdfa034b00d78adcaf95871d422338b99b390deb |
| Contract Name | MOVETOKEN |
| Compiler Version | v0.7.4+commit.3f05b770 |
| Optimization | 200 runs |
| Licence | |
| Testing Deploy | https://bscscan.com/token/0xD200c0c3f771a790ffAb4 1d8984c199623290dD4 |
| Symbol | 4MOVE |
| Decimals | 5 |
| Total Supply | 100,000,000 |
| Domain | 4move.io |

Source Files

| Filename | SHA256 |
|--------------|--|
| contract.sol | ac990fdd115930486ecbc1e8a949420f1167daf608bbd 3f86e2b67ec4c64e99e |

Audit Updates

| Initial Audit | 15th May 2022 |
|---------------|---------------|
| Corrected | |

Contract Analysis

CriticalMediumMinorPass

| Severity | Code | Description |
|----------|------|---|
| • | ST | Contract Owner is not able to stop or pause transactions |
| • | OCTD | Contract Owner is not able to transfer tokens from specific address |
| • | OTUT | Owner Transfer User's Tokens |
| • | ELFM | Contract Owner is not able to increase fees more than a reasonable percent (25%) |
| • | ULTW | Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent |
| • | MT | Contract Owner is not able to mint new tokens |
| • | ВТ | Contract Owner is not able to burn tokens from specific wallet |
| • | ВС | Contract Owner is not able to blacklist wallets from selling |



ULTW - Unlimited Liquidity to Team Wallet

```
Criticality minor

Location contract.sol#L870
```

Description

The contract owner has the authority to transfer funds without limit to the team wallet. These funds have been accumulated from fees collected from the contract. The owner may take advantage of it by calling the withdrawAllToTreasury method.

```
function withdrawAllToTreasury() external swapping onlyOwner {
    uint256 amountToSwap = _gonBalances[address(this)].div(
        _gonsPerFragment
    );
    require(
        amountToSwap > 0,
        "There is no 4MOVE token deposited in token contract"
    address[] memory path = new address[](2);
    path[0] = address(this);
    path[1] = router.WETH();
    router.swapExactTokensForETHSupportingFeeOnTransferTokens(
        amountToSwap,
        0,
        path,
        treasuryReceiver,
        block.timestamp
    );
```

Recommendation

The contract could embody a check for the maximum amount of funds that can be swapped. Since a huge amount may volatile the token's price.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user



from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

CriticalMediumMinor

| Severity | Code | Description |
|----------|------|--|
| • | MTS | Manipulate Total Supply |
| • | L01 | Public Function could be Declared External |
| • | L02 | State Variables could be Declared Constant |
| • | L04 | Conformance to Solidity Naming Conventions |
| • | L05 | Unused State Variable |
| • | L09 | Dead Code Elimination |
| • | L13 | Divide before Multiply Operation |



MTS - Manipulate Total Supply

| Criticality | minor |
|-------------|-------------------|
| Location | contract.sol#L666 |

Description

Owner is able to manipulate total supply. This change will have a direct impact on the token price and Market Cap

```
for (uint256 i = 0; i < times; i++) {
    _totalSupply = _totalSupply
    .mul((10**RATE_DECIMALS).add(rebaseRate))
    .div(10**RATE_DECIMALS);
}</pre>
```

Recommendation

The contract owner should carefully manage the adjustment of the circulating supply (increases or decreases), according to the token's price fluctuations.

L01 - Public Function could be Declared External

| Criticality | minor |
|-------------|---------------------------------------|
| Location | contract.sol#L483,487,491,510,523,528 |

Description

Public functions that are never called by the contract should be declared external to save gas.

transferOwnership renounceOwnership owner decimals symbol name

Recommendation

Use the external attribute for functions never called from the contract.

L02 - State Variables could be Declared Constant

| Criticality | minor |
|-------------|-----------------------|
| Location | contract.sol#L590,572 |

Description

Constant state variables should be declared constant to save gas.

totalFee pair

Recommendation

Add the constant attribute to state variables that never change.



L04 - Conformance to Solidity Naming Conventions

| Criticality | minor |
|-------------|---|
| Location | contract.sol#L38,272,274,305,919,928,991,1011,1012,1013,1030,1034,1038,545, 546,547,550,564,565,566,567,568,570,577,584,604,605,606,607,608,609 |

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_totalSupply
_lastAddLiquidityTime
_lastRebasedTime
_initRebaseStartTime
_autoAddLiquidity
_autoRebase
RiskFreeValueReceiver
feeDenominator
sellFee
...
```

Recommendation

Follow the Solidity naming convention.

https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions

L05 - Unused State Variable

| Criticality | minor |
|-------------|-------------------|
| Location | contract.sol#L350 |

Description

There are segments that contain unused state variables.

MAX_INT256

Recommendation

Remove unused state variables.

L09 - Dead Code Elimination

| Criticality | minor |
|-------------|-------------------|
| Location | contract.sol#L378 |

Description

Functions that are not used in the contract, and make the code's size bigger.

abs

Recommendation

Remove unused functions.

L13 - Divide before Multiply Operation

| Criticality | minor |
|-------------|------------------------|
| Location | contract.sol#L646,1020 |

Description

Performing divisions before multiplications may cause lose of prediction.

```
liquidityBalance = _gonBalances[pair].div(_gonsPerFragment)
times = deltaTime.div(1800)
```

Recommendation

The multiplications should be prior to the divisions.

Contract Functions

| Contract | Туре | Bases | | |
|-------------------------|------------------------------|------------|------------|-----------|
| | Function Name | Visibility | Mutability | Modifiers |
| IPancakeSwap Factory | Interface | | | |
| | feeTo | External | | - |
| | feeToSetter | External | | - |
| | getPair | External | | - |
| | allPairs | External | | - |
| | allPairsLength | External | | - |
| | createPair | External | ✓ | - |
| | setFeeTo | External | 1 | - |
| | setFeeToSetter | External | ✓ | - |
| | | | | |
| IPancakeSwap Router | Interface | | | |
| | factory | External | | - |
| | WETH | External | | - |
| | addLiquidity | External | ✓ | - |
| | addLiquidityETH | External | Payable | - |
| | removeLiquidity | External | ✓ | - |
| | removeLiquidityETH | External | ✓ | - |
| | removeLiquidityWithPermit | External | 1 | - |
| | removeLiquidityETHWithPermit | External | ✓ | - |
| | swapExactTokensForTokens | External | √ | - |
| | swapTokensForExactTokens | External | √ | - |
| | swapExactETHForTokens | External | Payable | - |
| | swapTokensForExactETH | External | ✓ | - |
| | swapExactTokensForETH | External | 1 | - |
| | swapETHForExactTokens | External | Payable | - |
| | quote | External | | - |
| | getAmountOut | External | | - |



| | getAmountIn | External | | - |
|----------------------|--|----------|---------|---|
| | getAmountsOut | External | | - |
| | getAmountsIn | External | | - |
| | removeLiquidityETHSupportingFeeOn TransferTokens | External | 1 | - |
| | removeLiquidityETHWithPermitSuppor tingFeeOnTransferTokens | External | 1 | - |
| | swapExactTokensForTokensSupportin gFeeOnTransferTokens | External | 1 | - |
| | swapExactETHForTokensSupportingF eeOnTransferTokens | External | Payable | - |
| | swapExactTokensForETHSupportingF eeOnTransferTokens | External | ✓ | - |
| | | | | |
| IPancakeSwap Pair | Interface | | | |
| | name | External | | - |
| | symbol | External | | - |
| | decimals | External | | - |
| | totalSupply | External | | - |
| | balanceOf | External | | - |
| | allowance | External | | - |
| | approve | External | ✓ | - |
| | transfer | External | ✓ | - |
| | transferFrom | External | ✓ | - |
| | DOMAIN_SEPARATOR | External | | - |
| | PERMIT_TYPEHASH | External | | - |
| | nonces | External | | - |
| | permit | External | ✓ | - |
| | MINIMUM_LIQUIDITY | External | | - |
| | factory | External | | - |
| | token0 | External | | - |
| | token1 | External | | - |
| | getReserves | External | | - |
| | price0CumulativeLast | External | | - |
| | price1CumulativeLast | External | | - |
| | kLast | External | | - |



| | mint | External | 1 | - |
|---------------|-----------------------------|----------|---|---|
| | burn | External | ✓ | - |
| | swap | External | ✓ | - |
| | skim | External | 1 | - |
| | sync | External | 1 | - |
| | initialize | External | ✓ | - |
| | | | | |
| SafeMathInt | Library | | | |
| | mul | Internal | | |
| | div | Internal | | |
| | sub | Internal | | |
| | add | Internal | | |
| | abs | Internal | | |
| | | | | |
| SafeMath | Library | | | |
| | add | Internal | | |
| | sub | Internal | | |
| | sub | Internal | | |
| | mul | Internal | | |
| | div | Internal | | |
| | div | Internal | | |
| | mod | Internal | | |
| | | | | |
| IERC20 | Interface | | | |
| | totalSupply | External | | - |
| | balanceOf | External | | - |
| | allowance | External | | - |
| | transfer | External | ✓ | - |
| | approve | External | ✓ | - |
| | transferFrom | External | ✓ | - |
| | | | | |
| ERC20Detailed | Implementation | IERC20 | | |
| | <constructor></constructor> | Public | ✓ | - |
| | name | Public | | - |
| | symbol | Public | | - |




| | decimals | Public | | - |
|-----------|-----------------------------|-------------------------------|----------|--------------------------|
| | | | | |
| Ownable | Implementation | | | |
| | <constructor></constructor> | Public | ✓ | - |
| | owner | Public | | - |
| | isOwner | Public | | - |
| | renounceOwnership | Public | 1 | onlyOwner |
| | transferOwnership | Public | 1 | onlyOwner |
| | _transferOwnership | Internal | ✓ | |
| | | | | |
| MOVETOKEN | Implementation | ERC20Detai led, Ownable | | |
| | <constructor></constructor> | Public | 1 | ERC20Detailed Ownable |
| | rebase | Internal | ✓ | |
| | transfer | External | 1 | validRecipient |
| | transferFrom | External | ✓ | validRecipient |
| | _basicTransfer | Internal | ✓ | |
| | _transferFrom | Internal | ✓ | |
| | takeFee | Internal | ✓ | |
| | addLiquidity | Internal | ✓ | swapping |
| | swapBack | Internal | ✓ | swapping |
| | withdrawAllToTreasury | External | 1 | swapping onlyOwner |
| | shouldTakeFee | Internal | | |
| | shouldRebase | Internal | | |
| | shouldAddLiquidity | Internal | | |
| | shouldSwapBack | Internal | | |
| | setAutoRebase | External | 1 | onlyOwner |
| | setAutoAddLiquidity | External | 1 | onlyOwner |
| | allowance | External | | - |
| | decreaseAllowance | External | ✓ | - |
| | increaseAllowance | External | 1 | - |
| | approve | External | ✓ | - |
| | checkFeeExempt | External | | - |
| | getCirculatingSupply | Public | | - |



| isNotInSwap | External | | - |
|------------------------------|----------|---------|-----------|
| manualSync | External | ✓ | - |
| setFeeReceivers | External | ✓ | onlyOwner |
| getLiquidityBacking | External | | - |
| setWhitelist | External | ✓ | onlyOwner |
| setPairAddress | External | ✓ | onlyOwner |
| setLP | External | ✓ | onlyOwner |
| totalSupply | External | | - |
| balanceOf | External | | - |
| <receive ether=""></receive> | External | Payable | - |



Contract Flow



Domain Info

| Domain Name | 4move.io |
|---------------------------|---|
| Registry Domain ID | ce86b48930bb49d6b1ff548c4c39623e-DONUTS |
| Creation Date | 2022-05-12T03:15:22Z |
| Updated Date | 2022-05-12T03:15:25Z |
| Registry Expiry Date | 2027-05-12T03:15:22Z |
| Registrar WHOIS Server | whois.namecheap.com |
| Registrar URL | https://www.namecheap.com/ |
| Registrar | NameCheap, Inc. |
| Registrar IANA ID | 1068 |

The domain has been created 3 days before the creation of the audit. It will expire in almost 5 years.

There is no public billing information, the creator is protected by the privacy settings.



Summary

The Smart Contract analysis reported one minor severity issue. The contract owner has the authority to transfer funds to the team's wallet. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats. The fees are fixed to 12% for buys and 14% for sales.

The contract does not allow transfers to the dead wallet address.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provides all the essential tools to assist users draw their own conclusions.



The Cyberscope team

https://www.cyberscope.io