

Audit Report **SafeSea**

January 2022

Type BEP20

Network BSC

Address 0x55D6a39c4bB3211b02a860Cc53aa205dbA132c79

Audited by © coinscope



Table of Contents

Table of Contents	1
Contract Review	3
Audit Updates	3
Contract Analysis	4
ST - Stop Transactions	5
Description	5
Recommendation	5
ELFM - Exceed Limit Fees Manipulation	6
Description	6
Recommendation	6
Contract Diagnostics	7
L01 - Public Function could be Declared External	8
Description	8
Recommendation	8
L04 - Conformance to Solidity Naming Conventions	9
Description	9
Recommendation	9
L09 - Dead Code Elimination	10
Description	10
Recommendation	10
L07 - Missing Events Arithmetic	11
Description	11
Recommendation	11
Contract Functions	12
Contract Flow	17
Summary	18



Disclaimer	19
About Coinscope	20



Contract Review

Contract Name	SafeSea
Compiler Version	v0.8.11+commit.d7f03943
Optimization	800 runs
Licence	
Explorer	https://bscscan.com/token/0x55D6a39c4bB3211b02a 860Cc53aa205dbA132c79
Symbol	SAFESEA
Decimals	9
Total Supply	1,000,000,000,000
Source	contracts/SafeSea.sol, @pancakeswap/v2-core/contracts/interfaces/IPancake Factory.sol, @pancakeswap/v2-core/contracts/interfaces/IPancake Pair.sol, @pancakeswap/v2-periphery/contracts/interfaces/IPan cakeRouter01.sol, @pancakeswap/v2-periphery/contracts/interfaces/IPan cakeRouter02.sol, @openzeppelin/contracts/token/ERC20/IERC20.sol, @openzeppelin/contracts/access/Ownable.sol, @openzeppelin/contracts/utils/Address.sol, @openzeppelin/contracts/utils/Context.sol
Domain	

Audit Updates

Initial Audit	14th January 2022
Corrected	



Contract Analysis

CriticalMediumMinorPass

Severity	Code	Description
•	ST	Contract Owner is not able to stop or pause transactions
•	OCTD	Contract Owner is not able to transfer tokens from specific address
•	OTUT	Owner Transfer User's Tokens
•	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
•	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
•	MT	Contract Owner is not able to mint new tokens
•	ВТ	Contract Owner is not able to burn tokens from specific wallet
•	ВС	Contract Owner is not able to blacklist wallets from selling



ST - Stop Transactions

Criticality	medium
Location	contract.sol#L304

Description

The contract owner has the authority to stop transactions for all users excluding the owner. The owner may take advantage of it by setting the maxTxAmount to zero.

```
if (from != owner() && to != owner()) require(amount <= _maxTxAmount, "Transfer
amount exceeds the maxTxAmount.");</pre>
```

Recommendation

The contract could embody a check for not allowing setting the _maxTxAmount less than a reasonable amount. A suggested implementation could check that the maximum amount should be more than a fixed percentage of the total supply.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



ELFM - Exceed Limit Fees Manipulation

Criticality	critical
Location	contract.sol#L195,L199

Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the setTaxFeePercent function with a high percentage value.

```
function setTaxFeePercent(uint256 taxFee) external onlyOwner() {
    _taxFee = taxFee;
}
```

Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

CriticalMediumMinor

Severity	Code	Description
•	L01	Public Function could be Declared External
•	L04	Conformance to Solidity Naming Conventions
•	L09	Dead Code Elimination
•	L07	Missing Events Arithmetic



L01 - Public Function could be Declared External

Criticality	minor
Location	@openzeppelin/contracts/access/Ownable.sol#L288,L207,L191 and 17 more

Description

Public functions that are never called by the contract should be declared external to save gas.

isExcludedFromFee setSwapAndLiquidateEnabled includeInFee

...

Recommendation

Use the external attribute for functions never called from the contract



L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	@pancakeswap/v2-core/contracts/interfaces/IPancakePair.sol#L51,L45,L44 and 13 more

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
numTokensSellToAddToLiquidity
_pancakePair
_pancakeRouter
...
```

Recommendation

Follow the Solidity naming convention.

https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions



L09 - Dead Code Elimination

Criticality	minor
Location	@openzeppelin/contracts/utils/Address.sol#L137,L21,L196 and 10 more

Description

Functions that are not used in the contract, and make the code's size bigger.

```
reflectionFromToken
_msgData
verifyCallResult
```

Recommendation

Remove unused functions.



L07 - Missing Events Arithmetic

Criticality	minor
Location	contracts/SafeSea.sol#L203,L199,L195

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
_maxTxAmount = (_tTotal * maxTxPercent) / 10 ** 2
_liquidityFee = liquidityFee
_taxFee = taxFee
```

Recommendation

Emit an event for critical parameter changes.



Contract Functions

Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
0	live law and attent	Oceanical		
Ownable	Implementation	Context		
	<constructor></constructor>	Public	√	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_transferOwnership	Internal	✓	
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
Address	Library			
	isContract	Internal		
	sendValue	Internal	✓	
	functionCall	Internal	1	
	functionCall	Internal	1	
	functionCallWithValue	Internal	1	
	functionCallWithValue	Internal	1	
	functionStaticCall	Internal		
	functionStaticCall	Internal		
	functionDelegateCall	Internal	1	
	functionDelegateCall	Internal	√	
	verifyCallResult	Internal		
Context	Implementation			
- J	p.oon			



	_msgSender	Internal		
	_msgData	Internal		
IPancakeFacto ry	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	1	-
	setFeeToSetter	External	1	-
IPancakePair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	1	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	1	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-



	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
IPancakeRout er01	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
IPancakeRout er02	Interface	IPancakeRo uter01		
	removeLiquidityETHSupportingFeeO nTransferTokens	External	√	-
	removeLiquidityETHWithPermitSupp ortingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupporti ngFeeOnTransferTokens	External	√	-



	swapExactETHForTokensSupporting FeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupporting FeeOnTransferTokens	External	✓	-
SafeSea	Implementation	IERC20, Ownable		
	<constructor></constructor>	Public	1	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	1	-
	allowance	Public		-
	approve	Public	1	-
	transferFrom	Public	1	-
	increaseAllowance	Public	1	-
	decreaseAllowance	Public	1	-
	isExcludedFromReward	Public		onlyOwner
	totalFees	Public		-
	withdraw	Public	1	onlyOwner
	reflectionFromToken	Private		
	tokenFromReflection	Private		
	excludeFromReward	Public	1	onlyOwner
	includeInReward	External	1	onlyOwner
	_transferBothExcluded	Private	1	
	excludeFromFee	Public	1	onlyOwner
	includeInFee	Public	1	onlyOwner
	setTaxFeePercent	External	1	onlyOwner
	setLiquidityFeePercent	External	1	onlyOwner
	setMaxTxPercent	External	✓	onlyOwner
	setSwapAndLiquidateEnabled	Public	1	onlyOwner
	<receive ether=""></receive>	External	Payable	-
	_reflectFee	Private	1	
	_getValues	Private		



_getTValues	Private		
_getRValues	Private		
_getRate	Private		
_getCurrentSupply	Private		
_takeLiquidity	Private	✓	
calculateTaxFee	Private		
calculateLiquidityFee	Private		
removeAllFee	Private	✓	
restoreAllFee	Private	✓	
isExcludedFromFee	Public		onlyOwner
_approve	Private	√	
_transfer	Private	✓	
swapAndLiquidate	Private	√	lockTheSwap
swapTokensForBnb	Private	✓	
addLiquidity	Private	√	
_tokenTransfer	Private	✓	
_transferStandard	Private	✓	
_transferToExcluded	Private	✓	
_transferFromExcluded	Private	√	



Contract Flow





Summary

The Smart Contract analysis reported two issues. There are some functions that can be abused by the owner, like manipulating fees and indirectly stopping the transactions. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.



Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Coinscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Coinscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Coinscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Coinscope team disclaims any liability for the resulting losses.



About Coinscope

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Coinscope is aiming to make crypto discoverable and efficient globally. It provides all the essential tools to assist users draw their own conclusions.



The Coinscope.co team

https://www.coinscope.co