

Audit Report **Sifu Inu**

February 2022

Type ERC20

Network AVAX


Address 0x4123F55048889fa021dfb6dE4B4071c6F90112ed

Audited by © cyberscope



Table of Contents

| Table of Contents | |
|--|----|
| Contract Review | 3 |
| Audit Updates | 3 |
| Contract Analysis | 4 |
| ST - Stop Transactions | 5 |
| Description | 5 |
| Recommendation | 5 |
| ELFM - Exceed Limit Fees Manipulation | 6 |
| Description | 6 |
| Recommendation | 6 |
| BC - Blacklisted Contracts | 7 |
| Description | 7 |
| Recommendation | 7 |
| Contract Diagnostics | 8 |
| L01 - Public Function could be Declared External | 9 |
| Description | 9 |
| Recommendation | 9 |
| L02 - State Variables could be Declared Constant | 10 |
| Description | 10 |
| Recommendation | 10 |
| L05 - Unused State Variable | 11 |
| Description | 11 |
| Recommendation | 11 |
| L04 - Conformance to Solidity Naming Conventions | 12 |
| Description | 12 |
| Recommendation | 12 |



| L09 - Dead Code Elimination | 13 |
|--|----|
| Description | 13 |
| Recommendation | 13 |
| L14 - Uninitialized Variables in Local Scope | 14 |
| Description | 14 |
| Recommendation | 14 |
| L13 - Divide before Multiply Operation | 15 |
| Description | 15 |
| Recommendation | 15 |
| Contract Functions | 16 |
| Contract Flow | 21 |
| Domain Info | 22 |
| Summary | 23 |
| Disclaimer | 24 |
| About Cyberscope | 25 |



Contract Review

| Contract Name | CoinToken |
|------------------|---|
| Compiler Version | v0.8.10+commit.fc410830 |
| Optimization | runs |
| Licence | none |
| Explorer | https://snowtrace.io/address/0x4123F55048889fa021d fb6dE4B4071c6F90112ed |
| Symbol | SIFU |
| Decimals | 18 |
| Total Supply | 25,000,000,000 |
| Source | contract.sol |
| Domain | sifuinu.io |

Audit Updates

| Initial Audit | 26th February 2022 |
|---------------|--------------------|
| Corrected | |



Contract Analysis

CriticalMediumMinorPass

| Severity | Code | Description |
|----------|------|---|
| • | ST | Contract Owner is not able to stop or pause transactions |
| • | OCTD | Contract Owner is not able to transfer tokens from specific address |
| • | OTUT | Owner Transfer User's Tokens |
| • | ELFM | Contract Owner is not able to increase fees more than a reasonable percent (25%) |
| • | ULTW | Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent |
| • | MT | Contract Owner is not able to mint new tokens |
| • | ВТ | Contract Owner is not able to burn tokens from specific wallet |
| • | ВС | Contract Owner is not able to blacklist wallets from selling |



ST - Stop Transactions

```
Criticality critical

Location contract.sol#L1001,890
```

Description

The contract owner has the authority to stop transactions for all users including the owner by calling the *pause* function.

```
function _transfer(
    address sender,
    address recipient,
    uint256 amount
) internal override virtual {
    require(!paused(), "CoinToken: token transfer while paused");
```

The contract owner can also disable all sell transactions by setting the *sellTaxes* to very high percent values.

```
} else if(to == address(uniswapV2Pair)) {
    tax += baseUnit * sellTaxes["marketing"];
    tax += baseUnit * sellTaxes["dev"];
    tax += baseUnit * sellTaxes["liquidity"];
    tax += baseUnit * sellTaxes["charity"];

if(tax > 0) {
    _transfer(from, address(this), tax);
}
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



ELFM - Exceed Limit Fees Manipulation

```
Criticality critical

Location contract.sol#L1088
```

Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the setSellTax function with high percentage values.

```
function setSellTax(uint256 dev, uint256 marketing, uint256 liquidity,
uint256 charity) public onlyOwner {

    sellTaxes["dev"] = dev;
    sellTaxes["marketing"] = marketing;
    sellTaxes["liquidity"] = liquidity;
    sellTaxes["charity"] = charity;
}
```

Recommendation

The contract could embody a check for the maximum acceptable values.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



BC - Blacklisted Contracts

| Criticality | medium |
|-------------|--------------------|
| Location | contract.sol#L1124 |

Description

The contract owner has the authority to stop contracts from transactions. The owner may take advantage of it by calling the enableBlacklist function.

```
require(!isBlacklisted(msg.sender), "CoinToken: sender blacklisted");
    require(!isBlacklisted(recipient), "CoinToken: recipient blacklisted");
    require(!isBlacklisted(tx.origin), "CoinToken: sender blacklisted");
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



Contract Diagnostics

CriticalMediumMinor

| Severity | Code | Description |
|----------|------|--|
| • | L01 | Public Function could be Declared External |
| • | L02 | State Variables could be Declared Constant |
| • | L05 | Unused State Variable |
| • | L04 | Conformance to Solidity Naming Conventions |
| • | L09 | Dead Code Elimination |
| • | L14 | Uninitialized Variables in Local Scope |
| • | L13 | Divide before Multiply Operation |



L01 - Public Function could be Declared External

| Criticality | minor |
|-------------|---|
| Location | contract.sol#L177,185,202,209,216,228,236,247,265,293 and 12 more |

Description

Public functions that are never called by the contract should be declared external to save gas.

```
disableTax
enableTax
removeExclude
disableBlacklist
enableBlacklist
burn
unpause
pause
triggerTax
...
```

Recommendation

Use the external attribute for functions never called from the contract.



L02 - State Variables could be Declared Constant

| Criticality | minor |
|-------------|--|
| Location | contract.sol#L838,843,848,831,835,840,845,837,842,847 and 4 more |

Description

Constant state variables should be declared constant to save gas.

```
swapThreshold
marketingTaxWallet
marketingTaxSell
marketingTaxBuy
liquidityTaxWallet
liquidityTaxSell
liquidityTaxSell
liquidityTaxBuy
devTaxWallet
devTaxWallet
...
```

Recommendation

Add the constant attribute to state variables that never change.



L05 - Unused State Variable

| Criticality | minor |
|-------------|--|
| Location | contract.sol#L835,836,837,838,840,841,842,843,845,846 and 2 more |

Description

There are segments that contain unused state variables.

```
charityTaxWallet
liquidityTaxWallet
marketingTaxWallet
devTaxWallet
charityTaxSell
liquidityTaxSell
marketingTaxSell
devTaxSell
charityTaxBuy
...
```

Recommendation

Remove unused state variables.



L04 - Conformance to Solidity Naming Conventions

| Criticality | minor |
|-------------|-------------------------------|
| Location | contract.sol#L638,639,656,692 |

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

WETH
MINIMUM_LIQUIDITY
PERMIT_TYPEHASH
DOMAIN_SEPARATOR

Recommendation

Follow the Solidity naming convention.

https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions



L09 - Dead Code Elimination

| Criticality | minor |
|-------------|-------------------|
| Location | contract.sol#L121 |

Description

Functions that are not used in the contract, and make the code's size bigger.

_msgData

Recommendation

Remove unused functions.



L14 - Uninitialized Variables in Local Scope

| Criticality | minor |
|-------------|-------------------|
| Location | contract.sol#L896 |

Description

The are variables that are defined in the local scope and are not initialized.

tax

Recommendation

All the local scoped variables should be initialized.



L13 - Divide before Multiply Operation

| Criticality | minor |
|-------------|-------------------------------|
| Location | contract.sol#L890 and 10 more |

Description

Performing divisions before multiplications may cause lose of prediction.

```
charityETH = (ethGained * ((charityTokens * 10 ** 18) / taxSum)) / 10 ** 18
devETH = (ethGained * ((devTokens * 10 ** 18) / taxSum)) / 10 ** 18
marketingETH = (ethGained * ((marketingTokens * 10 ** 18) / taxSum)) / 10 ** 18
liquidityETH = (ethGained * ((liquidityTokens / 2 * 10 ** 18) / taxSum)) / 10
** 18
baseUnit = amount / denominator
...
```

Recommendation

The multiplications should be prior to the divisions.



Contract Functions

| Contract | Туре | Bases | | |
|-----------------|-----------------------------|---|------------|-----------|
| | Function Name | Visibility | Mutability | Modifiers |
| IERC20 | Interface | | | |
| 1211020 | totalSupply | External | | _ |
| | balanceOf | External | | _ |
| | transfer | External | ✓ | _ |
| | allowance | External | • | _ |
| | | External | ✓ | |
| | approve | | | |
| | transferFrom | External | ✓ | - |
| IERC20Metad ata | Interface | IERC20 | | |
| | name | External | | - |
| | symbol | External | | - |
| | decimals | External | | - |
| | | | | |
| Context | Implementation | | | |
| | _msgSender | Internal | | |
| | _msgData | Internal | | |
| | | | | |
| ERC20 | Implementation | Context, IERC20, IERC20Meta data | | |
| | <constructor></constructor> | Public | ✓ | - |
| | name | Public | | - |
| | symbol | Public | | - |
| | decimals | Public | | - |
| | totalSupply | Public | | - |
| | balanceOf | Public | | - |
| | transfer | Public | 1 | - |



| | allowance | Public | | - |
|--------------------|-----------------------------|----------|----------|----------------|
| | approve | Public | ✓ | - |
| | transferFrom | Public | 1 | - |
| | increaseAllowance | Public | 1 | - |
| | decreaseAllowance | Public | 1 | - |
| | _transfer | Internal | 1 | |
| | _mint | Internal | 1 | |
| | _burn | Internal | 1 | |
| | _approve | Internal | 1 | |
| | _beforeTokenTransfer | Internal | 1 | |
| | _afterTokenTransfer | Internal | 1 | |
| | | | | |
| Ownable | Implementation | Context | | |
| | <constructor></constructor> | Public | 1 | - |
| | owner | Public | | - |
| | renounceOwnership | Public | 1 | onlyOwner |
| | transferOwnership | Public | 1 | onlyOwner |
| | _setOwner | Internal | 1 | |
| | | | | |
| Pausable | Implementation | Context | | |
| | <constructor></constructor> | Public | 1 | - |
| | paused | Public | | - |
| | _pause | Internal | 1 | whenNotPaus ed |
| | _unpause | Internal | 1 | whenPaused |
| | | | | |
| IUniswapV2Pa ir | Interface | | | |
| | name | External | | - |
| | symbol | External | | - |
| | decimals | External | | - |
| | totalSupply | External | | - |
| | balanceOf | External | | - |
| | allowance | External | | - |
| | approve | External | 1 | - |
| | transfer | External | 1 | - |



| | turn of officers | E. A | , | |
|------------------------|----------------------|----------|----------|---|
| | transferFrom | External | ✓ | - |
| | DOMAIN_SEPARATOR | External | | - |
| | PERMIT_TYPEHASH | External | | - |
| | nonces | External | | - |
| | permit | External | ✓ | - |
| | MINIMUM_LIQUIDITY | External | | - |
| | factory | External | | - |
| | token0 | External | | - |
| | token1 | External | | - |
| | getReserves | External | | - |
| | price0CumulativeLast | External | | - |
| | price1CumulativeLast | External | | - |
| | kLast | External | | - |
| | mint | External | 1 | - |
| | burn | External | 1 | - |
| | swap | External | 1 | - |
| | skim | External | 1 | - |
| | sync | External | 1 | - |
| | initialize | External | 1 | - |
| | | | | |
| IUniswapV2Fa ctory | Interface | | | |
| | feeTo | External | | - |
| | feeToSetter | External | | - |
| | getPair | External | | - |
| | allPairs | External | | - |
| | allPairsLength | External | | - |
| | createPair | External | ✓ | - |
| | setFeeTo | External | ✓ | - |
| | setFeeToSetter | External | ✓ | - |
| | | | | |
| IUniswapV2Ro uter01 | Interface | | | |
| | factory | External | | - |
| | WETH | External | | - |
| | addLiquidity | External | ✓ | - |




| | addLiquidityETH | External | Payable | - |
|------------------------|---|--------------------------------|----------|-----------|
| | removeLiquidity | External | ✓ | - |
| | removeLiquidityETH | External | ✓ | - |
| | removeLiquidityWithPermit | External | ✓ | - |
| | removeLiquidityETHWithPermit | External | 1 | - |
| | swapExactTokensForTokens | External | 1 | - |
| | swapTokensForExactTokens | External | 1 | - |
| | swapExactETHForTokens | External | Payable | - |
| | swapTokensForExactETH | External | 1 | - |
| | swapExactTokensForETH | External | 1 | - |
| | swapETHForExactTokens | External | Payable | - |
| | quote | External | | - |
| | getAmountOut | External | | - |
| | getAmountIn | External | | - |
| | getAmountsOut | External | | - |
| | getAmountsIn | External | | - |
| | | | | |
| IUniswapV2Ro uter02 | Interface | IUniswapV2 Router01 | | |
| | removeLiquidityETHSupportingFeeOn TransferTokens | External | ✓ | - |
| | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External | 1 | - |
| | swapExactTokensForTokensSupporti ngFeeOnTransferTokens | External | 1 | - |
| | swapExactETHForTokensSupportingF eeOnTransferTokens | External | Payable | - |
| | swapExactTokensForETHSupportingF eeOnTransferTokens | External | ✓ | - |
| CoinToken | Implementation | ERC20, Ownable, Pausable | | |
| | <constructor></constructor> | Public | Payable | ERC20 |
| | handleTax | Private | ✓ | |
| | _transfer | Internal | 1 | |
| | triggerTax | Public | 1 | onlyOwner |
| | pause | Public | ✓ | onlyOwner |



| unpause | Public | ✓ | onlyOwner |
|------------------------------|----------|---------|-----------|
| burn | Public | ✓ | onlyOwner |
| enableBlacklist | Public | ✓ | onlyOwner |
| disableBlacklist | Public | ✓ | onlyOwner |
| exclude | Public | ✓ | onlyOwner |
| removeExclude | Public | ✓ | onlyOwner |
| setBuyTax | Public | ✓ | onlyOwner |
| setSellTax | Public | ✓ | onlyOwner |
| setTaxWallets | Public | ✓ | onlyOwner |
| enableTax | Public | ✓ | onlyOwner |
| disableTax | Public | ✓ | onlyOwner |
| isBlacklisted | Public | | - |
| isExcluded | Public | | - |
| <receive ether=""></receive> | External | Payable | - |

Contract Flow





Domain Info

| Domain Name | sifuinu.io |
|---------------------------|---|
| Registry Domain ID | 91475bf6ee494fd99fadd137e5346030-DONUTS |
| Creation Date | 2022-01-31T17:38:34Z |
| Updated Date | 2022-02-05T17:39:16Z |
| Registry Expiry Date | 2023-01-31T17:38:34Z |
| Registrar WHOIS Server | whois.godaddy.com/ |
| Registrar URL | http://www.godaddy.com/domains/search.aspx?ci=89 90 |
| Registrar | GoDaddy.com, LLC |
| Registrar IANA ID | 146 |

The domain has been created 26 days before the creation of the audit. It will expire in 11 months.

There is no public billing information, the creator is protected by the privacy settings.



Summary

Shifu Inu Inu claims to be a revenue-generating token that employs profit-sharing and game theory tokenomics. The Project has a friendly and growing community. There are some functions that can be abused by the owner, like manipulating fees up to 100% and blacklisting wallets from transactions. The contract can also operate as a honeypot and prevent users from selling if the admin functions are abused. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.



Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.



About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provides all the essential tools to assist users draw their own conclusions.

