

Readiness Assurance Outcomes

Before beginning this module, each student should be able to...

- Calculate the area of a parallelogram.
- Find the matrix corresponding to a linear transformation of Euclidean spaces (**Standard(s) A1**).
- Recall and use the definition of a linear transformation (**Standard(s) A2**).
- Find all roots of quadratic polynomials (including complex ones), and be able to use the rational root theorem to find all rational roots of a higher degree polynomial.
- Interpret the statement “ A is an invertible matrix” in many equivalent ways in different contexts.

Readiness Assurance Resources

The following resources will help you prepare for this module.


- Finding the area of a parallelogram: <https://www.khanacademy.org/math/basic-geo/basic-geo-area-and-perimeter/parallelogram-area/a/area-of-parallelogram>
- Factoring quadratics: <https://www.khanacademy.org/math/algebra2/polynomial-functions/factoring-polynomials/v/factoring-polynomials-1>
- Finding complex roots of quadratics: <https://www.khanacademy.org/math/algebra2/polynomial-functions/quadratic-equations-with-complex-numbers/v/complex-roots-from-the-quadratic-formula>
- Finding all roots of polynomials: <https://www.khanacademy.org/math/algebra2/polynomial-functions/finding-zeros-of-polynomials/v/finding-roots-or-zeros-of-polynomial-1>
- The Rational Root Theorem: https://artofproblemsolving.com/wiki/index.php?title=Rational_Root_Theorem

Readiness Assurance Test

Choose the most appropriate response for each question.


- 1) Find the area of the parallelogram with vertices $(0, 0)$, $(4, 0)$, $(5, 2)$, and $(1, 2)$.

- (a) 8
- (b) 10
- (c) 12
- (d) 14




- 2) Find the area of the parallelogram with vertices $(0, 0)$, $(12, 5)$, $(12, 8)$, and $(0, 3)$.

- (a) 36
- (b) 54
- (c) 72
- (d) 96




- 3) The parallelogram ABCD has area 6. If AE is 50% longer than AB, what is the area of the parallelogram AEFD?

- (a) 18
- (b) 15
- (c) 12
- (d) 9



- 4) The parallelogram ABCD has area 6. If AD is twice as long as AF, what is the area of the parallelogram ABEF?

- (a) 1
- (b) 2
- (c) 3
- (d) 4



- 5) Let $T : \mathbb{R}^2 \rightarrow \mathbb{R}$ be a linear transformation. Which of the following is equal to $T \left(\begin{bmatrix} a+b \\ a+b \end{bmatrix} \right)$?
- (a) $T \left(\begin{bmatrix} a \\ a \end{bmatrix} \right) + T \left(\begin{bmatrix} a \\ b \end{bmatrix} \right) + T \left(\begin{bmatrix} b \\ a \end{bmatrix} \right) + T \left(\begin{bmatrix} b \\ b \end{bmatrix} \right)$ (c) $T \left(\begin{bmatrix} a \\ b \end{bmatrix} \right)$
(b) $T \left(\begin{bmatrix} a \\ b \end{bmatrix} \right) + T \left(\begin{bmatrix} b \\ a \end{bmatrix} \right)$ (d) $2T \left(\begin{bmatrix} a \\ b \end{bmatrix} \right)$
- 6) Let $T : \mathbb{R}^n \rightarrow \mathbb{R}^n$ be a linear transformation with standard matrix A . Which of the following is equivalent to the statement “ A is an invertible matrix”?
- (a) T has a non-trivial kernel
(b) The matrix equation $AX = B$ has multiple solutions for all $B \in \mathbb{R}^n$.
(c) The columns of A are linearly dependent
(d) T is surjective
- 7) What is the matrix corresponding to the linear transformation $T : \mathbb{R}^3 \rightarrow \mathbb{R}^3$ given by
- $$T \left(\begin{bmatrix} x \\ y \\ z \end{bmatrix} \right) = \begin{bmatrix} 3x + 2y - z \\ y + z \\ x + 7z \end{bmatrix} ?$$
- (a) $\begin{bmatrix} 3 & 0 & 1 \\ 2 & 1 & 0 \\ -1 & 1 & 7 \end{bmatrix}$ (b) $\begin{bmatrix} 3 & 2 & -1 \\ 0 & 1 & 1 \\ 1 & 0 & 7 \end{bmatrix}$ (c) $\begin{bmatrix} 3 & 2 & -1 \\ 1 & 1 & 0 \\ 1 & 7 & 0 \end{bmatrix}$ (d) $\begin{bmatrix} 3 & 1 & 1 \\ 2 & 1 & 7 \\ -1 & 0 & 0 \end{bmatrix}$
- 8) How many distinct real roots does the polynomial $x^4 + 3x^3 + x^2 - 3x - 2$ have?
- (a) 4 (b) 3 (c) 2 (d) 1
- 9) Which of the following is a root of the polynomial $x^2 - 4x + 13$?
- (a) $2 - 3i$ (b) $3 + 4i$ (c) $4 - 5i$ (d) $5 + 6i$
- 10) Which of the following conditions imply that the quadratic polynomial $ax^2 + bx + c$ has no real roots?
- (a) $b^2 - 4ac < 0$ (c) $ac - 4b^2 < 0$
(b) $a^2 + 4bc < 0$ (d) $ab + 4c^2 < 0$