


1. When should system test planning begin?

- ☒ Requirements Phase
- ☐ Development Phase
- ☐ Design Phase
- ☐ Testing Phase

2. Which of the following is not included in a system test plan?

- ☐ Test Objectives
- ☐ Schedule
- ☒ Test cases
- ☐ Risk Management

3. Given the following PERT chart, what is the minimum time to complete this project based on the critical path?



☐ 13

☒ 21

☐ 17

☐ 16

4. True or False? Risk management helps determine the amount of contingency time needed in a schedule.

☒ True

☐ False

5. True or False? One should utilize an estimate of POFA (pass of first attempt) to estimate overall system testing time.

☒ True

☐ False

6. True or False? Identifying all of the testing tasks requires thoroughly understanding the requirements.

☒ True

☐ False

7. Which of the following is not a reason for inaccurate estimates?

- ☒ Losing personnel
- ☐ Overlooked tasks
- ☐ Lack of historical data
- ☐ Lack of analysis when developing estimates

8. Which of the following is not a factor that contributes to the number of errors created by developers in a software application?

- ☐ The test environment
- ☒ Degree of code changes
- ☐ Code complexity
- ☐ Experience of the developers working on the code

9. Which of the following is not a curve used to analyze software readiness?

☒ Remaining defects in the software

☐ Mean time to failure

☐ Number of failures per unit of time

☐ Failure intensity

10. True or False? High severity errors implies high priority errors.

☐ True

☒ False