# Counterfactual Unadjusted Causal Model

#### Brain K. Masine

```
# clear the working space
rm(list = ls())

library(here)
library(stats) # need this to calculate Mahalanobis Distance
library(parallel) # parallelize
library(dplyr)
library(FNN)
library(cluster)
library(ggplot2)
library(rpart)
library(caret)
```

### Counterfactual Data Input

```
# we need the renaming function for cleaning
melor_2015 <- read.csv(here("data", "clustered_M15_CF_data.csv"))</pre>
```

### Counterfactual predictions

#### Importing trained models

```
base_models_list <- list("base_wind_model" = base_wind_model,</pre>
                          "base_class_full_model" = base_class_full_model,
                          "base_reg_model" = base_reg_model)
# Import trained Truncated models
  From folder: adjusted SCM/new trunc models
# empty list
trunc_models_list <- list()</pre>
trunc_file_path <- here("unadjusted SCM/new trunc models")</pre>
trunc_wind_model <- readRDS(file.path(trunc_file_path,</pre>
                                       "trunc_wind_model_tuned.rds"))
trunc_reg_model <- readRDS(file.path(trunc_file_path,</pre>
                                       "trunc_damage_fit_reg.rds"))
trunc_models_list <- list("trunc_wind_model" = trunc_wind_model,</pre>
                           "trunc_reg_model" = trunc_reg_model)
names(trunc_models_list)
## [1] "trunc_wind_model" "trunc_reg_model"
names(base_models_list)
## [1] "base_wind_model"
                                "base_class_full_model" "base_reg_model"
# setting threshold for classification step
threshold = 0.30
source(here("R", "unadj_hurdle_function.R"))
unadj_counterfactual_hurdle_preds <- unadj_hurdle_function(df = melor_2015,
                                                 scm_models_base = base_models_list,
                                                 scm_models_high = trunc_models_list,
                                                 threshold = threshold # threshold in train/test models i
# append the results to the counterfactual dataset
melor_2015 <- melor_2015 %>%
    mutate(damage_preds = unadj_counterfactual_hurdle_preds)
```

#### Counteractual results


```
# convert the Cluster column to factor
melor_2015$Cluster <- as.factor(melor_2015$Cluster)</pre>
```

## currently evaluating cluster: 1currently evaluating cluster: 2currently evaluating cluster: 4current

```
# Check the list to confirm plots are stored
print(cf_results$plots)
```


## [[1]]






## ## [[2]]






## ## [[3]]






## ## [[4]]





## ## [[5]]

### Predicted Damage Distribution - List Entry 5



#### print(cf\_results\$median)

```
## [[1]]
## # A tibble: 3 x 2
     island_groups median_damage
     <chr>
                            <dbl>
##
## 1 Luzon
                             8.53
## 2 Mindanao
                            13.6
## 3 Visayas
                            26.6
##
## [[2]]
## # A tibble: 3 x 2
##
     island_groups median_damage
##
## 1 Luzon
                             25.0
## 2 Mindanao
                             29.7
## 3 Visayas
                             30.3
##
## [[3]]
## # A tibble: 3 x 2
     island_groups median_damage
##
     <chr>
                            <dbl>
                             2.23
## 1 Luzon
## 2 Mindanao
                             4.39
## 3 Visayas
                             4.75
```

```
##
## [[4]]
## # A tibble: 3 x 2
## island_groups median_damage
   <chr>
## 1 Luzon
                           25.3
## 2 Mindanao
                           37.2
## 3 Visayas
                           28.0
##
## [[5]]
## # A tibble: 3 x 2
##
   island_groups median_damage
##
                           8.86
## 1 Luzon
## 2 Mindanao
                          32.8
## 3 Visayas
                          34.8
```

## OLD CODE