

Lab 4. Flow control, variables, expressions

Author: Serge Luca aka "Doctor Flow"

Learning objectives: Flow control, expressions, variables, using Date/Time

Duration: 50 minutes.

Scenario: We have a list of offices in an Excel sheet. Create a Flow that will send a report describing this list of offices, including the biggest office.

If you want to take a look at the solution: Navigate to the Find the office with the largest capacity template.

If you want to start the lab from scratch:

Task 4.1: Create an Excel workbook and a scheduled flow

1. Create an Excel workbook to use in this lab.
 - a. In your One Drive (for Business), create an Excel workbook named **Offices.xlsx**.
 - b. Add two columns similar to the screenshot below, with the cities and capacities data, and then format the data as a table with headers:

Contoso Offices	
city	Capacity
London	100
Brussels	250
Seattle	80
Vancouver	200
Toronto	400
Antwerpen	15
Warsaw	300
Paris	54
Berlin	70
Amsterdam	60
Montreal	78

Note: This document contains the list of offices of Contoso Corp. Each office has a limited number of seats.

Every month a report describing the list of offices and the total number of seats is sent to the management (in this case the management is...yourself). The e-mail should look like this:

Office Capacity Report



Today, 3:10 PM

This message was sent with low importance.

The biggest office is : Toronto

Its capacity is : 400


The total capacity is :

List of offices

City	Capacity
London	100
Brussels	250
Seattle	80
Vancouver	200
Toronto	400
Antwerpen	15
Warsaw	300
Paris	54
Berlin	70
Amsterdam	60
Montreal	78

2. Create a flow to generate this email report.
 - a. Navigate to the [Microsoft Flow portal](#).
 - b. **New > Scheduled –from blank**
 - c. Use the following screenshot to name the flow, and set the flow frequency.

Build a scheduled flow



Flow name

Office Capacity

Run this flow *

Starting

5/13/19



at

10:00 AM



Repeat every

1

Month




This flow will run:

Every month

- d. Click **Create**.


The following flow will be generated:



The image shows a 'Recurrence' configuration panel. It has a blue header with a clock icon and the word 'Recurrence'. Below the header, there are two input fields: '* Interval' with the value '1' and '* Frequency' with a dropdown menu showing 'Month'. A 'Show advanced options' link with a downward arrow is located below these fields.

3. The first challenge will be to define the **Total Capacity**. Use the following steps to create a variable that will contain that value.

- a. Add an action below the trigger and select **Initialize variable**:



The image shows an action selection interface. At the top is a grey bar with a downward arrow icon and the text 'Choose an action'. Below this is a search bar containing the text 'variable'. Under the search bar are tabs for 'All', 'Built-in', 'Standard', 'Premium', and 'Custom'. The 'All' tab is selected. Below the tabs is a list of variable-related actions, each with a purple icon containing '{x}' and the text 'Variables'. The actions are: 'Append to array variable', 'Append to string variable', 'Decrement variable', 'Increment variable', and 'Initialize variable'. The 'Initialize variable' action is highlighted with a red rectangular border.

- b. Rename this action to **Initialize variable Total Capacity**, set the variable name **Total Capacity**, and select **Integer** as the type with an initial **Value** of **0**:

{x}

Initialize variable Total Capacity

i

...

* Name	Total Capacity
* Type	Integer
Value	0

Add dynamic content

+


4. Name the flow **Office Capacity** and **Save**.

Task 4.2: Extend the flow to loop through all offices


In this task you will update the flow; make it loop through all offices, retrieve their capacity, and increment the Global Capacity variable to calculate the total capacity.

1. To retrieve the list of offices.

- a. **Add an action > List rows present in a table:**




- b. Set the Excel action's properties as per the next screenshot:




2. Loop through the cities


- a. **Add an action > Control**




b. Click **Apply to each:**




Your Flow should now look like this:




3. Configure the **Apply to each** action (it expects a list of values), using the Dynamic content tab to select the **value** property from the **List rows present in a table** action.




4. Calculate the current office capacity using a variable and an expression.
 - a. In the **Apply to each** action, click **Add an action** > **Increment variable**:



- b. In the **Name** drop-down list, select **Total Capacity**.



- c. Click inside the **Value** text box, and then using the **Expression** tab in the **fx** textbox, type `int(item()['Capacity'])` and click **Add an expression** ::




Note:

The **item()** expression retrieves the current record information in the current loop and **['Capacity']** provides the field name to retrieve. **Item()['Capacity']** returns a string. To transform a string to an integer (because we need to increment it), we use the **int()** function.

There are many other expressions available in flow, and we encourage you to read the flow documentation related to expressions after doing the labs. You can start from the following web page, <https://Flow.microsoft.com/en-us/blog/use-expressions-in-actions/>.

5. To test the flow, without waiting one month before the flow starts, use the **Test** button to manually start the flow on demand (in test mode). This is convenient for testing and debugging purposes.

- a. Click **Test**.



- b. Select **I'll perform the trigger action:**

Test Flow

- ☒ I'll perform the trigger action
- ☐ Using data from previous runs
Choose data from a list of previous runs:

Test Cancel

c. Click on **Run Flow**:

Run flow



Office Capacity
Owners: serge Luca


See details


This flow doesn't need additional input to run

Run flow Cancel


d. Wait until you get the message: **Your Flow ran successfully.**

✔ Your flow ran successfully.




 Recurrence


↓

 Initialize variable Total Capacity


↓

 List rows present in a table

↓

 Apply to each

← Previous < Previous failed Show 1 of 11 Next failed > Ne

 Increment variable

e. To check the **Total Capacity** value, you can examine the value of **Total Capacity** for each step. For example, in our case, we will check its value once it has completed the loop 11 times: so, type **11** in the **Show** textbox:

↺

Apply to each

4s

↩ Previous

↩ Previous failed

Show

11

of 11

Next failed

Next

{x}

Increment variable

0s

- f. Click **Increment variable** to display a value of **1607** (if you use the values in the Excel workbook as defined at the beginning of the lab).

↺

Apply to each

4s

↩ Previous

↩ Previous failed

Show

11

of 11

Next failed

Next

{x}

Increment variable

0s

INPUTS

Name

Total Capacity

Increment By

78

OUTPUTS

Name

Total Capacity

Value

1607

6. Define 2 new variables

- a. Below the variable, **Total capacity** and before the loop, add two new variables named:
- **Bigger Office** (type string)
 - **MaxCapacity** (type integer)

The screenshot shows a flowchart with three initialization steps. The first step is 'Initialize variable Total Capacity'. The second step is 'Initialize variable Bigger office', which is highlighted with a red arrow. The third step is 'Initialize variable MaxCapacity', also highlighted with a red arrow. Below each step is a form with fields for Name, Type, and Value.

Name	Type	Value
Bigger office	String	Enter initial value
MaxCapacity	Integer	Enter initial value

7. **Add a Condition** (from the Control connector) in the **Apply to each** action:

8. The goal is to compare 2 numbers and to select the larger one. In order to do so, we need to transform our capacity values into integers. In the left side of the condition, click **Choose a value** and click on **Expression**. As we already did it before, type **int(item()['Capacity'])** as illustrated below:

The screenshot shows the 'Condition' dialog box with the 'Expression' tab selected. The expression 'int(item()['Capacity'])' is entered in the text field. A red arrow points to the 'Choose a value' button in the 'Dynamic content' section.

Dynamic content Expression

`int(item()['Capacity'])`

OK

String functions

`concat(text_1, text_2?, ...)`
Combines any number of strings together

9. Click **Ok**.

10. Select the comparison operator **is greater than**:

{x} Increment variable

Condition

fx int(...) x is greater than Choose a value

+ Add

11. In the **Choose a value** textbox, we will include an expression much as we did before by using the **int()** expression, but with a small variation. Click choose a value, click on **Expression** and type **int()**

Condition

fx int(...) x is greater than Choose a value

Edit in advanced mode Add dynamic content Collapse condition

Dynamic content Expression

fx int() 2

OK

12. Move the cursor within the **int()** parentheses.

13. Click **Dynamic content**, select the **MaxCapacity** variable: the editor will automatically generate the expression. Click **Ok** and **Save** the Flow.

{x} Increment variable

Condition

fx int(...) x is greater than Choose a value

Edit in advanced mode Add dynamic content Collapse condition

Dynamic content Expression

fx int(variables('MaxCapacity')) 2

OK

Variables

{x} MaxCapacity

14. Now, in the left **If yes** branch, add a new action **Variables – Set variable** for our **MaxCapacity** variable.

15. Rename the action **Set variable MaxCapacity**:

✓ If yes

{x} Set variable MaxCapacity

* Name

MaxCapacity

Value*

Enter variable value

16. and in the **Expression** panel type of this variable **int(item()['Capacity'])** as illustrated in the next picture.

↻ Apply to each

Select a

Expression

List of functions X

int(item()['Capacity'])

1

Search content from previous steps

{x} Variables

MaxCapacity
Sample data not available

Total Capacity
Sample data not available


Apply to each

Current item
Sample data not available


Add an expression

2


17. In the same left branch of the condition, add **another set variable action** and select the variable **Bigger office** and assign it a value of **city**. Click on the Dynamic value button to retrieve city:




18. Save and test the Flow to figure out which city has the bigger capacity (Toronto in our case). You can debug the Flow or add a notification (or send an e-mail to yourself).
19. Next, let's send an e-mail by adding an **Outlook 365 Outlook - Send an email (v2)** action **after the Apply to each:**
- Find the action by typing Outlook:



b. In the Connectors list click **Office 365 Outlook**:




- c. Select the action **Office 365 Outlook – Send an email**:




- d. Fill-in the Send an email action with the following values
- i. In the **To field** provide your e-mail address
 - ii. In the **Subject**, type "**Office Capacity Report.**"
 - iii. In the **Body** type the following text:

A screenshot of the 'Send an email (V2)' configuration form. The 'To*' field contains a placeholder 'SL'. The 'Subject*' field contains the text 'Office Capacity Report'. The 'Body*' field contains the text 'The biggest office is:', 'Its capacity is:', and 'The total capacity is:'. Below the body field is a 'Show advanced options' link with a downward arrow. The form has a blue header bar with the Office 365 Outlook icon and the title 'Send an email (V2)'. There are also information and menu icons in the top right corner.

- iv. We will now add the variable's value directly in the **Body**
- v. Move the cursor just after the colon of *The biggest office is:*









 Send an email (V2) ⓘ ⋮


To*



Subject*


Body* ⚡ fx

Font ▾ 12 ▾ **B** *I* U         </>


The biggest office is: 
 Its capacity is:
 The total capacity is:

Show advanced options ▾

vi. Click Add a Dynamic value :









 Send an email (V2) ⓘ ⋮

To*



Subject*

Body* ⚡ fx


Font ▾ 12 ▾ **B** *I* U         </>

The biggest office is:
 Its capacity is:
 The total capacity is:


Show advanced options ▾

Add a dynamic value (Ctrl+Space)


vii. In the Variables section select "Bigger office":



viii. The variable name **Bigger office** should now be visible in the body:









 Send an email (V2) (i) ...

To*



Subject*

Body* ⌵ fx

Font ▼ 12 **B** *I* U        


The biggest office is: {x} Bigger office X

Its capacity is:


The total capacity is:

Show advanced options ▼

- ix. Proceed the same way with the other variables **MaxCapacity** and **Total Capacity**.
- x. Eventually, the e-mail body should look like this:

 Send an email (V2) (i)

To*

 serge Luca X

Subject*

Body* ⌵ fx

The biggest office is: {x} Bigger office X

Its capacity is: {x} MaxCapacity X

The total capacity is: {x} Total Capacity X

Show advanced options ▼

20. Save your Flow and test it.

21. Check your e-mail; you should receive something like this:

Office Capacity Report




Inbox; Sent Items


This message was sent with low importance.

The biggest office is : Toronto
Its capacity is : 400
The total capacity is :1607


22. In the next steps, we will display the list of offices, so we will have to define a list formatting logic and create an HTML table based on this logic.
23. Let's define the list formatting logic. Before the **Send an email action**, add a **Data Operations – Select** action:




24. Move the cursor in the From field and select the dynamic value associated with **the List rows present in the table** action:




25. In the map field, add the following values: the key field should be **City**, and the value should be the **city** value in the **dynamic value**:




26. Add another map field for **Capacity**:






27. Just **after the Select action**, add a **Data Operations - Create HTML table** action:





28. Move the cursor to the From field to show the **dynamic value** panel and click the **Output** value of the **Select** action:



29. Go back to the **Send an email** action and update the **Body** text box to include the Create HTML Output value:

 Send an email (V2)  


To*



 serge Luca 



Subject*



Office Capacity Report

Body*






The biggest office is:  Bigger office 

Its capacity is:  MaxCapacity 

The total capacity is:  Total Capacity 

The list of offices is:

 Output 

Show advanced options 

30. Test your Flow and check your e-mail:

Office Capacity Report



Today, 3:10 PM

This message was sent with low importance.

The biggest office is : Toronto

Its capacity is : 400

The total capacity is :

List of offices

City	Capacity
London	100
Brussels	250
Seattle	80
Vancouver	200
Toronto	400
Antwerpen	15
Warsaw	300
Paris	54
Berlin	70
Amsterdam	60
Montreal	78

Optional exercise if time permits use an object instead of dedicated variables.

31. Create a variable **Max Office** as an object containing the following JSON data:

Recurrence

{x}

Initialize variable Max Office

Name*

Max Office

Type*

Object

Value

```
{
  "Bigger Office": "",
  "MaxCapacity": 0
}
```

32. In the condition, use this new variable content:

Condition

`int(...)` is greater than `int(...)`

[Add dynamic content](#)

`int(variables('Max Office')['MaxCapacity'])`

33. In the condition, create a Set variable that will update **Max Office**:

Condition

`int(...)` is greater than `int(...)`

[Add](#)

If yes

Set variable Max Office

Name: Max Office

Value: `{ "Bigger Office": "", "MaxCapacity": "" }`

If no

[Add an action](#)


If yes

Set variable Max Office

Name: Max Office

Value: `{ "Bigger Office": "Add an expression", ... }`

Expression: `item()['city']`



34. Remove the actions **Set Variable MaxCapacity** and set variable Bigger office previously defined
You should get something like this in the If yes branch:

✓ If yes

+

{x}

Set variable Max Office

i

...

* Name

Max Office

* Value

```
{
  "Office Capacity": {x} int(...) x ,
  "Office Name": "{x} item() x "
}
```

Add dynamic content +

35. Update the send an e-mail action with the new variable.

