

Preparing for College Entrance Exams

Strategy For Success

Some college entrance exam questions ask you to decide if several statements are true based on given information (see Exercises 3 and 8). In these exercises, check each statement separately and then choose the answer with the correct combination of true statements.

Indicate the best answer by writing the appropriate letter.

- The measures of the angles of a triangle are $2x + 10$, $3x$, and $8x - 25$. The triangle is:
(A) obtuse (B) right (C) acute (D) equilateral (E) isosceles
- A regular polygon has an interior angle of measure 120. How many vertices does the polygon have?
(A) 3 (B) 5 (C) 6 (D) 9 (E) 12
- Plane M is parallel to plane N . Line l lies in M and line k lies in N . Which of the following statement(s) are possible?
(I) Lines l and k are parallel. (II) Lines l and k intersect.
(III) Lines l and k are skew.
(A) I only (B) II only (C) III only
(D) I and III only (E) I, II, and III
- Given: \overline{BE} bisects \overline{AD} . To prove that the triangles are congruent by the AAS method, you must show that:
(A) $\angle A \cong \angle E$ (B) $\angle A \cong \angle D$ (C) $\angle B \cong \angle E$
(D) $\angle B \cong \angle D$ (E) \overline{AD} bisects \overline{BE} .
- Given: $\triangle RGA$ and $\triangle PMC$ with $\overline{RG} \cong \overline{PM}$, $\overline{RA} \cong \overline{PC}$, and $\angle R \cong \angle P$. Which method could be used to prove that $\triangle RGA \cong \triangle PMC$?
(A) SSS (B) SAS (C) HL (D) ASA
(E) There is not enough information for a proof.
- Predict the next number in the sequence, 2, 6, 12, 20, 30, 42, $\frac{?}{?}$.
(A) 52 (B) 54 (C) 56 (D) 58 (E) 60
- In $\triangle JKL$, $\overline{KL} \cong \overline{JL}$, $m\angle K = 2x - 36$, and $m\angle L = x + 2$. Find $m\angle J$.
(A) 56 (B) 52 (C) 53 (D) 55 (E) 64
- In $\triangle RST$, \overleftrightarrow{SU} is the perpendicular bisector of \overline{RT} and U lies on \overline{RT} . Which statement(s) must be true?
(I) $\triangle RST$ is equilateral. (II) $\triangle RSU \cong \triangle TSU$
(III) \overleftrightarrow{SU} is the bisector of $\angle RST$.
(A) I only (B) II only (C) III only
(D) II and III only (E) I, II, and III
- Given: $\triangle SUN \cong \triangle TAN$. You can conclude that:
(A) $\angle S \cong \angle A$ (B) $\overline{SN} \cong \overline{TN}$ (C) $\angle T \cong \angle U$
(D) $\overline{SU} \cong \overline{TN}$ (E) $\overline{UN} \cong \overline{TA}$

