Mapping the rectangle by  $R_j$  and then by  $H_O$  has the same effect as the single symmetry  $R_k$ , so  $H_O \circ R_j = R_k$ . We can record this fact in a table resembling a multiplication table. Follow the row for  $R_j$  to where it meets the column for  $H_O$ , and enter the product  $H_O \circ R_j$ , which is  $R_k$ .

We can determine other products of symmetries in the same way, but sometimes short cuts can be used. For example, we know that

(1) 
$$R_j \circ R_j = I$$
 and  $R_k \circ R_k = I$  (Why?)

(2) 
$$H_O \circ H_O = I$$
 (Why?)

(3) 
$$R_j \circ R_k = H_O$$
 and  $R_k \circ R_j = H_O$   
(Corollary to Theorem 14-8)

Also we know that the product of any symmetry and the identity is that same symmetry. The completed table is shown at the right.

•	I	$R_{j}$	$R_k$	$H_O$
$I R_j$				P
$R_k$	7			$-R_k$
$H_O$				

By studying the table you can see that the symmetries of the rectangle have these four properties, similar to the properties of nonzero real numbers under multiplication:

- (1) The product of two symmetries is another symmetry.
- (2) The set of symmetries contains the identity.
- (3) Each symmetry has an inverse that is also a symmetry. (In this example each symmetry is its own inverse.)
- (4) Forming products of transformations is an associative operation:  $A \circ (B \circ C) = (A \circ B) \circ C$  for any three symmetries A, B, and C.

A set of symmetries with these four properties is called a symmetry group. Symmetry groups are used in crystallography, and more general groups are important in physics and advanced mathematics. The exercises that follow illustrate the fact that the symmetries of any figure form a group.

## **Exercises**

- 1. An isosceles triangle has just two symmetries, including the identity. Make a 2 by 2 group table showing how these symmetries combine.
- 2. a. List the four symmetries of the rhombus shown. (Include the identity.)
  - **b.** Make a group table showing all products of two symmetries.
  - **c.** Is your table in part (b) identical to the table of symmetries for the rectangle?

