

TABLE 5 Rules for Determining Significant Zeros

Rule	Examples
1. Zeros appearing between nonzero digits are significant.	a. 40.7 L has three significant figures. b. 87 009 km has five significant figures.
2. Zeros appearing in front of all nonzero digits are not significant.	a. 0.095 897 m has five significant figures. b. 0.0009 kg has one significant figure.
3. Zeros at the end of a number and to the right of a decimal point are significant.	a. 85.00 g has four significant figures. b. 9.000 000 000 mm has 10 significant figures.
4. Zeros at the end of a number but to the left of a decimal point may or may not be significant. If a zero has not been measured or estimated but is just a placeholder, it is not significant. A decimal point placed after zeros indicates that they are significant.	a. 2000 m may contain from one to four significant figures, depending on how many zeros are placeholders. For measurements given in this text, assume that 2000 m has one significant figure. b. 2000. m contains four significant figures, indicated by the presence of the decimal point.

SAMPLE PROBLEM D

For more help, go to the *Math Tutor* at the end of Chapter 1.

How many significant figures are in each of the following measurements?

- a. 28.6 g
- b. 3440. cm
- c. 910 m
- d. 0.046 04 L
- e. 0.006 700 0 kg

SOLUTION Determine the number of significant figures in each measurement using the rules listed in **Table 5**.

- a. 28.6 g
There are no zeros, so all three digits are significant.
- b. 3440. cm
By rule 4, the zero is significant because it is immediately followed by a decimal point; there are 4 significant figures.
- c. 910 m
By rule 4, the zero is not significant; there are 2 significant figures.
- d. 0.046 04 L
By rule 2, the first two zeros are not significant; by rule 1, the third zero is significant; there are 4 significant figures.
- e. 0.006 700 0 kg
By rule 2, the first three zeros are not significant; by rule 3, the last three zeros are significant; there are 5 significant figures.