


Exercises

For Exercises 1–4 complete proofs using the strategies listed, then state which approach is easiest for you.

1. Given: \overline{AC} is the perpendicular bisector of \overline{BD} .

Prove: $AD = AB$ and $CD = CB$.


- Use a synthetic proof.
- Use a reflection.
- Use a coordinate proof.



2. Given: O is the midpoint of $\overline{AA'}$, $\overline{BB'}$, and $\overline{CC'}$.


Prove: $\triangle ABC \cong \triangle A'B'C'$

- Use a synthetic proof.
- Use a 180° rotation.



3. Equilateral triangles ABX and BCY are constructed on two sides of $\triangle ABC$ as shown. Prove that $AY = XC$.


- Use a synthetic proof.
- Find the image of \overline{AY} under the rotation $\mathcal{R}_{B, -60^\circ}$.



4. A' , B' , and C' are the midpoints of the sides of $\triangle ABC$.

Find the ratio of the areas of $\triangle ABC$ and $\triangle A'B'C'$.

- Use a synthetic argument.
- Use a dilation to map $\triangle ABC$ to $\triangle A'B'C'$. Where is the center of the dilation? What is the scale factor?



For Exercises 5–20 choose the approach that you feel is best suited to each problem.

- What kind of figure do you get if you join the midpoints of successive sides of a square? Prove your conjecture.
- What kind of figure do you get if you join the midpoints of successive sides of a rhombus? Prove your conjecture.
- The successive midpoints of the sides of quadrilateral $ABCD$ are P , Q , R , and S . Prove that \overline{PR} and \overline{QS} bisect each other.
- You are given the points $A(-4, 1)$, $B(2, 3)$, $C(4, 9)$, and $D(-2, 7)$.
 - Show that $ABCD$ is a parallelogram with perpendicular diagonals.
 - What special name is given to $ABCD$?