


<i>Euclidean geometry</i>	Through a point outside a line, there is <i>exactly one</i> line parallel to the given line.
<i>Hyperbolic geometry</i>	Through a point outside a line, there is <i>more than one</i> line parallel to the given line. (This geometry was discovered by Bolyai, Lobachevsky, and Gauss.)
<i>Elliptic geometry</i>	Through a point outside a line, there is <i>no</i> line parallel to the given line. (This geometry was discovered by Riemann and is used by ship and airplane navigators.)

To see a model of a no-parallel geometry, visualize the surface of a sphere. Think of a line as being a great circle of the sphere, that is, the intersection of the sphere and a plane that passes through the center of the sphere. On the sphere, through a point outside a line, there is no line parallel to the given line. All lines, as defined, intersect. In the figure, for example, X is a point not on the red great circle. A line has been drawn through X , namely the great circle shown in blue. You can see that the two lines intersect in two points, A and B .



To see how statement (B) follows from our postulates, notice that Postulates 10 and 11 play a crucial role in the following proof. In fact, without such assumptions about parallels there couldn't be a proof. Before the discovery of non-Euclidean geometries people didn't know that this was the case and tried, without success, to find a proof that was independent of any assumption about parallels.


Given: Point P outside line k .

Prove: (1) There is a line through P parallel to k .

(2) There is only one line through P parallel to k .

Key steps of proof of (1):

1. Draw a line through P and some point Q on k . (Postulates 5 and 6)
2. Draw line l so that $\angle 2$ and $\angle 1$ are corresponding angles and $m\angle 2 = m\angle 1$. (Protractor Postulate)
3. $l \parallel k$, so there is a line through P parallel to k . (Postulate 11)



Indirect proof of (2):

Assume temporarily that there are at least two lines, x and y , through P parallel to k . Draw a line through P and some point R on k . $\angle 4 \cong \angle 3$ and $\angle 5 \cong \angle 3$ by Postulate 10, so $\angle 5 \cong \angle 4$. But since x and y are different lines we also have $m\angle 5 > m\angle 4$. This is impossible, so our assumption must be false, and it follows that there is only one line through P parallel to k .

