Everything you always wanted to know about LATEXing an article and I grew tired of telling

version 3.

smagt@tum.de

September 20, 2012

You don't know who Donald Knuth is? Stop reading here. This document is not for you. But if you do, you may have more satisfaction from reading the TeXbook than these few lines. Do so, please. Here may be a surprise for you: it is probably on your computer.

1 Language

Beware your spelling bugs. You can squeeze them before giving your document to someone else, it saves a few iterations and many irritations. Note that you can decide whether you use US English or British English (BE) spelling. Some notable differences include the following words:

British English	US English
colour, flavour, humour, etc.	color, flavor, humor, etc.
centre, fibre, etc.	center, fiber, etc.
aluminium	aluminum

but this list is far from complete. See, e.g., a corresponding wiki page.

In BE, you can also choose for the "-ise" rather than "-ize" ending, depending on which dictionary you adhere to. To my best of knowledge, Oxford uses "minimize," "minimization," etc. while Chambers dictates "minimise," "minimising," etc. Statistically, "-ise" is preferred in BE.

An interesting anomaly is that, in US English, punctuation is *always* within quotes. I used that style in this document, but BE does not prefer that anymore.

1.1 ll

"All, till, full, and well, always have double l except in compounds." (So why does TFX write overfull?)

1.2 a or an?

Everyone knows that "an" is used before a vowel, "a" before a consonant. But that refers to the *sound* that follows, not to the spelling! So please write, "modern physics discovered that the constant indicated by **an** h is no longer relevant."

1.3 Dash

The dash rule in English is really very, very simple (I am talking en-dashes here). Generally, adverbs and adjectives are connected by a dash. To help you refresh your grammar: an adjective describes a noun. An adverb describes an adjective.

So, for instance, when we write "the red-beaten man," we refer to a man who was beaten until red. The adverb "red" describes a property of "beaten," not of man. If, however, we write "the red beaten man" (or, more clearly, "the red, beaten man"), the poor chap was red before being beaten.

So, write "the two-dimensional manifold" but "the two dimensional manifolds" (though I would not know what a "dimensional manifold" is). Write the "light-weight robot" (although the whole name is clearly given by individuals who have no understanding of the English language: a weight is not light, but it can be low).

2 LaTeX typesetting

2.1 Commands

A quick one about commands. Many LATEX and TEX commands take one or more arguments. How does TEX know when a command ends? The rules, which can be redefined, are simple in normal ("plain") mode: a command starts with a \ followed by a single non-alpha character, or one or more alpha character. So, \! is defined as being one character (after the backslash) long only, but \ashdhf only ends when the first non-alpha character is seen.

If an alpha command is followed by one or more spaces, these spaces are interpreted as an end-of-command character, and does not render a space in the text. So, when I write \TeX is great I don't get what I want.

You can use this rule to your advantage. For instance, \frac2n yields exactly the same as \frac{2}{n}, but \fracn2 goes bitterly wrong. In math mode, why not write \frac12\frac12 rather than \frac{2}\frac{2}\frac{1}{n}, is also a special control character, as are \#%&{}_~. Which did I miss?)

2.2 Space control

It is worth understanding the spacing algorithm in TEX. The intricacies go beyond this short section, but the principle is as follows. TEX defines glue between words, sentences, etc. This glue can be compared with a spring, having a base length, which can be compressed by a certain amount, and which can be extended by a certain amount. Normally, two words are separated by some horizontal glue, as are two lines, by vertical glue. TEX then goes on defining the length of a sentence, for instance, and of a page, which also have some flexibility (in the order of picas).

Since the amount of glue is not infinite, there are cases where TEXcannot fill a page or line with the amount of glue available. You may find an example in Sec. 5.1. So, TEX gives up and outputs an error message (overfull \hbox).

You really need to scan your log file for such errors. And repair them! There are a few things you can do. The best thing is to reformulate your sentence, or help TEX break words with the \- command. If you are lazy, however, you can use \tolerance10000 in the preamble of the document. For TEX, 10,000 is the same as infinity, and this means that the corresponding glues can be extended up "infinity." You will never end up with overfull hboxes—but you will probably get underfull ones!

After a full stop not following a capital letter, TEX assumes the end of a sentence and adds more glue (i.e., more stretch). Sometimes you don't want this, and you can prevent this extra

glue with a \ (followed by a space) or a ~ (not followed by a space). The latter does not break along lines. To make things more intuitive, this also holds beyond a " or a). So, type I think, viz.\ I am to yield "I think, viz. I am" rather than "I think, viz. I am." Do you notice the difference? I do. Depending on how much the space has to be stretched to fill a line, TEX will do that after a full stop.

\raggedright and \raggedbottom switch off TEX's line and page filling algorithms. The latter is, by default, off in article mode.

To paragraphs. Creating a new paragraph in TEX is simply done by leaving a line blank. The previous line will be terminated, a new paragraph will be started after a length of \parskip and indented by \parindent. Use this. If you really cannot use the indent on the next line, don't use \\ but instead write \noindent before the next paragraph. Use \\ only if you really want a newline.

Of course, don't create a new paragraph when, for instance, your text goes on with a displayed equation! It will add spurious space, your fault.

2.3 Dashes

Watch the use of dashes. For numerical ranges, use --. Use three dashes to isolate—as in this example—a subsentence. In equations, the dash is transformed to a minus. So never write -1 yielding -1, instead use -1 giving -1.

No spaces around dashes, except preceding a minus sign, of course!

2.4 Dots

Use \dots for 1, 2, ..., n, I'm sure¹... But for 1 + 2 + ... + n you should use [1+2+\cdots+n]. In math mode there are also \vdots (\$\vdots\$) and \vdots (\$\ddots\$).

2.5 Quotes

British English prefers single quotes, but you can do double. Whatever you do—be consistent throughout your text!

To type quotes in LATEX, use '' and '' (or, of course, their single variants). The more general \lq (for left quote) and \rq will render the right quotes in the Babel language that you are typesetting.

3 Figures and tables

Most authors cannot drive LATEX well in placing these. In fact, LATEX offers a very nice set of macros for placing and naming these. You need just write \begin{figure} ... \end{figure} and remember that the label must always come after the caption, and you are fine. Same for tables, but here the caption should precede the table contents.

Now, since the table caption comes before the table and the figure caption after the figure, typesetting rules dictate that, where possible, figures are at the top of a page and tables at the bottom. TeX tries to do that for you, and in most cases you need never to worry about this anymore.

¹a bit tricky: the sentence ends with \dots\ to make sure there is a bit of space after the dots.

Please refrain from using these [hbtp!] position modifiers if you don't need to. By default, TEX does a very good job in placing them. Also, please refrain from putting a figure in the middle of a column, unless you have a very good reason!

Refer to figures with Fig. \r and to tables with Tab. \r

4 Citing

There are two things to correct citing in LATEX. First, there is putting the cite in the paper. Quite an easy thing to do, by typing \cite{ref1,ref2,ref3}. Note that multiple cites are all included in one cite command.

The BibTeX entry itself must be carefully constructed. Many people like to use bib management programs, such as the public-domain tool JabRef. Fine, but you still must feed it with the right info:

- for a journal publication, you must add title, author, year, volume number, pages, and possibly issue number. Pages are written as 5--10, but if you write 5-10 in a BibTeX entry, it will automatically translate that to 5--10 for you. Under no circumstance use three dashes!
- for a conference publication, don't add info on where the conference was. The address
 field is to specify the address of the publisher house, and quite irrelevant for these kind of
 publications.

If you have them, specify page numbers. Then, of course, title, authors, name of the conference.

5 Equations

5.1 Referring to equations

When having a displayed equation such as

$$i\hbar \frac{\partial \psi}{\partial t} = \frac{\hbar^2}{2m} \nabla^2 \psi + V(\mathbf{r})\psi \tag{1}$$

we can say that thanks to Schödinger we know Eq. (1) which is typed in as Eq.~(\ref{eq:schroedinger}).

5.2 Punctuation in equations

These things are easy to answer, as easy as

$$\pi r^2$$
.

If an equation, for instance

$$E = mc^2$$
.

is part of a sentence, of course normal punctuation must be applied. It makes no sense adding a comma after an equation such as

$$f(x) = \sum_{i} x_i$$

when a comma has no place there.

Oh, of course, punctuation should be within a display equation but outside an inline equation. But there are some caveats. For instance, the comma in equations is a punctuation symbol. To change that, put it in braces to say, for instance, \$10{,}000|x|\$ is not less than \$x\$.

5.3 Give them space

Quite a tricky business, getting spacing in equations right. But doing it right will tremendously improve the readability of equations, which is key to have your reader follow your writing.

In general, put in a bit of space before a derivative symbol: $a\,dx/dy$ is right. Also, deleting the space in $x^2/2$, much nicer than $x^2/2$. As is adding some in $\sqrt{2}x$, to yield $\sqrt{2}x$ (compare $\sqrt{2}x$).

5.4 Units

Units are, in general, written according to ISO style and that means, you use "s" for seconds, "m" for metres, etc. Make them roman (meaning, not slanted, not italics) and separate them from the number by half a space. So you write I am 1.86\,m long and vibrate at 4\,Hz to yield "I am 1.86 m long, about 1,451,673,446,400 ms old, and vibrate at 1 Hz" and don't use math mode!

But, we write 75%. And 25°C as \$25^\circ\$C.

5.5 italics or roman?

By default, equations are built from single-letter symbols, e.g., f(x) = ax + b. But sometimes it makes sense to write variables in a more wordy fashion. People sometimes like to write vel = dpos/dt. As you can see from the typesetting, this goes horribly wrong! If you really need to write multi-letter variables describing some physical quantity, use \mathrm{vel} = d \mathrm{pos} / dt\$ to render vel = dpos/dt.