

ENVIRONMENTAL MANAGEMENT BUREAU REGION 8



COMPLIANCE INSPECTION FOR AIR QUALITY MANAGEMENT

ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION

Report Control Number:

Date of Inspection: February 24, 2022

Mission Order No.: Table Monitoring

1 CENERAL INFORMATION					
1. GENERAL INFORMATION Name of Establishment: CSJ Gasoline	Station				
Address: Brgy. Mantahan, Maasin Cit		Geo Coordinates:			
	10.132733° N, 125.19388° E				
Nature of Business: Retail Gasoline Station		10:132733 (4) 123:13333 2			
PSIC Code: 47750	Product:	Year Established: 2018			
Operating hours/day: 10	Operating days/week: 7	Operating days/year: 365			
Product Lines	Production Rate as Declared in the ECC	Actual Production Rate			
Name of Managing Head:	Christe M. Servacio				
Name of PCO:	Rodel Pangilinan				
PCO Accreditation No.:	2017-RVIII-0043	Date of Effectivity: 06/15/2017-2021			
Phone/Fax:	0917-791-1215	Email: csjautosupply@yahoo.com			
2. PURPOSE OF INSPECTION					
Verify accuracy of information subrenewals, or modification	omitted by the establishment p	pertaining to new permit applications,			
New Renewal PMPIN Application Hazardous Waste ID Registra Hazardous Waste Transporte Hazardous waste TSD Regist Permit to Operate Air Pollut Discharge Permit Others	er Registration ration ion Control Installation	New Renewal			
Determine compliance status with Requirements Investigate community complaint Check status of voluntary commit Industrial Ecowatch Philippine Environmental Para Pollution Adjudication Board Others Others	rtnership Program (PEPP)				

Name of Contact Person	Rodel Pangilinan
Position / Designation	Pollution Control Officer

3. COMPLIANCE STATUS

3.1 DENR Permits/Licenses/Clearance

Environmental Law		Permits	Date of Issue	Expiry Date
	ECC1	ECC-R08-1704-0023	04/21/2017	
PD 1586	ECC2			
	ECC3			
	DENR Registry ID			
RA 6969	PCL Compliance Certificate			
KA 0303	CCO Registry			
	Permit to Transport			
RA 8749	POA No.	POA-2019-G-0864-0206	08/14/2019	08/01/2024
	ECC for Sanitary			
RA 9003	Landfill			
RA 9275	DP No.			

MODULE AQM01: PRE-INSPECTION INFORMATION SHEET FOR EMISSION SOURCES

Emission Source Data Information				
Emission Source No.				
Type (Brand/Model)	Denyo			
Rated Capacity	20 kW			
Fuel Type & Quantity	Diesel			
Operating Capacity				
Control Facility	Muffler			
Notes:				

Emission Source Data Information					
Emission Source No.					
Type (Brand/Model)	UGT				
Rated Capacity	32 kL				
Fuel Type & Quantity					
Operating Capacity					
Control Facility					
Notes: Standby					

Legal Provision	Regulatory Requirements	Co	mp	liant	Notes
		Υ	N	N/A	
DAO 2004-26		I	ı		
Rule 19 Section 1	All emission sources have a valid Permit to Operate	✓			
Rule 19 Section 3	As built design of the installation conforms with submitted engineering plans and specifications	✓			
	Declared control facilities are installed and operational	√			
	Installation is located as proposed in the vicinity map (plant and machinery layout)	√			
	Facility design capacity is within the capacity declared in the application for permit to operate	√			
Rule 19 Section 5	Temporary Permit is still valid			✓	
Rule 19 Section 6	Application for renewal has been filed for expiring Permit to Operate 30 days before permit expiration date			✓	
Rule 19 Section 9	Permit to Operate displayed conspicuously upon the installation or in an accessible / visible place near the installation	√			
	Conditions of the Permit to Operate are complied with	√			

Rulle 19 Section 11	Plant operational problems notification submitted to EMB within 24 hours of occurrence		✓	
Rule 19 Section 12	Quarterly submission of self- monitoring report	~		4Q 2021 SMR not yet submitted
DAO 2000-81				•
Part 7 Rule 25 Section 5 a# 1	Person in charge of the plant / equipment has sufficient measure to		✓	
	ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack,			
	smoke density indicator, CCTV, etc.			
Part 7 Rule 25 Section 5 a#	All oil-burning equipment have		✓	
2	heaters capable of heating oil to a temperature appropriate for the oil and burner			
Part 7 Rule 25 Section 5 a# 3	Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx		√	
	Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx		√	
	Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx		✓	
	Establishment is steel plant installed with CEMS for particulates and sulfur oxide		✓	
	Establishment is ferro-alloy production facility installed with CEMS for particulates		✓	
	Establishment is cement plant installed with CEMS for particulates		✓	
Part 7 Rule 25 Section 5 b	Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities		√	
Part 7 Rule 25 Section 13 a	Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified)		√	
Part 7 Rule 25 Section 13 b	Establishment has precautionary controls for volatile organic compounds or organic solvent emissions generated during storing, pumping, handling, processing, etc. (Listcontrols identified)		✓	
Part 7 Rule 25 Section 13 d	No open burning activity in the establishment		✓	

EMB Memorandum Cir	culars			
MC 2009-04	Standby Gen sets with capacity greater than or equal to 1,250 KW undergo annual emission testing (with 3 test runs). These gen sets should not have the potential to emit more than 100tons/year of regulated pollutant.		√	
MC 2007-003 (2)	Boiler rated at greater than or equal to 251HP undergo bi-annual emission testing (with 3 test runs)		√	
	Other sources that have potential to emit equal to or greater than 100tons/year of regulated pollutant undergo bi-annual emission testing (with 3 test runs)		✓	
	Boiler rated between 100 to 250 HP undergo annual emission testing (with 3 test runs)		√	
	Diesel generator rated at 600 to 1,249KW undergo annual testing (with 3 test runs)		√	
	Other sources that have potential to emit greater than 30 but less than 100tons/year of regulated pollutant undergo annual emission testing (with 3 test runs)		✓	
	Sources of emissions of hazardous air pollutants included in PCL (DAO 1998 -58) undergo bi-annual emission testing (with 3 test runs)		√	
	Emission sources of petroleum refinery undergo bi-annual emission testing (with 3 test runs)		√	
	Emission sources of petrochemical works undergo bi-annual emission testing (with 3 test runs)		√	
	Emission sources of smelters undergo bi-annual emission testing (with 3 test runs)		√	
	Emission sources of cement kilns undergo bi-annual emission testing `with 3 test runs)		√	
	1	LL	1	L

	Emission sources of steel -making plants undergo bi-annual emission testing (with 3 test runs)		
	Emission sources of ferro-alloy- making plants undergo bi-annual emission testing (with 3 test runs)	✓	
	Emission sources of glass-making plants undergo bi-annual emission testing (with 3 test runs)	✓	
	Boiler rated at 99HP or less undergo biennial emission testing (with 3 test runs)	✓	
	Diesel generator rated at 599KW or less undergo biennial emission testing (with 3 test runs)	✓	
	Other sources that have potential to emit at least 10tons/year but less than 30tons/year of regulated pollutant undergo biennial emission testing (with 3 test runs)	✓	
	Source using Bunker Fuel Oil, blended fuels involving Bunker Fuel Oil, or sulfur content of 1% or more undergo bi-annual emission testing	✓	
Appendix F (Quality Assu	urance Procedures)		
Section 6 (8)	Notification has been sent to EMB for any changes made in the CEMS installation	√	
	Notification has been sent to EMB for any changes made in the CEMS quality assurance and quality control plan	√	
Section 6 (5)	Each CEMS is audited and conducted in accordance to CFR 40 part 60 Appendix F.	√	
Section 6 (6)	Relative Accuracy Test Audit (RATA) is performed annually by industries in the presence of EMB personnel.	√	
	Establishment has sent thirty (30) day notice to EMB prior to the RATA testing schedule	✓	

Coation 6 (7)	Calibration gases are subject to sudit					
Section 6 (7)	Calibration gases are subject to audit or relative accuracy audit test every quarter		•			
	Other alternative quarterly audits employed by the establishment are approved by EMB.		✓			
Section 6 (9)	EMB Director and Regional Director have been notified of CEMS malfunction that lasted longer than seven (7) consecutive days.		✓			
Section 7 (1)	Records of occurrence and duration of any start-up, shut-down or malfunction in the operation of any source or control facility is available in the establishment.		•			
Section 7 (2)	Records of audits, performance testing, evaluations, calibration checks, adjustments and maintenance of any continuous emission monitors that have been installed pursuant to Rule IX Section 5 of DAO 2000-81 are available in the establishment.		*			
Section 8 (1)	SMR includes data on the time intervals, date and magnitude of excess emissions, nature and cause of excess, corrective actions taken, and preventive measures adopted.		✓			
Section 8 (2)	SMR includes information on the averaging period used for data reporting corresponding to the averaging period specified in the emission test period used to determine compliance with an emission standard for the pollutant/source category in question.		✓			
Section 8 (3)	SMR includes information on time and date for each period during which the continuous monitoring system was inoperative and the nature of system repairs and adjustments made in the CEMS/COMS		✓			
Section 8 (4)	SMR data measurements are within 75% data capture?		√			
For Facilities Engaged with Consent Agreement						
EMS established within 18 months upon entering Consent Agreement with EMB	EMS established within 18 months upon entering Consent Agreement with EMB		√			
DAO 2000-81 Part 7 Rule 25 Section 9b	Environmental Management Plan derived from EMS process submitted within 6 months after entering Consent Agreement with EMB		V			

Other Observations:

- Last monitoring was conducted February 2, 2021 with a recommendation of issuance of Notice of Violation (NOV) for non-submission of 4th Quarter 2020 SMR.
- The Notice of Violation was issued on August 19, 2021 with DENR-PAB Case # <u>08-000046-21-A</u>. An Order was issued on February 17, 2022 dismissing the violation since PAB Resolution 2021-03 waives penalties for non-submission of reports during the existence of community quarantine.
- > 4th Quarter 2021 Self-Monitoring Report (SMR) not yet submitted online. 1st, 2nd and 3rd Quarter SMRs were submitted on October 8, 2021
- > Ongoing construction/rehabilitation of building with CR

Remarks and Recommendation:

- > To submit 4th Quarter 2021 SMR Online through <u>client.emb.gov.ph/smr</u>
- To submit July-December 2021 Compliance Monitoring Report (CMR) online through online.emb.gov.ph/cmr
- > Secure Pollution Control Officer Accreditation renewal
- > Secure DENR Hazardous Waste Generator's ID online through hwms.emb.gov.ph since the project has a potential to generate busted bulbs; used oil and used batteries from generator set.
- > Secure Wastewater Discharge Permit prior to operation of septic tank/comfort room

List of Documents Reviewed:

POA-2019-G-0864-0206

Submitted by:

Engr, ZEUS BRYAN B. LORETO

EMS II

Recommending Approval:

Engr. CARLOS A. CAYANONG

Chief, WAQMS

Reviewed by:

For ALEJANDROQUE G. MACATIGUE

Head, PEMU Southern Leyte

Approval:

For. MANUEL J. SACEDA, Jr. OIC-Chief, EMED

Noted:

REYNALDO B. BARRA, PME

OIC-Regional Director





Republic of the Philippines Department of Environment and Natural Resources

ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. VIII
DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City
Tel No: (053) 832-1088 / (053) 832-2319
Email Address: embr8_records@emb.gov.ph



April 5, 2022

Ms. CHRISTE M. SERVACIO

Managing Head
CSJ GASOLINE STATION
Brgy. Mantahan, Maasin City, Southern Leyte

Dear Sir:

Environmental Greetings!

This has reference to the inspection conducted by our technical staff in your project. It was recommended for you to:

Recommendation:

- ➤ Submission of 4th Quarter 2021 Self-Monitoring Report (SMR) online through client.emb.gov.ph/smr
- ➤ To submit July-December 2021 Compliance Monitoring Report (CMR) online through online.emb.gov.ph/cmr
- ➤ Secure Pollution Control Officer Accreditation renewal of Mr. Rodel Pangilinan
- ➤ Secure DENR Hazardous Waste Generator's ID online through hwms.emb.gov.ph since the project has a potential to generate busted bulbs; used oil and used batteries from generator set.
- > Secure Wastewater Discharge Permit (WWDP prior to operation of septic tank/comfort room

As such, you are hereby enjoined to comply with the above-cited recommendation in compliance with the requirements of the Environmental Laws and its Implementing Rules and Regulations of *Republic Act 9275, Republic Act 8749, Republic Act 6969 and Presidential Decree 1586.*

Please be guided accordingly.

Very truly yours,

REYNALDO B. BARRA, PME

QIC-Regional Director





Republic of the Philippines Department of Environment and Natural Resources

ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. VIII

DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City
Tel No: (053) 832-1088 / (053) 832-2319

Email Address: embr8_records@emb.gov.ph



April 5, 2022

Ms. CHRISTE M. SERVACIO

Managing Head
CSJ GASOLINE STATION
Brgy. Mantahan, Maasin City, Southern Leyte

Dear Sir:

Environmental Greetings!

This has reference to the inspection conducted by our technical staff in your project. It was recommended for you to:

Recommendation:

- ➤ Submission of 4th Quarter 2021 Self-Monitoring Report (SMR) online through <u>client.emb.gov.ph/smr</u>
- ➤ To submit July-December 2021 Compliance Monitoring Report (CMR) online through online.emb.gov.ph/cmr
- > Secure Pollution Control Officer Accreditation renewal of Mr. Rodel Pangilinan
- ➤ Secure DENR Hazardous Waste Generator's ID online through hwms.emb.gov.ph since the project has a potential to generate busted bulbs; used oil and used batteries from generator set.
- > Secure Wastewater Discharge Permit (WWDP prior to operation of septic tank/comfort room.

As such, you are hereby enjoined to comply with the above-cited recommendation in compliance with the requirements of the Environmental Laws and its Implementing Rules and Regulations of *Republic Act 9275, Republic Act 8749, Republic Act 6969 and Presidential Decree 1586.*

Please be guided accordingly.

Very truly yours,

REYNALDO B. BARRA, PME

OIC-Regional Director

