

Report Control Number:

ENVIRONMENTAL MANAGEMENT BUREAU REGION 8

ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION



COMPLIANCE INSPECTION FOR AIR QUALITY MANAGEMENT

February 16, 2022 Date of Inspection: Mission Order No.: **Desk Monitoring** 1. GENERAL INFORMATION Name of Establishment: Repair/Restoration of Pump Canopy/Office Building (Gas Filling Station) (PHILIP UY) Barangay 74, Lower Nula-tula, Tacloban City, Leyte Geo Coordinates: Nature of Business: Retail of Automotive Fuels PSIC Code: 47300 Year Established: Product: Operating hours/day: Operating days/week: Operating days/year: **Product Lines Production Rate as Declared** Actual Production Rate (unit/day) in the ECC (unit/day) Name of Managing Head: Joanne B. Catalon Name of PCO: PCO Accreditation No.: Date of Effectivity: Phone/Fax: Email: 2. PURPOSE OF INSPECTION ☐ Verify accuracy of information submitted by the establishment pertaining to new permit applications, renewals, or modification **New Renewal** New Renewal **PMPIN Application** Hazardous Waste ID Registration Hazardous Waste Transporter Registration Hazardous waste TSD Registration Permit to Operate Air Pollution Control Installation Discharge Permit Others_ П Determine compliance status with the environmental regulations, permit conditions, and other requirements ☐ Investigate community complaints ☐ Check status of voluntary commitment Industrial Ecowatch Philippine Environmental Partnership Program (PEPP) Pollution Adjudication Board (PAB) Others ☐ Others Name of Contact Person Joanne B. Catalon Position / Designation

Proprietor

3. COMPLIANCE STATUS

3.1 DENR Permits/Licenses/Clearance

Environmental Law		Permits	Date of Issue	Expiry Date	
	ECC1	ECC-R08-1510-0151	Oct. 27, 2015		
PD 1586	ECC2				
	ECC3				
	DENR Registry ID				
RA 6969	PCL Compliance Certificate				
	CCO Registry				
	Permit to Transport				
RA 8749	POA No.				
RA 9003	ECC for Sanitary Landfill				
RA 9275	DP No.				

MODULE AQM01: PRE-INSPECTION INFORMATION SHEETFOR EMISSION SOURCES

Emission Source Data Information	Emission Source Data Information		
Emission Source No.	Emission Source No.		
Type (Brand/Model)	Type (Brand/Model)		
Rated Capacity	Rated Capacity		
Fuel Type & Quantity	Fuel Type & Quantity		
Operating Capacity	Operating Capacity		
Control Facility	Control Facility		
Notes:	Notes:		

Legal Provision	Regulatory Requirements		ompl	iant	Notes
			N	N/A	
DAO 2004-26					
Rule 19 Section 1	All emission sources have a valid Permit to Operate			/	
Rule 19 Section 3	As built design of the installation conforms with submitted engineering plans and specifications			1	
	Declared control facilities are installed and operational			1	
	Installation is located as proposed in the vicinity map (plant and machinery layout)			/	
	Facility design capacity is within the capacity declared in the application for permit to operate			/	
Rule 19 Section 5	Temporary Permit is still valid			1	
Rule 19 Section 6	Application for renewal has been filed for expiring Permit to Operate 30 days before permit expiration date			/	
Rule 19 Section 9 Permit to Operate displayed conspicuously upon the installation				/	

	or in an accessible / visible place near the installation		
	Conditions of the Permit to Operate are complied with	/	
Rule 19 Section 11	Plant operational problems notification submitted to EMB within 24 hours of occurrence	1	
Rule 19 Section 12	Quarterly submission of self- monitoring report	/	
DAO 2000-81			
Part 7 Rule 25 Section 5 a# 1	Person in charge of the plant / equipment has sufficient measure to ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack,	1	
Part 7 Rule 25 Section 5 a# 2	smoke density indicator, CCTV, etc. All oil-burning equipment have heaters capable of heating oil to a temperature appropriate for the oil and burner	/	
Part 7 Rule 25 Section 5 a#	Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx	1	
	Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx	1	
	Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx	1	
	Establishment is steel plant installed with CEMS for particulates and sulfur oxide	1	
	Establishment is ferro-alloy production facility installed with CEMS for particulates	1	
	Establishment is cement plant installed with CEMS for particulates	/	
Part 7 Rule 25 Section 5 b	Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities	1	State equipment then control facility/ies.
Part 7 Rule 25 Section 13 a	Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified)	/	Example: It has tire bath Automated water sprinklers

Part 7 Rule 25 Section 13 b	Establishment has precautionary		1	
	controls for volatile organic			
	compounds or organic solvent			
	emissions generated during storing,			
	pumping, handling, processing, etc.			
	(List controls identified)			
Part 7 Rule 25 Section 13 d	No open burning activity in the	1		
	establishment			
EMB Memorandum Circula	Irs			
MC 2009-04	Standby Gensets with capacity		1	
	greater than or equal to 1,250 KW			
	undergo annual emission testing			
	(with 3 test runs). These gensets			
	should not have the potential to emit			
	more than 100tons/year of regulated pollutant.			
MC 2007-003 (2)	Boiler rated at greater than or equal		1	
WIO 2007-003 (2)	to 251HP undergo bi-annual		'	
	emission testing (with 3 test runs)			
	Other sources that have potential to		1	
	emit equal to or greater than			
	100tons/year of regulated pollutant			
	undergo bi-annual emission testing			
	(with 3 test runs)			
	Boiler rated between 100 to 250 HP		1	
	undergo annual emission testing			
	(with 3 test runs)			
	Diesel generator rated at 600 to		/	
	1,249KW undergo annual testing (with 3 test runs)			
	Other sources that have potential to		1	
	emit greater than 30 but less than		1'	
	100tons/year of regulated pollutant			
	undergo annual emission testing			
	(with 3 test runs)			
	Sources of emissions of hazardous		1	
	air pollutants included in PCL (DAO			
	1998 -58) undergo bi-annual			
	emission testing (with 3 test runs)			
	Emission sources of petroleum		1	
	refinery undergo bi-annual emission			
	testing (with 3 test runs)			
	Emission sources of petrochemical		1	
	works undergo bi-annual emission		'	
	testing (with 3 test runs)			
	Emission sources of omelters		+,+	
	Emission sources of smelters undergo bi-annual emission testing		/	
	(with 3 test runs)			
	Emission sources of cement kilns		1	
	undergo bi-annual emission testing with 3 test runs)			

	Emission sources of steel -making plants undergo bi-annual emission testing (with 3 test runs)		
	Emission sources of ferro-alloy- making plants undergo bi-annual emission testing (with 3 test runs)	/	
	Emission sources of glass-making plants undergo bi-annual emission testing (with 3 test runs)	/	
	Boiler rated at 99HP or less undergo biennial emission testing (with 3 test runs)	/	
	Diesel generator rated at 599KW or less undergo biennial emission testing (with 3 test runs)	/	
	Other sources that have potential to emit at least 10tons/year but less than 30tons/year of regulated pollutant undergo biennial emission testing (with 3 test runs)	/	
	Source using Bunker Fuel Oil, blended fuels involving Bunker Fuel Oil, or sulfur content of 1% or more undergo bi-annual emission testing	/	
Appendix F (Quality /	Assurance Procedures)		
Section 6 (8)	Notification has been sent to EMB for any changes made in the CEMS installation	/	
	Notification has been sent to EMB for	/	
	any changes made in the CEMS quality assurance and quality control plan		
Section 6 (5)	quality assurance and quality control	/	
Section 6 (5) Section 6 (6)	quality assurance and quality control plan Each CEMS is audited and conducted in accordance to CFR 40		

Section 6 (7)	Calibration gases are subject to audit or relative accuracy audit test every quarter	/	
	Other alternative quarterly audits employed by the establishment are approved by EMB.	1	
Section 6 (9)	EMB Director and Regional Director have been notified of CEMS malfunction that lasted longer than seven (7) consecutive days.	/	
Section 7 (1)	Records of occurrence and duration of any start-up, shut-down or malfunction in the operation of any source or control facility is available in the establishment.	1	
Section 7 (2)	Records of audits, performance testing, evaluations, calibration checks, adjustments and maintenance of any continuous emission monitors that have been installed pursuant to Rule IX Section 5 of DAO 2000-81 are available in the establishment.	1	
Section 8 (1)	SMR includes data on the time intervals, date and magnitude of excess emissions, nature and cause of excess, corrective actions taken, and preventive measures adopted.	1	
Section 8 (2)	SMR includes information on the averaging period used for data reporting corresponding to the averaging period specified in the emission test period used to determine compliance with an emission standard for the pollutant/source category in question.	1	
Section 8 (3)	SMR includes information on time and date for each period during which the continuous monitoring system was inoperative and the nature of system repairs and adjustments made in the CEMS/COMS	/	
Section 8 (4)	SMR data measurements are within 75% data capture?	1	
For Facilities Engaged wi	th Consent Agreement		
EMS established within 18	EMS established within 18 months		
months upon entering Consent Agreement with EMB	upon entering Consent Agreement with EMB	/	

DAO 2000-81 Part 7 Rule 25 Section 9b	Environmental Management Plan derived from EMS process submitted within 6 months after entering Consent Agreement with EMB	/	

Other Observations:

- 1. The establishment is issued with ECC to Mr. Philip Uy with ECC reference number: ECC-R08-1510-0151 for the Repair/Restoration of Pump Canopy/Office Building (Gas Filling Station) project.
- Current proprietor is Ms. Joanne B. Catalon and name of establishment as per submitted SMR is FS
 Gasoline Station. As per information from the PCO of FS Gas Station Ms. Kecelyn B. Delos Santos,
 they are renting the area from Mr. Philip Uy and that the managing head for the gasoline station is
 Ms. Joanne Catalon.
- The PCO also informed that they have conflict with another ECC holder Ms. Teresita Laohoo regarding the ECC for the gasoline station. They said that they will clarify the issue on their side and will inform the Office of the resolution of the matter to facilitate transfer of ECC.

Remarks and Recommendation:

 The proponent was informed to send clarification regarding the ownership of the gasoline station and to include the said document for the application of the amendment of ECC.

List of Documents Reviewed:

Submitted by:

SHARMAINE I. SILLEZA

EMS I

Approval:

FOR. MANUEL J. SACEDA, JR.

Recommending Approval:

Engr. CARLOS A. CAYANONG Engineer IV/Chief, WAQMS

Noted:

DIC, Regional Director



Republic of the Philippines Department of Environment and Natural Resources ENVIRONMENTAL MANAGEMENT BUREAU Regional Office No. VIII

DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City



DISPOSITION FORM

Doc. Date: February 28, 2022

: R8-2022-007129

Company Name: ENVIRONMENTAL MANAGEMENT BUREAU -

REGION VIII (EASTERN VISAYAS)

Subject / Title: Repair and Restoration of Pump Canopy/Office Building (Gas Filling Station) Philip Uy - Air Monitoring (DESK)

TO: All Officials/Personnel Concerned:

Please accomplish and route this properly with the corresponding attached communication/documents. The Official or employee in-charge to whom this document is routed shall act promptly and expeditiously without discrimination as prescribed in the SECSIME or within fifteen (15) working days from receipt thereof, failure to do is punishable by LAW under RA 6713 and negligence to Memorandum Circular No. 44 issued by the Office of the President of the Philippines "Directing all Government Agencies and Instrumentalities, including government-owned or controlled corporations to respond to all public requests and concerns within 15 days (15 from the receipt thereof)

For strict compliance.

IIS No.

		F	ROUTED	
BY (Official Code/ Sender Initial)	DATE (mm/dd/yy)	TO (Official Code/ Receiver Initial)	TIME (AM/PM)	ACTION REMARKS STATUS
Sharmaine I. Silleza	02/28/2022	Carlos A. Cayanong	12:57 PM	For initial/signature.
CAV	2.28	1	1259	H
C.EMED	05/78/75	0,00		,

Use code for comment/instruction and desired action:

A - For information / guidance / reference

B - For comments / recommendations

C - Pls. take up with me

D - Pls. draft answer memo

E - Pls. appropriatte action

F - Pls. immediate investigation

G - Pls. Attach supporting papers

H - Pls. for approval

I - For initial/signature

J - For study/evaluation

K - Pls. release/file

L - Update stat of case

Important Reminder!

Do not tamper. Continue on separate sheet if necessary. Attach this always with the document to be routed as this shall form an integral part of the document process.