

#### **ENVIRONMENTAL MANAGEMENT BUREAU REGION 8**



# COMPLIANCE INSPECTION FOR AIR QUALITY MANAGEMENT

ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION

Report Control Number: Date of Inspection: APRIL 25, 2022 Mission Order No.: TABLE MONITORING 1. GENERAL INFORMATION Name of Establishment: COMBINIDO RICEMILL AND DRYER Address: BRGY. MANLOY, CARIGARA, LEYTE Geo Coordinates: 11.26608 N. 124.66364 E Nature of Business: RICE MILL PSIC Code: 10610 Product: Well Milled Rice Year Established: 2016 Operating hours/day: 8 Operating days/year:312 Operating days/week: 6 **Product Lines** Production Rate as Declared Actual Production Rate (unit/day) in the ECC (unit/day) AILEEN COMBINIDO Name of Managing Head: **EDUARDO I. COMBINIDO** Name of PCO: 2021-RVIII-0228 PCO Accreditation No.: Date of Effectivity: 12-23-2021 Phone/Fax: 09236478509 Email: 1@yahoo.com 2. PURPOSE OF INSPECTION ☐ Verify accuracy of information submitted by the establishment pertaining to new permit applications, renewals, or modification New Renewal New Renewal PMPIN Application Hazardous Waste ID Registration \_\_\_\_ Hazardous Waste Transporter Registration Hazardous waste TSD Registration Permit to Operate Air Pollution Control Installation \_\_ Discharge Permit \_\_ Others \_ Determine compliance status with the environmental regulations, permit conditions, and other requirements ☐ Investigate community complaints ☐ Check status of voluntary commitment Industrial Ecowatch Philippine Environmental Partnership Program (PEPP) Pollution Adjudication Board (PAB) Others Others AIR TABLE MONITORING

Name of Contact Person

Position / Designation

**EDUARDO I. COMBINIDO** 

**Pollution Control Officer** 

## 3. COMPLIANCE STATUS

## 3.1 DENR Permits/Licenses/Clearance

<b>Environmental Law</b>		Permits	Date of Issue	Expiry Date	
	ECC1	ECC-R08-1601-0001	01/06/2016		
PD 1586	ECC2				
	ECC3				
	DENR Registry ID				
	PCL Compliance				
RA 6969	Certificate				
	CCO Registry				
	Permit to Transport				
RA 8749	POA No.	16-POA-8-0837-0008	02/08/2016	02/08/2017	
RA 9003	ECC for Sanitary Landfill				
RA 9275	DP No.				

## MODULE AQM01: PRE-INSPECTION INFORMATION SHEETFOR EMISSION SOURCES

2 UNITS Multi Pass Auto Rice Huller
>1 MT/hr
Electrically Driven
Storage Bin, cyclones

Emission Sou	rce Data Information
Emission Source No.	
Type (Brand/Model)	1 UNIT Furnace
Rated Capacity	
Fuel Type & Quantity	Rice Husk
Operating Capacity	
Control Facility	Cyclones, ash storage bin
Notes:	

Emission Sou	rce Data Information
Emission Source No.	
Type (Brand/Model)	7 UNITS Mechanical Dryer
Rated Capacity	
Fuel Type & Quantity	5-7 MT, 2-12 MT
Operating Capacity	
Control Facility	Dust Room
Notes:	

Legal Provision	Regulatory Requirements	Co	omp	liant	Notes
		Y	N	N/A	
DAO 2004-26					
Rule 19 Section 1	All emission sources have a valid Permit to Operate		/		Permit was expired on 08 February 2017
Rule 19 Section 3	As built design of the installation conforms with submitted engineering plans and specifications	1			•
	Declared control facilities are installed and operational	1			
	Installation is located as proposed in the vicinity map (plant and machinery layout)	1			

	Facility design capacity is within the capacity declared in the application for permit to operate	1		
Rule 19 Section 5	Temporary Permit is still valid		1	
Rule 19 Section 6	Application for renewal has been filed for expiring Permit to Operate 30 days before permit expiration date		/	
Rule 19 Section 9	Permit to Operate displayed conspicuously upon the installation or in an accessible / visible place near the installation  Conditions of the Permit to Operate	1		
	are complied with	1		
Rulle 19 Section 11	Plant operational problems notification submitted to EMB within 24 hours of occurrence		/	
Rule 19 Section 12	Quarterly submission of self- monitoring report	1		1st Quarter SMR for CY 2022 was submitted on 12 April 2022.
DAO 2000-81				
Part 7 Rule 25 Section 5 a# 1	Person in charge of the plant / equipment has sufficient measure to ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack, smoke density indicator, CCTV, etc.		/	
Part 7 Rule 25 Section 5 a# 2	All oil-burning equipment have heaters capable of heating oil to a temperature appropriate for the oil and burner		/	
Part 7 Rule 25 Section 5 a# 3	Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx		/	
	Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx		/	
	Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx		/	
	Establishment is steel plant installed with CEMS for particulates and sulfur oxide		1	
	Establishment is ferro-alloy production facility installed with CEMS for particulates		/	
	Establishment is cement plant installed with CEMS for particulates		/	
Part 7 Rule 25 Section 5 b	Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities		/	

Part 7 Rule 25 Section 13 a	Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified)		/	
Part 7 Rule 25 Section 13 b	Establishment has precautionary controls for volatile organic compounds or organic solvent emissions generated during storing, pumping, handling, processing, etc. (Listcontrols identified)		/	
Part 7 Rule 25 Section 13 d	No open burning activity in the establishment	1		

MC 2009-04	Standby Gensets with capacity		/	
	greater than or equal to 1,250 KW undergo annual emission testing			
	(with 3 test runs). These gensets			
	should not have the potential to emit			
	more than 100tons/year of regulated pollutant.			
MC 2007-003 (2)	Boiler rated at greater than or equal to 251HP undergo bi-annual		1	
	emission testing (with 3 test runs)			
	Other sources that have potential to		1	
	emit equal to or greater than			
	100tons/year of regulated pollutant			
	undergo bi-annual emission testing (with 3 test runs)			
	Boiler rated between 100 to 250 HP		1	
	undergo annual emission testing (with 3 test runs)			
	Diesel generator rated at 600 to		1	
	1,249KW undergo annual testing (with 3 test runs)			
	Other sources that have potential to		1	
	emit greater than 30 but less than			
	100tons/year of regulated pollutant undergo annual emission testing			
	(with 3 test runs)			
	Sources of emissions of hazardous		1	
	air pollutants included in PCL (DAO			
	1998 -58) undergo bi-annual			
	emission testing (with 3 test runs)			
	Emission sources of petroleum		1	
	refinery undergo bi-annual emission testing (with 3 test runs)			
	tooting (with a test runs)			
	Emission sources of petrochemical	+++	1	
	works undergo bi-annual emission			
	testing (with 3 test runs)			

	Emission sources of smelters undergo bi-annual emission testing (with 3 test runs)	1	
	Emission sources of cement kilns undergo bi-annual emission testing `with 3 test runs)		
	Emission sources of steel -making plants undergo bi-annual emission testing (with 3 test runs)	/	
	Emission sources of ferro-alloy- making plants undergo bi-annual emission testing (with 3 test runs)	1	
	Emission sources of glass-making plants undergo bi-annual emission testing (with 3 test runs)	/	
	Boiler rated at 99HP or less undergo biennial emission testing (with 3 test runs)	1	
	Diesel generator rated at 599KW or less undergo biennial emission testing (with 3 test runs)	/	
	Other sources that have potential to emit at least 10tons/year but less than 30tons/year of regulated pollutant undergo biennial emission testing (with 3 test runs)	/	
	Source using Bunker Fuel Oil, blended fuels involving Bunker Fuel Oil, or sulfur content of 1% or more undergo bi-annual emission testing	/	
Appendix F (Quality As	surance Procedures)		
Section 6 (8)	Notification has been sent to EMB for any changes made in the CEMS installation		
	Notification has been sent to EMB for any changes made in the CEMS quality assurance and quality control plan	/	
Section 6 (5)	Each CEMS is audited and conducted in accordance to CFR 40 part 60 Appendix F.	/	

Section 6 (6)	Relative Accuracy Test Audit (RATA) is performed annually by industries in the presence of EMB personnel.	/	
	Establishment has sent thirty (30) day notice to EMB prior to the RATA testing schedule	/	
Section 6 (7)	Calibration gases are subject to audit	/	
	or relative accuracy audit test every quarter		
	Other alternative quarterly audits employed by the establishment are approved by EMB.	/	
Section 6 (9)	EMB Director and Regional Director have been notified of CEMS malfunction that lasted longer than seven (7) consecutive days.	/	
Section 7 (1)	Records of occurrence and duration of any start-up, shut-down or malfunction in the operation of any source or control facility is available in the establishment.	1	
Section 7 (2)	Records of audits, performance testing, evaluations, calibration checks, adjustments and maintenance of any continuous emission monitors that have been installed pursuant to Rule IX Section 5 of DAO 2000-81 are available in the establishment.	/	
Section 8 (1)	SMR includes data on the time intervals, date and magnitude of excess emissions, nature and cause of excess, corrective actions taken, and preventive measures adopted.	/	
Section 8 (2)	SMR includes information on the averaging period used for data reporting corresponding to the averaging period specified in the emission test period used to determine compliance with an emission standard for the	/	
Section 8 (3)	pollutant/source category in question.  SMR includes information on time and date for each period during which the continuous monitoring system was inoperative and the nature of system repairs and adjustments made in the CEMS/COMS	1	
Section 8 (4)	SMR data measurements are within 75% data capture?	/	
For Facilities Engaged with	Consent Agreement		

EMS established within 18 months upon entering Consent Agreement with EMB	EMS established within 18 months upon entering Consent Agreement with EMB	/	
DAO 2000-81 Part 7 Rule 25 Section 9b	Environmental Management Plan derived from EMS process submitted within 6 months after entering Consent Agreement with EMB	1	

#### Other Observations:

- This Office has issued Environmental Compliance Certificate (ECC) with reference number: R08-1601-0002 on 06 January 2016 to Mr. Eduardo I. Combinado for the Rice Mill and Dryer Project located at Brgy. Manloy, Carigara, Leyte.
- A table monitoring was conducted on 25 April 2022. The firm was operational during the time of monitoring.

The following were already observed from the recommendations given from the previously conducted monitoring on 17 September 2021:

- This Office has accredited Mr. Eduardo I. Combinido as PCO with reference number: on 23 December 2021.
- SMR for the 1<sup>st</sup> Quarter of CY 2022 was submitted on 12 April 2022.
- However, a Notice of Violation (NOV) was issued on 01 December 2021 to COMBINIDO RICEMILL
  AND DRYER for Operating without a valid Permit to Operate for the 2 units Multi-pass Rice Huller, 1
  unit furnace, and 7 units Mechanical dryer in violation of Section 1, Rule XIX of the DAO 2004-26.

## Remarks and Recommendation:

✓ To pay the penalty based on the issued NOV.

## List of Documents Reviewed:

Copy of the valid Permit to Operate

Prepared by:

JEROME C. \$ALVADOR/

Source Emission Monitoring Specialist/

ENGR. CARLOS A. CAYANONO

Chief, WAQMS

Approved by:

FOR. MANUEL J. BACEDA, JR.

Noted by:

OIC, Regional Director



# Republic of the Philippines Department of Environment and Natural Resources

## ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. VIII DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City



#### DISPOSITION FORM

Doc. Date : April 25, 2022

IIS No. : R8-2022-011192

Company Name: COMBINIDO RICEMILL AND DRYER PROJECT



Subject / Title: COMBINIDO RICEMILL AND DRYER AIR QUALITY MONITORING REPORT

TO: All Officials/Personnel Concerned:

Please accomplish and route this properly with the corresponding attached communication/documents. The Official or employee in-charge to whom this document is routed shall act promptly and expeditiously without discrimination as prescribed in the SECSIME or within fifteen (15) working days from receipt thereof, failure to do is punishable by LAW under RA 6713 and negligence to Memorandum Circular No. 44 issued by the Office of the President of the Philippines "Directing all Government Agencies and Instrumentalities, including government-owned or controlled corporations to respond to all public requests and concerns within 15 days (15 from the receipt thereof)

For strict compliance.

			ROUTED	
BY (Official Code/ Sender Initial)	DATE (mm/dd/yy)	TO (Official Code/ Receiver Initial)	TIME (AM/PM)	ACTION   REMARKS   STATUS
Jerome C. Salyador	04/25/2022	Carlos A. Cayanong	08:54 AM	For initial/signature.
CAV	4-74	m(	949	H
c. Emen	4/25/22	ord	3:05	I
m	APR 2 6 202	2 Emed/	5:02~	Noted / Signed
	, ,	N. Peru	/	
N. Per	04/26/22	V. motostil		5

### Use code for comment/instruction and desired action:

A - For information / guidance / reference

B - For comments / recommendations

C - Pls. take up with me

D - Pls. draft answer memo

E - Pls. appropriatte action I - For initial/signature

F - Pls. immediate investigation

J - For study/evaluation

G - Pls. Attach supporting papers K - Pls. release/file H - Pls. for approval L - Update stat of case

#### Important Reminder!

Do not tamper. Continue on separate sheet if necessary. Attach this always with the document to be routed as this shall form an integral part of the document process.