

ENVIRONMENTAL MANAGEMENT BUREAU REGION 8



COMPLIANCE INSPECTION FOR AIR QUALITY MANAGEMENT

ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION

Report Control Number: _____

Date of Inspection: MARCH 17, 2022

Mission Order No.: EMBR8-2	2022-006109		
1. GENERAL INFORMATION			
	OFUEL SERVICE STATION (Propone		
Address: Brgy. Pawing, Palo, I	Leyte	Geo Coordinates 11.231941 °N	:: 125.003406 °E
Nature of Business: Gasoline S	Station	11.231941 N	123.003400 E
PSIC Code: 47300	Product:	Year Established	:
Operating hours/day: 13	Operating days/week: 7	Operating days/	year: 365
Product Lines	Production Rate as Declared in the ECC (unit/day)	Actual Pro	oduction Rate (unit/day)
Name of Managing Head:	CHARRY LU UBAS		
			<u> </u>
Name of PCO:	NONE		
PCO Accreditation No.:		Date of Effectivit	:y: -
Phone/Fax:	0963-502-0976	Email: -	
2. PURPOSE OF INSPECTION			
	on submitted by the establishment p	ertaining to new p	ermit applications
renewals, or modification		er turring to riew p	crime applications,
New Renewal		New	Renewal
PMPIN Application			
Hazardous Waste ID R			
Hazardous Waste Tran			
Hazardous waste TSD			
Permit to Operate Air	Pollution Control Installation		
Others	_		
	tus with the environmental regulation	ns, permit conditio	ns, and other
requirements	1.		
☐ Investigate community con ☐ Check status of voluntary c			
Industrial Ecowatch	ommunent		
	ital Partnership Program (PEPP)		
Pollution Adjudication			
	board (FAb)		
Others			
Name of Contact Person			
	CHARRY LU UBAS		

3. COMPLIANCE STATUS

3.1 DENR Permits/Licenses/Clearance

Environmental Law		Permits	Date of Issue	Expiry Date
	ECC1	ECC-OL-R08-2016-0086	08/02/2016	
PD 1586	ECC2			lace - made in
	ECC3			
	DENR Registry ID			
RA 6969	PCL Compliance Certificate			
	CCO Registry			
	Permit to Transport			
RA 8749	POA No.	17-POA-J-0837-0510	10/19/2017	10/19/2022
RA 9003	ECC for Sanitary Landfill			
RA 9275	DP No.	DP-R08-18-00695	10/30/2018	10/30/2019

MODULE AQM01: PRE-INSPECTION INFORMATION SHEETFOR EMISSION SOURCES

Emission Soul	rce Data Information
Emission Source No.	
Type (Brand/Model)	Sewa Denki
Rated Capacity	25 KVA
Fuel Type & Quantity	Diesel
Operating Capacity	
Control Facility	
Notes: Stand-by	

Emission Sou	rce Data Information
Emission Source No.	
Type (Brand/Model)	
Rated Capacity	
Fuel Type & Quantity	ONE (1) UNIT of Diesel; ONE (1) UNIT of Unleaded; ONE (1) UNIT of Premium
Operating Capacity	16 KL; 12 KL; 12 KL
Control Facility	
Notes: UGT's	

Legal Provision	Regulatory Requirements	Compliant			Notes
			N	N/A	
DAO 2004-26				-	
Rule 19 Section 1	All emission sources have a valid Permit to Operate	1			
Rule 19 Section 3	As built design of the installation conforms with submitted engineering plans and specifications			1	
	Declared control facilities are installed and operational	1			
	Installation is located as proposed in the vicinity map (plant and machinery layout)			1	
	Facility design capacity is within the capacity declared in the application for permit to operate	1			
Rule 19 Section 5	Temporary Permit is still valid			1	
Rule 19 Section 6	Application for renewal has been filed for expiring Permit to Operate 30 days before permit expiration date			1	POA is valid until 10/10/2023.
Rule 19 Section 9	Permit to Operate displayed conspicuously upon the installation or in an accessible / visible place near the installation	1			
	Conditions of the Permit to Operate are complied with	1			

Rulle 19 Section 11	Plant operational problems notification submitted to EMB within 24 hours of occurrence			/	
Rule 19 Section 12	Quarterly submission of self- monitoring report		1		No SMR submission for the CY 2021.
DAO 2000-81					
Part 7 Rule 25 Section 5 a# 1	Person in charge of the plant / equipment has sufficient measure to ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack, smoke density indicator, CCTV, etc.			/	
Part 7 Rule 25 Section 5 a# 2	All oil-burning equipment have heaters capable of heating oil to a temperature appropriate for the oil and burner			1	
Part 7 Rule 25 Section 5 a# 3	Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx			1	
	Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx			1	
	Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx			1	
	Establishment is steel plant installed with CEMS for particulates and sulfur oxide			1	
	Establishment is ferro-alloy production facility installed with CEMS for particulates			1	
	Establishment is cement plant installed with CEMS for particulates			/	
Part 7 Rule 25 Section 5 b	Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities			1	
Part 7 Rule 25 Section 13 a	Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified)			1	
Part 7 Rule 25 Section 13 b	Establishment has precautionary controls for volatile organic compounds or organic solvent emissions generated during storing, pumping, handling, processing, etc. (Listcontrols identified)			/	
Part 7 Rule 25 Section 13 d	No open burning activity in the establishment	1			

MC 2009-04	Standby Gensets with capacity	, ,	
	greater than or equal to 1,250 KW undergo annual emission testing (with 3 test runs). These gensets should not have the potential to emit more than 100tons/year of regulated pollutant.		
MC 2007-003 (2)	Boiler rated at greater than or equal to 251HP undergo bi-annual emission testing (with 3 test runs)	1	
	Other sources that have potential to emit equal to or greater than 100tons/year of regulated pollutant undergo bi-annual emission testing (with 3 test runs)	/	
	Boiler rated between 100 to 250 HP undergo annual emission testing (with 3 test runs)	/	
	Diesel generator rated at 600 to 1,249KW undergo annual testing (with 3 test runs)	1	
	Other sources that have potential to emit greater than 30 but less than 100tons/year of regulated pollutant undergo annual emission testing (with 3 test runs)	/	
	Sources of emissions of hazardous air pollutants included in PCL (DAO 1998 -58) undergo bi-annual emission testing (with 3 test runs)	/	
solar (* (*)	Emission sources of petroleum refinery undergo bi-annual emission testing (with 3 test runs)	/	
estián e (S)	Emission sources of petrochemical works undergo bi-annual emission testing (with 3 test runs)	1	
	Emission sources of smelters undergo bi-annual emission testing (with 3 test runs)	/	
ecian 8 m.	Emission sources of cement kilns undergo bi-annual emission testing 'with 3 test runs)	1	
	Emission sources of steel -making plants undergo bi-annual emission testing (with 3 test runs)	/	
	Emission sources of ferro-alloy- making plants undergo bi-annual emission testing (with 3 test runs)	/	

	Emission sources of glass-making plants undergo bi-annual emission testing (with 3 test runs)	1	
	Boiler rated at 99HP or less undergo biennial emission testing (with 3 test runs)	1	
	Diesel generator rated at 599KW or less undergo biennial emission testing (with 3 test runs)	1	
	Other sources that have potential to emit at least 10tons/year but less than 30tons/year of regulated pollutant undergo biennial emission testing (with 3 test runs)	1	
	Source using Bunker Fuel Oil, blended fuels involving Bunker Fuel Oil, or sulfur content of 1% or more undergo bi-annual emission testing	1	
Appendix F (Quality Assu	rance Procedures)		
Section 6 (8)	Notification has been sent to EMB for any changes made in the CEMS installation	1	
	Notification has been sent to EMB for any changes made in the CEMS quality assurance and quality control plan	1	
Section 6 (5)	Each CEMS is audited and conducted in accordance to CFR 40 part 60 Appendix F.	1	
Section 6 (6)	Relative Accuracy Test Audit (RATA) is performed annually by industries in the presence of EMB personnel.	1	
	Establishment has sent thirty (30) day notice to EMB prior to the RATA testing schedule	1	
Section 6 (7)	Calibration gases are subject to audit or relative accuracy audit test every quarter	1	
	Other alternative quarterly audits	/	

Section 6 (9)	EMB Director and Regional Director have been notified of CEMS malfunction that lasted longer than seven (7) consecutive days.		/	
Section 7 (1)	Records of occurrence and duration of any start-up, shut-down or malfunction in the operation of any source or control facility is available in the establishment.		/	
Section 7 (2)	Records of audits, performance testing, evaluations, calibration checks, adjustments and maintenance of any continuous emission monitors that have been installed pursuant to Rule IX Section 5 of DAO 2000-81 are available in the establishment.		1	
Section 8 (1)	SMR includes data on the time intervals, date and magnitude of excess emissions, nature and cause of excess, corrective actions taken, and preventive measures adopted.		1	
Section 8 (2)	SMR includes information on the averaging period used for data reporting corresponding to the averaging period specified in the emission test period used to determine compliance with an emission standard for the pollutant/source category in question.		/	
Section 8 (3)	SMR includes information on time and date for each period during which the continuous monitoring system was inoperative and the nature of system repairs and adjustments made in the CEMS/COMS		/	
Section 8 (4)	SMR data measurements are within 75% data capture?		1	
For Facilities Engaged with	Consent Agreement			
EMS established within 18	EMS established within 18 months	Г	1	
months upon entering Consent Agreement with EMB	upon entering Consent Agreement with EMB		,	
DAO 2000-81 Part 7 Rule 25 Section 9b	Environmental Management Plan derived from EMS process submitted within 6 months after entering Consent Agreement with EMB		/	

Other Observations:

- This Office has issued Environmental Compliance Certificate (ECC) with reference number: OL-R08-2016-0086 on August 02, 2016. The establishment is also issued with valid permit to operate air pollution source installation (POA) with permit number: 17-POA-J-0837-0510 valid until October 19, 2022 as well as a valid Discharge permit with permit number: R08-18-00695 valid until October 30, 2019.
- The gasoline station is operational during inspection.
- No Self-monitoring report (SMR) was submitted for CY 2021.

Remarks and Recommendation:

- ✓ Strict compliance to the timely submission of SMR must be observed.
- ✓ The application for the renewal of PTO before the said expiration is highly encouraged.
- ✓ Designated PCO should attend 40 hours PCO training and apply for accreditation.
- ✓ Continue compliance to "Philippine Clean Air Act of 1999 (RA 8749)" and other environmental laws.

List of Documents Reviewed:

Copy of the valid Permit to Operate

Prepared by:

Engr. CARLOS A. CAYANONG Chief, WAQMS

Approved by:

FOR. MANUEL J. SACEDA, JR. OIC Chief, EMED

Noted by:

OIC, Regional Director



Republic of the Philippines Department of Environment and Natural Resources ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. VIII DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City



DISPOSITION FORM

Doc. Date : March 24, 2022

IIS No. : R8-2022-009175 Company Name: NITROFUEL SERVICE STATION PAWING BRANCH



Subject / Title: Nitrofuel Service Station

TO: All Officials/Personnel Concerned:

Please accomplish and route this properly with the corresponding attached communication/documents. The Official or employee in-charge to whom this document is routed shall act promptly and expeditiously without discrimination as prescribed in the SECSIME or within fifteen (15) working days from receipt thereof, failure to do is punishable by LAW under RA 6713 and negligence to Memorandum Circular No. 44 issued by the Office of the President of the Philippines "Directing all Government Agencies and Instrumentalities, including government-owned or controlled corporations to respond to all public requests and concerns within 15 days (15 from the receipt thereof)

For strict compliance.

		T T	ROUTED	TO BE USE 102 AMBIE
BY (Official Code/ Sender Initial)	DATE (mm/dd/yy)	TO (Official Code/ Receiver Initial)	TIME (AM/PM)	ACTION REMARKS STATUS
Jerome C. Salvador	03/24/2022	Carlos A. Cayanong	01:30 PM	For initial/signature.
RD	MAR 2 5 200	22 EMED/ Nim	2:47	Nuted / Signed
	1727101-180102AD	RLADING (INITI	ARRIVAL	TRIP NO. DEPARTURE
				Gaeu
	Currently of Proper	217		Dalanco in suita Sauco by office from stock Acid. Perchase during the trip
4	spatest, over Printed Name	ers (Drivar'es		Grayme/Desel after truy On arred/place
		us.		Geor (3) George Paid
		ems yens		Talai thromae Travend Mater Roading before Ling Meter Roading after Traven

Use code for comment/instruction and desired action:

A - For information / guidance / reference B - For comments / recommendations C - Pls. take up with me D - Pls. draft answer memo E - Pls. appropriatte action F - Pls. immediate investigation G - Pls. Attach supporting papers H - Pls. for approval I - For initial/signature J - For study/evaluation K - Pls. release/file L - Update stat of case

Important Reminder!

Do not tamper. Continue on separate sheet if necessary. Attach this always with the document to be routed as this shall form an integral part of the document process.