

ENVIRONMENTAL MANAGEMENT BUREAU REGION 8



COMPLIANCE INSPECTION FOR AIR QUALITY MANAGEMENT

Department: ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION

Report Control Number: January 24, 2022 Date of Inspection: **Desk Monitoring** Mission Order No.: 1. GENERAL INFORMATION Name of Establishment: GASOLINE FILLING STATION (PR PETRON FILLING STATION) (PHILIPP U. PO) Geo Coordinates: Address: 11.25381, 124.97291 Maharlika Highway Brgy. Nula-tula Tacloban City Nature of Business: Wholesale and Retail of Automotive Fuels Year Established: 2010 PSIC Code: 46610 **Product: Automotive Fuels** Operating days/year: 365 Operating hours/day: 24 Operating days/week: 7 **Product Lines Production Rate as Declared** Actual Production Rate (unit/day) in the ECC (unit/day) Jocelyn U. Po Name of Managing Head: Name of PCO: Paul C. Radam PCO Accreditation No.: 2021-RVIII-0223 Date of Effectivity: December 22, 2022 Phone/Fax: 0921-719-7712 Email: pojocelynuy@yahoo.com 2. PURPOSE OF INSPECTION ☐ Verify accuracy of information submitted by the establishment pertaining to new permit applications, renewals, or modification New Renewal New Renewal **PMPIN Application** Hazardous Waste ID Registration Hazardous Waste Transporter Registration Hazardous waste TSD Registration Permit to Operate Air Pollution Control Installation Discharge Permit Others Determine compliance status with the environmental regulations, permit conditions, and other Requirements / Investigate community complaints ☐ Check status of voluntary commitment Industrial Ecowatch Philippine Environmental Partnership Program (PEPP) Pollution Adjudication Board (PAB) Others ☐ Others Name of Contact Person Position / Designation

3. COMPLIANCE STATUS

3.1 DENR Permits/Licenses/Clearance

Environmental Law		Permits	Date of Issue	Expiry Date	
	ECC1	ECC-R08-1001-0004	Jan. 15, 2010	N/A	
PD 1586	ECC2	N/A		- 4. T	
	ECC3	N/A			
	DENR Registry ID	M-GR-R8-37-00232	Nov. 26, 2019	N/A	
RA 6969	PCL Compliance Certificate	N/A			
	CCO Registry	N/A			
	Permit to Transport	N/A			
RA 8749	POA No.	POA-2019-C-0837-0095	Mar. 22, 2019	Mar. 22, 2024	
RA 9003	ECC for Sanitary Landfill	N/A			
RA 9275	DP No.	DP-R08-21-04239	July 13, 2021	June 13, 2022	

MODULE AQM01: PRE-INSPECTION INFORMATION SHEETFOR EMISSION SOURCES

Emission Source No.	1
Type (Brand/Model)	REC
Rated Capacity	25 KVA
Fuel Type & Quantity	DIESEL
Operating Capacity	
Control Facility	MUFFLER

Emission Sou	rce Data Information
Emission Source No.	2
Type (Brand/Model)	UGT
Rated Capacity	
Fuel Type & Quantity	
Operating Capacity	
Control Facility	
Notes: PREMIUM: 24	KL
GASOLINE: 24 H	KL

Emission Soul	rce Data Information
Emission Source No.	3
Type (Brand/Model)	KUBOTA
Rated Capacity	12 KVA
Fuel Type & Quantity	DIESEL
Operating Capacity	
Control Facility	MUFFLER
Notes: STAND BY GEN	SET

Emission Source Data	Information
Emission Source No.	
Type (Brand/Model)	
Rated Capacity	
Fuel Type & Quantity	
Operating Capacity	
Control Facility	
Notes	

Legal Provision	Regulatory Requirements	Compliant			Notes
		Y	N	N/A	
DAO 2004-26					
Rule 19 Section 1	All emission sources have a valid Permit to Operate	1			PTO-2019-C-0837-0095 valid until March 22, 2022
Rule 19 Section 3	As built design of the installation conforms with submitted engineering plans and specifications	1			

	Declared control facilities are	1		d d
	installed and operational	,	-	
	Installation is located as proposed in	/		
	the vicinity map (plant and machinery			
	layout) Facility design capacity is within the	,	+	
		1		
	capacity declared in the application			
Dula 10 Section 5	for permit to operate		1	
Rule 19 Section 5	Temporary Permit is still valid		/	
Rule 19 Section 6	Application for renewal has been	/		
	filed for expiring Permit to Operate			
	30 days before permit expiration date			
Rule 19 Section 9	Permit to Operate displayed	1	-	
	conspicuously upon the installation	1		
	or in an accessible / visible place			
	near the installation			
	Conditions of the Permit to Operate	1	-	
	are complied with	1		
Rule 19 Section 11	Plant operational problems	1	1	
	notification submitted to EMB within	1		
	24 hours of occurrence			
Rule 19 Section 12	Quarterly submission of self-	1		4th Quarter Submission:
	monitoring report	'		January 12, 2022
DAO 2000-81				
Part 7 Rule 25 Section 5 a#	Person in charge of the plant /		1	T
1	equipment has sufficient measure to		1	
	ensure that no dark smoke is			
	discharging from any stack in the			
	establishment. E.g.: window view of			
	stack, mirror to reflect top of stack,			
	smoke density indicator, CCTV, etc.			
Part 7 Rule 25 Section 5 a#	All oil-burning equipment have		1	
2	heaters capable of heating oil to a		1	
	temperature appropriate for the oil			
	and burner			
Part 7 Rule 25 Section 5 a#	Establishment is fossil fuel-fired		1	
3	power plant over 10MW rating		/	
o .	installed with CEMS for particulates,			
	sulfur oxide, and NOx			
	Establishment is petroleum refinery /		/	
	petrochemical industry installed with			
	CEMS for particulates, sulfur oxide,			
	and NOx			
	Establishment is primary copper		1	
	smelter installed with CEMS for		'	
	particulates, sulfur oxide, and NOx			
			-	
	Establishment is steel plant installed		/	
	with CEMS for particulates and sulfur			
	oxide			
	Establishment is ferro-alloy		/	
	production facility installed with			
	CEMS for particulates		-	
	Establishment is cement plant		/	
	installed with CEMS for particulates			

Part 7 Rule 25 Section 5 b	Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities	1	State equipment then control facility/ies.
Part 7 Rule 25 Section 13 a	Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified)	1	Example: It has tire bath Automated water sprinklers
Part 7 Rule 25 Section 13 b	Establishment has precautionary controls for volatile organic compounds or organic solvent emissions generated during storing, pumping, handling, processing, etc. (List controls identified)	/	
Part 7 Rule 25 Section 13 d	No open burning activity in the establishment	1	

EMB Memorandum Cir	culars		
MC 2009-04	Standby Gensets with capacity greater than or equal to 1,250 KW undergo annual emission testing (with 3 test runs). These gensets should not have the potential to emit more than 100tons/year of regulated pollutant.		
MC 2007-003 (2)	Boiler rated at greater than or equal to 251HP undergo bi-annual emission testing (with 3 test runs)	/	
	Other sources that have potential to emit equal to or greater than 100tons/year of regulated pollutant undergo bi-annual emission testing (with 3 test runs)	/	
	Boiler rated between 100 to 250 HP undergo annual emission testing (with 3 test runs)	/	
	Diesel generator rated at 600 to 1,249KW undergo annual testing (with 3 test runs)	/	
	Other sources that have potential to emit greater than 30 but less than 100tons/year of regulated pollutant undergo annual emission testing (with 3 test runs)	/	
	Sources of emissions of hazardous air pollutants included in PCL (DAO 1998 -58) undergo bi-annual emission testing (with 3 test runs)	/	
	Emission sources of petroleum refinery undergo bi-annual emission testing (with 3 test runs)	/	

	Emission sources of petrochemical works undergo bi-annual emission testing (with 3 test runs)	/	
	Emission sources of smelters undergo bi-annual emission testing (with 3 test runs)	/	
	Emission sources of cement kilns undergo bi-annual emission testing `with 3 test runs)	/	
	Emission sources of steel -making plants undergo bi-annual emission testing (with 3 test runs)	/	
	Emission sources of ferro-alloy- making plants undergo bi-annual emission testing (with 3 test runs)	/	
	Emission sources of glass-making plants undergo bi-annual emission testing (with 3 test runs)	/	
	Boiler rated at 99HP or less undergo biennial emission testing (with 3 test runs)	/	
	Diesel generator rated at 599KW or less undergo biennial emission testing (with 3 test runs)	/	
	Other sources that have potential to emit at least 10tons/year but less than 30tons/year of regulated pollutant undergo biennial emission testing (with 3 test runs)	/	
	Source using Bunker Fuel Oil, blended fuels involving Bunker Fuel Oil, or sulfur content of 1% or more undergo bi-annual emission testing	/	
Appendix F (Quality A	Assurance Procedures)		
Section 6 (8)	Notification has been sent to EMB for any changes made in the CEMS installation	/	
	Notification has been sent to EMB for any changes made in the CEMS quality assurance and quality control plan	/	

Section 6 (5)	Each CEMS is audited and conducted in accordance to CFR 40	/	
	part 60 Appendix F.		
Section 6 (6)	Relative Accuracy Test Audit (RATA) is performed annually by industries in the presence of EMB personnel.	/	
	Establishment has sent thirty (30) day notice to EMB prior to the RATA testing schedule	/	
Section 6 (7)	Calibration gases are subject to audit or relative accuracy audit test every quarter	1	
	Other alternative quarterly audits employed by the establishment are approved by EMB.	/	
Section 6 (9)	EMB Director and Regional Director have been notified of CEMS malfunction that lasted longer than seven (7) consecutive days.	1	
Section 7 (1)	Records of occurrence and duration of any start-up, shut-down or malfunction in the operation of any source or control facility is available in the establishment.	1	
Section 7 (2)	Records of audits, performance testing, evaluations, calibration checks, adjustments and maintenance of any continuous emission monitors that have been installed pursuant to Rule IX Section 5 of DAO 2000-81 are available in the establishment.	/	
Section 8 (1)	SMR includes data on the time intervals, date and magnitude of excess emissions, nature and cause of excess, corrective actions taken, and preventive measures adopted.	/	
Section 8 (2)	SMR includes information on the averaging period used for data reporting corresponding to the averaging period specified in the emission test period used to determine compliance with an emission standard for the pollutant/source category in question.	1	
Section 8 (3)	SMR includes information on time and date for each period during which the continuous monitoring system was inoperative and the nature of system repairs and adjustments made in the CEMS/COMS	/	

Section 8 (4)	SMR data measurements are within 75% data capture?	/	
For Facilities Engaged with	n Consent Agreement		
EMS established within 18 months upon entering Consent Agreement with EMB	EMS established within 18 months upon entering Consent Agreement with EMB	1	
DAO 2000-81 Part 7 Rule 25 Section 9b	Environmental Management Plan derived from EMS process submitted within 6 months after entering Consent Agreement with EMB	1	

Other Observations:

- Environmental Compliance Certificate with reference code: ECC-R08-1001-0004 issued on January 15, 2010, for a Gasoline Station.
- A Permit to Operate Air Pollution Source and Control Installation was secured from this Office last 22 March 2019 and is valid until 22 March 2024 with Reference Code: POA-2019-C-0837-0095 for the operation of Two (2) units UGT for Diesel and Gasoline with a capacity of 24 KL each and One (1) Unit Diesel Standby Generator Set 25 KVA REC.
- The Pollution Control Officer is Mr. Paul C. Radam with accreditation number 2021-RVIII-0223 valid until December 22, 2022

Remarks and Recommendation:

- Continue for being compliant of Rules and Regulations of RA 8749 also known as "Clean Air Act", ECC conditions and other environmental standards.
- 2. Mr. Paul C. Radam has renewed his PCO accreditation.

List of Documents Reviewed:

ECC, PTO AND SMR

Submitted by:

Engr. CARLOS A. CAYANONG Chief, WAQMS

Approved by:

MANUEL J. SACEDA, JR.

Noted by:

OIC-Regional Director



Republic of the Philippines Department of Environment and Natural Resources

ENVIRONMENTAL MANAGEMENT BUREAU



DISPOSITION FORM

Doc. Date: January 24, 2022

: R8-2022-004340

Company Name: ENVIRONMENTAL MANAGEMENT BUREAU -

REGION VIII (EASTERN VISAYAS)



TO: All Officials/Personnel Concerned:

Please accomplish and route this properly with the corresponding attached communication/documents. The Official or employee in-charge to whom this document is routed shall act promptly and expeditiously without discrimination as prescribed in the SECSIME or within fifteen (15) working days from receipt thereof, failure to do is punishable by LAW under RA 6713 and negligence to Memorandum Circular No. 44 issued by the Office of the President of the Philippines "Directing all Government Agencies and Instrumentalities, including government-owned or controlled corporations to respond to all public requests and concerns within 15 days (15 from the receipt thereof)

For strict compliance.

IIS No.

ROUTED				
BY (Official Code/ Sender Initial)	DATE (mm/dd/yy)	TO (Official Code/ Receiver Initial)	TIME (AM/PM)	ACTION REMARKS STATUS
Carlos A. Cayanong	01/24/2022	Manuel J. Saceda Jr.	10:52 AM	For approval.
C. EMED	01/24/21	J. INOPIA		1
RD.	IAN 25 2022	EMED/	1:00 pm	Noted Signed
		NIM	,	
	15 1			
1 - 17				
	x recover		43.	

Use code for comment/instruction and desired action:

A - For information / guidance / reference

B - For comments / recommendations

C - Pls. take up with me

D - Pls. draft answer memo

E - Pls. appropriatte action

F - Pls. immediate investigation

G - Pls. Attach supporting papers

H - Pls. for approval

I - For initial/signature

J - For study/evaluation

K - Pls. release/file

L - Update stat of case

Important Reminder!

Do not tamper. Continue on separate sheet if necessary. Attach this always with the document to be routed as this shall form an integral part of the document process.