

ENVIRONMENTAL MANAGEMENT BUREAU REGION 8



COMPLIANCE INSPECTION FOR AIR QUALITY MANAGEMENT

ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION

Report Control Number:			
Date of Inspection: Novemb	er 27, 2019		
Mission Order No.: MO 2019	9-660		
1. GENERAL INFORMATION			
Name of Establishment: EBR-SN POULTRY FARM	AND AGRI CORPORATION		
Address: Brgy. Danhug Ormoc City		Geo Coordinates	:
Nature of Business:			
Poultry Farm			
PSIC Code: 014	Product:	Year Established: 2008	:
Operating hours/day: 8	Operating days/week:	Operating days/y	year:
Product Lines	Production Rate as Declared in the ECC (unit/day)	Actual Pro	duction Rate (unit/day)
	98000 heads of birds	194000 be	ads (11/21/2019 latest
	30000 fleads of bilds	134000 116	harvest)
Name of Managing Head:			
Name of PCO:			
PCO Accreditation No.:		Date of Effectivit	y:
Phone/Fax:		Email:	
2. PURPOSE OF INSPECTION		Line and the second sec	
☐ Verify accuracy of information	on submitted by the establishment p	ertaining to new p	ermit applications,
renewals, or modification			
New Renewal		New	Renewal
PMPIN Application			
Hazardous Waste ID Re			
Hazardous Waste Trans			
Hazardous waste TSD F			
Permit to Operate Air Pollution Control Installation Discharge Permit			
Control of the contro	us with the environmental regulation	ns, permit conditio	ons, and other
requirements			
☐ Investigate community com			
☐ Check status of voluntary co	ommitment		
Industrial Ecowatch	tal Danta analis Dan (2002)		
	tal Partnership Program (PEPP)		
Pollution Adjudication	TO SEE THE PROPERTY AND AND TO SEE THE		
Others			
Name of Contact Person	GEMMA PIANO		
Position / Designation	IN-CHARGE		

3. COMPLIANCE STATUS

3.1 DENR Permits/Licenses/Clearance

Environmental Law	Permits		Date of Issue	Expiry Date
PD 1586	ECC1	ECC-R8-0804-043-1220 amended	04/25/2008	
	ECC2			
	ECC3			
RA 6969	DENR Registry ID PCL Compliance Certificate			
	CCO Registry			
	Permit to Transport			
RA 8749	POA No.	18-POA-J-0837-0251	10/17/2018	10/17/2023
RA 9003	ECC for Sanitary Landfill			
RA 9275	DP No.	DP-R08-18-00869	12/04/2018	12/04/2019

MODULE AQM01: PRE-INSPECTION INFORMATION SHEETFOR EMISSION SOURCES

Emission Sou	rce Data Information
Emission Source No.	1
Type (Brand/Model)	Magnaplus
Rated Capacity	250.4 KW
Fuel Type & Quantity	DIESEL
Operating Capacity	
Control Facility	
Notes	
STANDBY	

Emission Soul	rce Data Information
Emission Source No.	2
Type (Brand/Model)	Isuzu
Rated Capacity	160 KW
Fuel Type & Quantity	DIESEL
Operating Capacity	
Control Facility	

Legal Provision	Regulatory Requirements	Compliant			Notes
		Υ	N	N/A	
DAO 2004-26					
Rule 19 Section 1	All emission sources have a valid Permit to Operate	1			18-POA-J-0837-0251 was issued on October 17, 2018
Rule 19 Section 3	As built design of the installation conforms with submitted engineering plans and specifications	1			
	Declared control facilities are installed and operational	1			
	Installation is located as proposed in the vicinity map (plant and machinery layout)	1			
	Facility design capacity is within the capacity declared in the application for permit to operate	1			
Rule 19 Section 5	Temporary Permit is still valid			1	
Rule 19 Section 6	Application for renewal has been filed for expiring Permit to Operate 30 days before permit expiration date			~	POA valid until October 17, 2023
Rule 19 Section 9	Permit to Operate displayed conspicuously upon the installation or in an accessible / visible place near the installation	✓			

	Conditions of the Permit to Operate are complied with	1			
Rulle 19 Section 11	Plant operational problems			1	
	notification submitted to EMB within 24 hours of occurrence				
Rule 19 Section 12	Quarterly submission of self-		✓		Q ₁ Q ₂
240 2000 24	monitoring report				Q ₃ Q ₄
DAO 2000-81 Part 7 Rule 25 Section 5 a#	Domon in about of the plant /			1 7	T
1	Person in charge of the plant / equipment has sufficient measure to ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack,			√	
	smoke density indicator, CCTV, etc.				
Part 7 Rule 25 Section 5 a# 2	All oil-burning equipment have heaters capable of heating oil to a temperature appropriate for the oil and burner			√	
Part 7 Rule 25 Section 5 a# 3	Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx			~	
	Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx			1	
	Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx			1	
	Establishment is steel plant installed with CEMS for particulates and sulfur oxide			√	
	Establishment is ferro-alloy production facility installed with CEMS for particulates			1	
	Establishment is cement plant installed with CEMS for particulates			✓	
Part 7 Rule 25 Section 5 b	Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities			V	State equipment then control facility/ies.
Part 7 Rule 25 Section 13 a	Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified)			V	Example: It has tire bath Automated water sprinklers
Part 7 Rule 25 Section 13 b	Establishment has precautionary controls for volatile organic compounds or organic solvent emissions generated during storing, pumping, handling, processing, etc. (Listcontrols identified)			V	
Part 7 Rule 25 Section 13 d	No open burning activity in the establishment	1			

EMB Memorandum Ci MC 2009-04	Standby Gensets with capacity	/	
IVIC 2009-04	greater than or equal to 1,250 KW undergo annual emission testing (with 3 test runs). These gensets should not have the potential to emit more than 100tons/year of regulated pollutant.	•	
MC 2007-003 (2)	Boiler rated at greater than or equal to 251HP undergo bi-annual emission testing (with 3 test runs)	-	
	Other sources that have potential to emit equal to or greater than 100tons/year of regulated pollutant undergo bi-annual emission testing (with 3 test runs)	V	
	Boiler rated between 100 to 250 HP undergo annual emission testing (with 3 test runs)	~	
	Diesel generator rated at 600 to 1,249KW undergo annual testing (with 3 test runs)	V	
	Other sources that have potential to emit greater than 30 but less than 100tons/year of regulated pollutant undergo annual emission testing (with 3 test runs)	✓	
	Sources of emissions of hazardous air pollutants included in PCL (DAO 1998 -58) undergo bi-annual emission testing (with 3 test runs)	1	
	Emission sources of petroleum refinery undergo bi-annual emission testing (with 3 test runs)	*	
	Emission sources of petrochemical works undergo bi-annual emission testing (with 3 test runs)	4	
	Emission sources of smelters undergo bi-annual emission testing (with 3 test runs)	1	
	Emission sources of cement kilns undergo bi-annual emission testing 'with 3 test runs)	~	
	Emission sources of steel -making plants undergo bi-annual emission testing (with 3 test runs)	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	Emission sources of ferro-alloy- making plants undergo bi-annual emission testing (with 3 test runs)	V	
	Emission sources of glass-making plants undergo bi-annual emission testing (with 3 test runs)	V	
	Boiler rated at 99HP or less undergo biennial emission testing (with 3 test runs)	V	
	Diesel generator rated at 599KW or less undergo biennial emission testing (with 3 test runs)	V	

	Other sources that have potential to emit at least 10tons/year but less than 30tons/year of regulated pollutant undergo biennial emission testing (with 3 test runs)	✓	
	Source using Bunker Fuel Oil, blended fuels involving Bunker Fuel Oil, or sulfur content of 1% or more undergo bi-annual emission testing		
Appendix F (Quality	Assurance Procedures)		
Section 6 (8)	Notification has been sent to EMB for any changes made in the CEMS installation	V	
	Notification has been sent to EMB for any changes made in the CEMS quality assurance and quality control plan	V	
Section 6 (5)	Each CEMS is audited and conducted in accordance to CFR 40 part 60 Appendix F.	V	
Section 6 (6)	Relative Accuracy Test Audit (RATA) is performed annually by industries in the presence of EMB personnel.	√	
	Establishment has sent thirty (30) day notice to EMB prior to the RATA testing schedule	1	
Section 6 (7)	Calibration gases are subject to audit or relative accuracy audit test every quarter	V	
	Other alternative quarterly audits employed by the establishment are approved by EMB.	V	
Section 6 (9)	EMB Director and Regional Director have been notified of CEMS malfunction that lasted longer than seven (7) consecutive days.	1	
Section 7 (1)	Records of occurrence and duration of any start-up, shut-down or malfunction in the operation of any source or control facility is available in the establishment.	√	
Section 7 (2)	Records of audits, performance testing, evaluations, calibration checks, adjustments and maintenance of any continuous emission monitors that have been installed pursuant to Rule IX Section 5 of DAO 2000-81 are available in the establishment.		
Section 8 (1)	SMR includes data on the time intervals, date and magnitude of excess emissions, nature and cause of excess, corrective actions taken, and preventive measures adopted.	V	
Section 8 (2)	SMR includes information on the averaging period used for data reporting corresponding to the averaging period specified in the emission test period used to determine compliance with an emission standard for the pollutant/source category in question.	✓	

Section 8 (3)	SMR includes information on time and date for each period during which the continuous monitoring system was inoperative and the nature of system repairs and adjustments made in the CEMS/COMS		
Section 8 (4)	SMR data measurements are within 75% data capture?	1	
For Facilities Engaged with	h Consent Agreement		
EMS established within 18 months upon entering Consent Agreement with EMB	EMS established within 18 months upon entering Consent Agreement with EMB	√	
DAO 2000-81 Part 7 Rule 25 Section 9b	Environmental Management Plan derived from EMS process submitted within 6 months after entering Consent Agreement with EMB	√	

Other Observations:

- The project was operational during the time of monitoring. According to the in-charge, recent harvest was on November 21, 2019 with a production capacity of 194,000 heads.
- On-going washing and cleaning of poultry houses was observed.
- Permit to Operate Air (18-POA-J-0837-0251) was issued on October 17, 2018 valid until October 17, 2023 for 250.4 KW Magnaplus and 160 KW Isuzu diesel engine generator sets.
- Both generator sets are located at the powerhouse and operates during power outages.

Remarks and Recommendation:

- ✓ Submit SMR quarterly.
- Provide logbook of APSE operation and fuel consumption.

List of Documents Reviewed:

POA

Submitted by:

Noted/Recommending Approval:

Engr. MA SC

Reviewed by:

Chief, WAQMS

Engr. CAR

Noted/Approval:

Regional Director