

Report Control Number: \_\_

Position / Designation

## **ENVIRONMENTAL MANAGEMENT BUREAU REGION 8**



# COMPLIANCE INSPECTION FOR AIR QUALITY MANAGEMENT

# ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION (TABLE MONITORING)

Date of Inspection: Janua Mission Order No.:	ry 12, 2022		
1. GENERAL INFORMATION			
	ERN PETROLEM GASOLINE FILLING ST CORPORATION		EASTERN PETROLEUM
Address: Brgy. Abucay, Taclol	ban City	Geo Coordinates	S:
Nature of Business: Wholesale	e and Retail of Automotive Fuels	11.24	1294°N, 124.9901°E
PSIC Code: 47300, 4661	Product: Automotive Fuels	Year Established	: 2014
Operating hours/day: 16 hours	Operating days/week: 7 days	Operating days/	year: 365 days
Product Lines	Production Rate as Declared in the ECC (unit/day)	Actual Pro	oduction Rate (unit/day)
N/A	N/A		N/A
Name of Managing Head:	MR. JOSE ANTONIO DAGOY		
Name of PCO:	MS. GRECIL N. DAGOY		
PCO Accreditation No.:	ISI-0220C-PCO-2020-021	Date of Effectivi	ty: August 27, 2020
Phone/Fax:	(0936) 491-8904	Email: ustin_m	arketing@yahoo.com
	ion submitted by the establishment p	ertaining to new p	permit applications,
renewals, or modification New Renewal	n	New	Renewal
PMPIN Application		New	Renewal
Hazardous Waste ID Registration	on	H	
Hazardous Waste Transporter I	Registration		
Hazardous waste TSD Registrat	ion		
Permit to Operate Air Pollution	Control Installation		
Discharge Permit			
Others			
✓ Determine compliance state requirements	tus with the environmental regulation	ns, permit condition	ons, and other
☐ Investigate community cor ☐ Check status of voluntary of	•		
Industrial Ecowatch			
Philippine Environmental Partn Pollution Adjudication Board (P			
Others			
Name of Contact Person	MAD LOCE ANTONIO DACOV		

Managing Head

# 3. COMPLIANCE STATUS

# 3.1 DENR Permits/Licenses/Clearance

<b>Environmental Law</b>		Permits	Date of Issue	<b>Expiry Date</b>
	ECC1	RO8-1310-0138	02-04-2014	
PD 1586	ECC2			
	ECC3			
	DENR Registry ID			
	PCL Compliance			
RA 6969	Certificate			
	CCO Registry			
	Permit to			
	Transport			
RA 8749	POA No.	17-POA-J-0837-0498	10-03-2017	10-03-2022
	ECC for Sanitary			
RA 9003	Landfill		Alexander of the	
RA 9275	DP No.	DP-RO8-21-05410	08-23-2021	11-23-2021

# **MODULE AQM01: PRE-INSPECTION INFORMATION SHEETFOR EMISSION SOURCES**

Emission Sour	ce Data Information
Emission Source No.	1
Type (Brand/Model)	"DENYO" Generator Set
Rated Capacity	20 KVA (16 KW)
Fuel Type & Quantity	Diesel
Operating Capacity	
Control Facility	Muffler

Emission Source No.	ce Data Information
Type (Brand/Model)	Underground Tanks (3)
Rated Capacity	16 KL, 16 KL & 24 KL
Fuel Type & Quantity	
Operating Capacity	
Control Facility	
Notes	

Legal Provision	Regulatory Requirements	Compliant			Notes
_	Y N N/A				
DAO 2004-26					
Rule 19 Section 1	All emission sources have a valid Permit to Operate	1			PTO valid until October 3, 2022
Rule 19 Section 3	As built design of the installation conforms with submitted engineering plans and specifications	J			
	Declared control facilities are installed and operational	J			
	Installation is located as proposed in the vicinity map (plant and machinery layout)	J			
	Facility design capacity is within the capacity declared in the application for permit to operate			J	
Rule 19 Section 5	Temporary Permit is still valid			1	
Rule 19 Section 6	Application for renewal has been filed for expiring Permit to Operate 30 days before permit expiration date			J	
Rule 19 Section 9	Permit to Operate displayed conspicuously upon the installation or in an accessible / visible place near the installation	1			
	Conditions of the Permit to Operate are complied with	J			

Rulle 19 Section 11	Plant operational problems notification submitted to EMB within 24 hours of occurrence		1	
Rule 19 Section 12	Quarterly submission of self- monitoring report	J		Q <sub>1</sub> Q <sub>2</sub> Q <sub>3</sub> Q <sub>4</sub>
DAO 2000-81				
Part 7 Rule 25 Section 5 a# 1	Person in charge of the plant / equipment has sufficient measure to ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack, smoke density indicator, CCTV, etc.		1	
Part 7 Rule 25 Section 5 a# 2	All oil-burning equipment have heaters capable of heating oil to a temperature appropriate for the oil and burner.		J	
Part 7 Rule 25 Section 5 a# 3	Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx		1	
	Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx		1	
	Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx		1	
	Establishment is steel plant installed with CEMS for particulates and sulfur oxide		1	
	Establishment is ferro-alloy production facility installed with CEMS for particulates		1	
	Establishment is cement plant installed with CEMS for particulates		1	
Part 7 Rule 25 Section 5 b	Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities		,	State equipment then control facility/ies.
Part 7 Rule 25 Section 13 a	Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified)		1	Example: It has tire bath Automated water sprinklers
Part 7 Rule 25 Section 13 b	Establishment has precautionary controls for volatile organic compounds or organic solvent emissions generated during storing, pumping, handling, processing, etc. (List controls identified)		,	
Part 7 Rule 25 Section 13 d	No open burning activity in the establishment		1	

AC 2009-04	Standby Gen sets with capacity		
	greater than or equal to 1,250 KW undergo annual emission testing (with 3 test runs). These gen sets should not have the potential to emit more than 100tons/year of regulated pollutant.	,	
C 2007-003 (2)	Boiler rated at greater than or equal to 251HP undergo bi-annual emission testing (with 3 test runs)	J	
	Other sources that have potential to emit equal to or greater than 100tons/year of regulated pollutant undergo bi-annual emission testing (with 3 test runs)	1	
	Boiler rated between 100 to 250 HP undergo annual emission testing (with 3 test runs)	,	
	Diesel generator rated at 600 to 1,249KW undergo annual testing (with 3 test runs)	1	
	Other sources that have potential to emit greater than 30 but less than 100tons/year of regulated pollutant undergo annual emission testing (with 3 test runs)	J	
	Sources of emissions of hazardous air pollutants included in PCL (DAO 1998 -58) undergo bi-annual emission testing (with 3 test runs)	,	
	Emission sources of petroleum refinery undergo bi-annual emission testing (with 3 test runs)	J	
	Emission sources of petrochemical works undergo bi-annual emission testing (with 3 test runs)	,	
	Emission sources of smelters undergo bi-annual emission testing (with 3 test runs)	,	
	Emission sources of cement kilns undergo bi-annual emission testing 'with 3 test runs)	,	
	Emission sources of steel -making plants undergo bi-annual emission testing (with 3 test runs)	,	
	Emission sources of ferro-alloy- making plants undergo bi-annual emission testing (with 3 test runs)	,	

Uksan 6 4)	Emission sources of glass-making plants undergo bi-annual emission testing (with 3 test runs)	1	
	Boiler rated at 99HP or less undergo biennial emission testing (with 3 test runs)	J	
	Diesel generator rated at 599KW or less undergo biennial emission testing (with 3 test runs)	1	
Sauton Par	Other sources that have potential to emit at least 10tons/year but less than 30tons/year of regulated pollutant undergo biennial emission testing (with 3 test runs)	J	
s; char 2 (2) **	Source using Bunker Fuel Oil, blended fuels involving Bunker Fuel Oil, or sulfur content of 1% or more undergo bi-annual emission testing	1	
Appendix F (Quality Assu	rance Procedures)		
Section 6 (8)	Notification has been sent to EMB for any changes made in the CEMS installation	J	
	Notification has been sent to EMB for any changes made in the CEMS quality assurance and quality control plan	1	
Section 6 (5)	Each CEMS is audited and conducted in accordance to CFR 40 part 60 Appendix F.	J	
Section 6 (6)	Relative Accuracy Test Audit (RATA) is performed annually by industries in the presence of EMB personnel.	1	
red ario et Con Tiloi 25.Section il	Establishment has sent thirty (30) day notice to EMB prior to the RATA testing schedule	J	
Section 6 (7)	Calibration gases are subject to audit or relative accuracy audit test every quarter	J	
	Other alternative quarterly audits employed by the establishment are approved by EMB.	1	

Section 6 (9)	EMB Director and Regional Director have been notified of CEMS malfunction that lasted longer than seven (7) consecutive days.	1	
Section 7 (1)	Records of occurrence and duration of any start-up, shut-down or malfunction in the operation of any source or control facility is available in the establishment.	J	
Section 7 (2)	Records of audits, performance testing, evaluations, calibration checks, adjustments and maintenance of any continuous emission monitors that have been installed pursuant to Rule IX Section 5 of DAO 2000-81 are available in the establishment.	1	
Section 8 (1)	SMR includes data on the time intervals, date and magnitude of excess emissions, nature and cause of excess, corrective actions taken, and preventive measures adopted.	1	
Section 8 (2)	SMR includes information on the averaging period used for data reporting corresponding to the averaging period specified in the emission test period used to determine compliance with an emission standard for the pollutant/source category in question.	1	
Section 8 (3)	SMR includes information on time and date for each period during which the continuous monitoring system was inoperative and the nature of system repairs and adjustments made in the CEMS/COMS	J	
Section 8 (4)	SMR data measurements are within 75% data capture?	,	
For Facilities Engaged with	h Consent Agreement		
EMS established within 18	EMS established within 18 months		
months upon entering Consent Agreement with EMB	upon entering Consent Agreement with EMB	1	
DAO 2000-81 Part 7 Rule 25 Section 9b	Environmental Management Plan derived from EMS process submitted within 6 months after entering Consent Agreement with EMB	,	

## Other Observations:

- The gasoline station was issued a Permit to Operate Air Pollution Source and Control Installation by this Office last October 3, 2017 and is valid until October 3, 2022 for the operation of the three (3) units Underground Tank (UGT) and one (1) unit 20 KVA (16 KW) diesel standby generator set with Reference Code: 17-POA-J-0837-0948.
- With accredited Pollution Control Officer with COA No. ISI-0220C-PCO-2020-021 issued on August 27, 2020.
- Module 1: General Information Sheet of the Self Monitoring Report contain a short description of the project. Also, all DENR permits issued to the establishment were listed in the space provided.
- 4. Some portions of Module 4: RA 8749 (Air Pollution) of the Self Monitoring Report has no entry. The standby generator set and underground tanks, including the air pollution control facility provided and other relevant information, were not adequately provided in the summary of APSE/APCF portion of this particular module.

#### **Remarks and Recommendations:**

To submit a completely filled-up, a more detailed and updated Self Monitoring Report in the succeeding quarters and to mark "N/A" whenever not applicable.

List of Documents Reviewed:

Permit to Operate and SMR.

Submitted by:

(

ENGR. CARLOS A CAYAN Chief, WAQMS

Recommending Approval:

Senior EMS

Approved by:

Noted by:

MANUEL J. SACEDA, JR. OIC, Chief, BMED

OIC Regional Offector



# Republic of the Philippines Department of Environment and Natural Resources ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. VIII DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City



## DISPOSITION FORM

Doc. Date: February 04, 2022

Company Name: ENVIRONMENTAL MANAGEMENT BUREAU -

REGION VIII (EASTERN VISAYAS) \* IIS No. : R8-2022-005593

Subject / Title:

EASTERN PETROLEUM GASOLINE FILLING STATION PROJECT (EASTERN PETROLEUM CORPORATION),

BRGY. ABUCAY, TACLOBAN CITY.

## TO: All Officials/Personnel Concerned:

Please accomplish and route this properly with the corresponding attached communication/documents. The Official or employee in-charge to whom this document i routed shall act promptly and expeditiously without discrimination as prescribed in the SECSIME or within fifteen (15) working days from receipt thereof, failure to do is punishable by LAW under RA 6713 and negligence to Memorandum Circular No. 44 issued by the Office of the President of the Philippines "Directing al Government Agencies and Instrumentalities, including government-owned or controlled corporations to respond to all public requests and concerns within 15 days (15 from the receipt thereof)

For strict compliance.

		F	ROUTED	
BY (Official Code/ Sender Initial)	DATE (mm/dd/yy)	TO (Official Code/ Receiver Initial)	TIME (AM/PM)	ACTION   REMARKS   STATUS
Vilma C. Fabillo	02/04/2022	Carlos A. Cayanong	10:24 AM	For initial/signature.
CAN	2-4	NS	1101	H
C. EMED	05/04/55	000		1
RD	FEB 0 4 2022	EMED/ Ning	3:44/	Noted Signed
		Nina	-	,

#### Use code for comment/instruction and desired action:

A - For information / guidance / reference

B - For comments / recommendations

C - Pls. take up with me

D - Pls. draft answer memo

E - Pls. appropriatte action

F - Pls. immediate investigation

G - Pls. Attach supporting papers

H - Pls. for approval

I - For initial/signature

J - For study/evaluation

K - Pls. release/file

L - Update stat of case

## Important Reminder!

Do not tamper. Continue on separate sheet if necessary. Attach this always with the document to be routed as this shall form an integral part of the document process.