

ENVIRONMENTAL MANAGEMENT BUREAU REGION 8



COMPLIANCE INSPECTION FOR AIR QUALITY MANAGEMENT

ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION

Report Control Number: Date of Inspection: MARCH 17, 2022 Mission Order No.: EMBR8-2022-006109 1. GENERAL INFORMATION Name of Establishment: ROCK STAR FUEL PROJECT (Proponent: Alexander D. Rabuya) Geo Coordinates: Address: Brgy. Naga-naga, Palo, Leyte 11.155949 °N 124.994365 °E Nature of Business: Gasoline Station Year Established: 2018 PSIC Code: 47300 Product: Operating days/year: 365 Operating hours/day: 13 Operating days/week: 7 Production Rate as Declared Actual Production Rate (unit/day) **Product Lines** in the ECC (unit/day) ENGR. ALEXANDER D. RABUYA Name of Managing Head: MS. PERLA C. ODAL Name of PCO: COA No. 2017-RVIII-0029 PCO Accreditation No.: Date of Effectivity: April 3, 2017 0906-398-4744 Phone/Fax: Email: rockstarfuel@yahoo.com 2. PURPOSE OF INSPECTION Verify accuracy of information submitted by the establishment pertaining to new permit applications, renewals, or modification New Renewal Renewal New PMPIN Application Hazardous Waste ID Registration __ Hazardous Waste Transporter Registration Hazardous waste TSD Registration Permit to Operate Air Pollution Control Installation _ Discharge Permit Others __ Determine compliance status with the environmental regulations, permit conditions, and other requirements ☐ Investigate community complaints ☐ Check status of voluntary commitment _ Industrial Ecowatch Philippine Environmental Partnership Program (PEPP) Pollution Adjudication Board (PAB) Others ☐ Others Name of Contact Person MS. PERLA C. ODAL Position / Designation **Pollution Control Officer**

3. COMPLIANCE STATUS

3.1 DENR Permits/Licenses/Clearance

Environmental Law	Permits		Date of Issue	Expiry Date	
	ECC1	ECC-OL-R08-2018-0060	06/01/2018		
PD 1586	ECC2				
	ECC3				
	DENR Registry ID				
	PCL Compliance				
RA 6969	Certificate				
	CCO Registry				
	Permit to Transport				
RA 8749	POA No.	PTO-19-J-0837-0319	10/21/2019	10/14/2024	
RA 9003	ECC for Sanitary Landfill				
RA 9275	DP No.	DP-R08-21-02069	04/07/2021	04/07/2022	

MODULE AQM01: PRE-INSPECTION INFORMATION SHEETFOR EMISSION SOURCES

Emission Source Data Information			
Emission Source No.			
Type (Brand/Model)	EXTREME		
Rated Capacity	10 KVA (8KW)		
Fuel Type & Quantity	Diesel		
Operating Capacity			
Control Facility			
Notes: Muffler			

Emission Sou	rce Data Information
Emission Source No.	
Type (Brand/Model)	
Rated Capacity	24 KL each
Fuel Type & Quantity	Diesel; Premium; Unleaded (gasoline and kerosene)
Operating Capacity	
Control Facility	
Notes: UGT's	

Legal Provision	Regulatory Requirements		ompl	liant	Notes
			N	N/A	
DAO 2004-26		-			
Rule 19 Section 1	All emission sources have a valid Permit to Operate	/			PTO valid until October 14, 2024
Rule 19 Section 3	As built design of the installation conforms with submitted engineering plans and specifications	1			
	Declared control facilities are installed and operational	1			
	Installation is located as proposed in the vicinity map (plant and machinery layout)				
	Facility design capacity is within the capacity declared in the application for permit to operate	1			
Rule 19 Section 5	Temporary Permit is still valid			1	
Rule 19 Section 6	Application for renewal has been filed for expiring Permit to Operate 30 days before permit expiration date			1	•
Rule 19 Section 9	Permit to Operate displayed conspicuously upon the installation or in an accessible / visible place near the installation	1			
	Conditions of the Permit to Operate are complied with	1			

Rulle 19 Section 11	Plant operational problems notification submitted to EMB within 24 hours of occurrence		/	
Rule 19 Section 12	Quarterly submission of self- monitoring report	1		SMR 4 th Quarter CY 2020 was submitted on January 13, 2021
DAO 2000-81				
Part 7 Rule 25 Section 5 a#	Person in charge of the plant / equipment has sufficient measure to ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack, smoke density indicator, CCTV, etc.		/	
Part 7 Rule 25 Section 5 a# 2	All oil-burning equipment have heaters capable of heating oil to a temperature appropriate for the oil and burner		/	
Part 7 Rule 25 Section 5 a# 3	Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx		1	
	Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx		/	
	Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx		1	
	Establishment is steel plant installed with CEMS for particulates and sulfur oxide		/	
	Establishment is ferro-alloy production facility installed with CEMS for particulates		1	
	Establishment is cement plant installed with CEMS for particulates		1	
Part 7 Rule 25 Section 5 b	Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities		1	
Part 7 Rule 25 Section 13 a	Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified)		1	
Part 7 Rule 25 Section 13 b	Establishment has precautionary controls for volatile organic compounds or organic solvent emissions generated during storing, pumping, handling, processing, etc. (Listcontrols identified)		1	
Part 7 Rule 25 Section 13 d	No open burning activity in the establishment	1		

EMB Memorandum Cir			
MC 2009-04	Standby Gensets with capacity greater than or equal to 1,250 KW undergo annual emission testing (with 3 test runs). These gensets should not have the potential to emit more than 100tons/year of regulated pollutant.		
MC 2007-003 (2)	Boiler rated at greater than or equal to 251HP undergo bi-annual emission testing (with 3 test runs)	1	
	Other sources that have potential to emit equal to or greater than 100tons/year of regulated pollutant undergo bi-annual emission testing (with 3 test runs)	/	
	Boiler rated between 100 to 250 HP undergo annual emission testing (with 3 test runs)	1	
	Diesel generator rated at 600 to 1,249KW undergo annual testing (with 3 test runs)	/	
	Other sources that have potential to emit greater than 30 but less than 100tons/year of regulated pollutant undergo annual emission testing (with 3 test runs)	/	
	Sources of emissions of hazardous air pollutants included in PCL (DAO 1998 -58) undergo bi-annual emission testing (with 3 test runs)	1	
	Emission sources of petroleum refinery undergo bi-annual emission testing (with 3 test runs)	1	
	Emission sources of petrochemical works undergo bi-annual emission testing (with 3 test runs)	1	
	Emission sources of smelters undergo bi-annual emission testing (with 3 test runs)	1	
	Emission sources of cement kilns undergo bi-annual emission testing `with 3 test runs)	1	
	Emission sources of steel -making plants undergo bi-annual emission testing (with 3 test runs)	1	

	Emission sources of ferro-alloy- making plants undergo bi-annual emission testing (with 3 test runs)	/	
	Emission sources of glass-making plants undergo bi-annual emission testing (with 3 test runs)	/	
	Boiler rated at 99HP or less undergo biennial emission testing (with 3 test runs)	/	
	Diesel generator rated at 599KW or less undergo biennial emission testing (with 3 test runs)	/	
	Other sources that have potential to emit at least 10tons/year but less than 30tons/year of regulated pollutant undergo biennial emission testing (with 3 test runs)	/	
	Source using Bunker Fuel Oil, blended fuels involving Bunker Fuel Oil, or sulfur content of 1% or more undergo bi-annual emission testing	/	
Annendix F (Quality A	Assurance Procedures)		
Section 6 (8)	Notification has been sent to EMB for any changes made in the CEMS installation	/	
	Notification has been sent to EMB for	1	
	any changes made in the CEMS quality assurance and quality control plan		
Section 6 (5)	quality assurance and quality control	/	
	quality assurance and quality control plan Each CEMS is audited and conducted in accordance to CFR 40		
Section 6 (5) Section 6 (6)	each CEMS is audited and conducted in accordance to CFR 40 part 60 Appendix F. Relative Accuracy Test Audit (RATA) is performed annually by industries in	/	

	Other alternative quarterly audits employed by the establishment are approved by EMB.		
Section 6 (9)	EMB Director and Regional Director have been notified of CEMS malfunction that lasted longer than seven (7) consecutive days.	1	
Section 7 (1)	Records of occurrence and duration of any start-up, shut-down or malfunction in the operation of any source or control facility is available in the establishment.	1	
Section 7 (2)	Records of audits, performance testing, evaluations, calibration checks, adjustments and maintenance of any continuous emission monitors that have been installed pursuant to Rule IX Section 5 of DAO 2000-81 are available in the establishment.	/	
Section 8 (1)	SMR includes data on the time intervals, date and magnitude of excess emissions, nature and cause of excess, corrective actions taken, and preventive measures adopted.	/	
Section 8 (2)	SMR includes information on the averaging period used for data reporting corresponding to the averaging period specified in the emission test period used to determine compliance with an emission standard for the pollutant/source category in question.	/	
Section 8 (3)	SMR includes information on time and date for each period during which the continuous monitoring system was inoperative and the nature of system repairs and adjustments made in the CEMS/COMS	/	
Section 8 (4)	SMR data measurements are within 75% data capture?	1	
For Facilities Engaged wit	h Consent Agreement		
EMS established within 18 months upon entering Consent Agreement with EMB	EMS established within 18 months upon entering Consent Agreement with EMB	/	
DAO 2000-81 Part 7 Rule 25 Section 9b	Environmental Management Plan derived from EMS process submitted within 6 months after entering Consent Agreement with EMB	1	

Other Observations:

 This Office has issued Environmental Compliance Certificate (ECC) with reference number: OL-R08-2018-0060 on August 02, 2016. The establishment is also issued with valid permit to operate air (POA) with permit number: 19-J-0837-0319 valid until October 14, 2024 as well as a valid Discharge Permit with permit number: R08-18-00695 valid until April 7, 2022.

- The gasoline station is operational during inspection.
- All the permits issued by this Office such as DP, PTO and ECC are displayed in conspicuous place.
- SMR for the 4th Quarter CY 2020 was submitted January 13, 2021.

Remarks and Recommendation:

- ✓ Timely submission of the SMR should be strictly observed.
- ✓ Continue compliance to "Philippine Clean Air Act of 1999 (RA 8749)" and other environmental laws.

List of Documents Reviewed:

Copy of the valid Permit to Operate

Prepared by:

Engr. CARLOS A. CAYANONG Chief, WAQMS

Approved by:

FOR. MANUEL J SACEDA, JR.

Noted by:

FM-EMED-55



Republic of the Philippines Department of Environment and Natural Resources ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. VIII DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City



DISPOSITION FORM

Doc. Date : March 28, 2022

: R8-2022-009388

Company Name: ROCKSTAR FUEL STATION. BRGY. NAGA-NAGA,

PALO, LEYTE

Subject / Title: ROCK STAR FUEL PROJECT AIR QUALITY MONITORING REPORT

TO: All Officials/Personnel Concerned:

Please accomplish and route this properly with the corresponding attached communication/documents. The Official or employee in-charge to whom this document is routed shall act promptly and expeditiously without discrimination as prescribed in the SECSIME or within fifteen (15) working days from receipt thereof, failure to do is punishable by LAW under RA 6713 and negligence to Memorandum Circular No. 44 issued by the Office of the President of the Philippines "Directing all Government Agencies and Instrumentalities, including government-owned or controlled corporations to respond to all public requests and concerns within 15 days (15 from the receipt thereof)

For strict compliance.

IIS No.

ROUTED					
BY (Official Code/ Sender Initial)	DATE (mm/dd/yy)	TO (Official Code/ Receiver Initial)	TIME (AM/PM)	ACTION REMARKS STATUS	
Jerome C. Salvador	03/28/2022	Carlos A. Cayanong	01:07 PM	For initial/signature.	
CAV	3-28	MS	128	H	
C.EMED	03/22/22	000		1	
C. EMED	03/30/22	V. morasti	3:12pm		

Use code for comment/instruction and desired action:

A - For information / guidance / reference

B - For comments / recommendations

C - Pls. take up with me

K - Pls. release/file

D - Pls. draft answer memo

E - Pls. appropriatte action I - For initial/signature

F - Pls. immediate investigation

J - For study/evaluation

G - Pls. Attach supporting papers

H - Pls. for approval L - Update stat of case

Important Reminder!

Do not tamper. Continue on separate sheet if necessary. Attach this always with the document to be routed as this shall form an integral part of the document process.