

ENVIRONMENTAL MANAGEMENT BUREAU REGION 8



COMPLIANCE INSPECTION FOR AIR QUALITY MANAGEMENT

ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION

Report Control Number:

Date of Inspection: April 13, 2022

Mission Order No.: Table/Desk Monitoring

1. GENERAL INFORMATION					
Name of Establishment: RO	CK STAR FUEL STATION PROJECT				
Address: Brgy. Guindapunan, Palo, Leyte Nature of Business: Retail of Automotive Fuels		Geo Coordinates:			
		11.1694483 N,124.9969338 E			
PSIC Code: 4661	Product: N/A	Year Established: 2015			
Operating hours/day: 12	Operating days/week: 7	Operating days/year: 365			
Product Lines	Production Rate as Declared	Actual Production Rate (unit/day)			
Troduct Effect	in the ECC (unit/day)	, , , , , , , , , , , , , , , , , , , ,			
	Storage capacity=104KL	Actual= 48KL			
Name of Managing Head:	ENGR. ALEXANDER D. RABU	JYA			
Name of PCO:	PERLA CAJEFE ODAL				
PCO Accreditation No.:	2017-RVIII-0029	Date of Effectivity: April 3, 2017			
Phone/Fax:	09752111434	Email: pearlco15@gmail.com			
2. PURPOSE OF INSPECTION					
		pertaining to new permit applications,			
renewals, or modification New Renewal	1	New Renewal			
PMPIN Application		New Renewal			
Hazardous Waste ID Re	egistration				
Hazardous Waste Tran					
Hazardous waste TSD I					
	Pollution Control Installation				
Discharge Permit	Charlet Control mistaliation				
The state of the s					
☑ Determine compliance stat	cus with the environmental regulation	ons, permit conditions, and other			
Requirements					
☐ Investigate community con	nplaints				
☐ Check status of voluntary of	ommitment				
Industrial Ecowatch					
Philippine Environmen	ital Partnership Program (PEPP)				
Pollution Adjudication					
Name of Contact Person	ENGR. ALEXANDER D. RABUYA				
Position / Designation	Owner				

3. COMPLIANCE STATUS

3.1 DENR Permits/Licenses/Clearance

Environmental Law		Permits	Date of Issue	Expiry Date
	ECC1	ECC-R08-1507-0137	07-10-2015	
PD 1586	ECC2			
	ECC3			
	DENR Registry ID			
	PCL Compliance			
RA 6969	Certificate			
	CCO Registry			
	Permit to			
	Transport			
RA 8749	POA No.	POA-2016-E-0837-0142	05-10-2019	05-10-2024
	ECC for Sanitary			
RA 9003	Landfill			
RA 9275	DP No.	DP-R08-20-01273	03-05-2020	3-05-2021

MODULE AQM01: PRE-INSPECTION INFORMATION SHEETFOR EMISSION SOURCES

Emission Sou	rce Data Information
Emission Source	1
Type (Brand/Model)	UGTs for premium gasoline Diesel and kerosene
Rated Capacity	24KL & 24KL
Fuel Type & Quantity	
Operating Capacity	
Control Facility	Air vent with filter
Notes:	

Emission Source	2
Type (Brand/Model)	Meidensha brand Genset
Rated Capacity	15KW
Fuel Type & Quantity	Diesel
Operating Capacity	Standby
Control Facility	

Legal Provision	Regulatory Requirements		omp	liant	Notes
		Υ	N	N/A	
DAO 2004-26					
Rule 19 Section 1	All emission sources have a valid Permit to Operate	٧			Permit is valid until 10 May 2024
Rule 19 Section 3	As built design of the installation conforms with submitted engineering plans and specifications	٧			
	Declared control facilities are installed and operational	٧			
	Installation is located as proposed in the vicinity map (plant and machinery layout)	٧			
	Facility design capacity is within the capacity declared in the application for permit to operate	٧			
Rule 19 Section 5	Temporary Permit is still valid			٧	
Rule 19 Section 6	Application for renewal has been filed for expiring Permit to Operate 30 days before permit expiration date			٧	
Rule 19 Section 9	Permit to Operate displayed conspicuously upon the installation or in an accessible / visible place near the installation	٧			

are complied with Plant operational problems				-
			V	
notification submitted to EMB within				
24 hours of occurrence				
Quarterly submission of self-		٧		Q ₁ April 21,2021 Q ₂
				Q ₃ Q ₄
				140
Person in charge of the plant /			V	
			V	
			٧	
sulfur oxide, and NOx				
Establishment is petroleum refinery /			٧	
petrochemical industry installed with				
CEMS for particulates, sulfur oxide,				
and NOx				
Establishment is primary copper			7/	
			V	
			٧	
	-			
			٧	
·				-
•			V	
installed with OLIVIS for particulates				
Miscellaneous equipment like			٧	State equipment then contro
reheating furnace, smoke oven, bake				facility/ies.
oven, coffee heaters, varnish kettles,				
etc. are installed with pollution				
control facilities				
Establishment has precautionary			٧	Example: It has tire bath
controls for dusts generated during				Automated water sprinklers
vehicular movement, transportation				
of materials, construction, etc. (List				
controls identified)				
Establishment has precautionary			٧	
controls for volatile organic				
compounds or organic solvent				
emissions generated during storing,				
pumping, handling, processing, etc.				
(Listcontrols identified)				
No open burning activity in the	٧			
establishment		Least 1		
	Person in charge of the plant / equipment has sufficient measure to ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack, smoke density indicator, CCTV, etc. All oil-burning equipment have heaters capable of heating oil to a temperature appropriate for the oil and burner Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx Establishment is steel plant installed with CEMS for particulates and sulfur oxide Establishment is ferro-alloy production facility installed with CEMS for particulates Establishment is cement plant installed with CEMS for particulates Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified) Establishment has precautionary controls for volatile organic compounds or organic solvent emissions generated during storing, pumping, handling, processing, etc. (Listcontrols identified) No open burning activity in the	Person in charge of the plant / equipment has sufficient measure to ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack, smoke density indicator, CCTV, etc. All oil-burning equipment have heaters capable of heating oil to a temperature appropriate for the oil and burner Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx Establishment is steel plant installed with CEMS for particulates and sulfur oxide Establishment is ferro-alloy production facility installed with CEMS for particulates Establishment is cement plant installed with CEMS for particulates Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified) Establishment has precautionary controls for volatile organic compounds or organic solvent emissions generated during storing, pumping, handling, processing, etc. (Listcontrols identified) No open burning activity in the	Person in charge of the plant / equipment has sufficient measure to ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack, smoke density indicator, CCTV, etc. All oil-burning equipment have heaters capable of heating oil to a temperature appropriate for the oil and burner Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx Establishment is steel plant installed with CEMS for particulates and sulfur oxide Establishment is ferro-alloy production facility installed with CEMS for particulates Establishment is cement plant installed with CEMS for particulates Establishment is cement plant installed with CEMS for particulates Establishment is premary copper smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified) Establishment has precautionary controls for volatile organic solvent emissions generated during storing, pumping, handling, processing, etc. (Listcontrols identified) No open burning activity in the	Person in charge of the plant / equipment has sufficient measure to ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack, smoke density indicator, CCTV, etc. All oil-burning equipment have heaters capable of heating oil to a temperature appropriate for the oil and burner Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx Establishment is steel plant installed with CEMS for particulates and sulfur oxide Establishment is ferro-alloy production facility installed with CEMS for particulates Establishment is cement plant installed with CEMS for particulates Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified) Establishment has precautionary controls for volatile organic compounds or organic solvent emissions generated during storing, pumping, handling, processing, etc. (Listcontrols identified) No open burning activity in the

MB Memorandum Cir	The state of the s		
лС 2009-04	Standby Gensets with capacity greater than or equal to 1,250 KW undergo annual emission testing (with 3 test runs). These gesets should not have the potential to emit more than 100tons/year of regulated pollutant.	V	
MC 2007-003 (2)	Boiler rated at greater than or equal to 251HP undergo bi-annual emission testing (with 3 test runs)	٧	
	Other sources that have potential to emit equal to or greater than 100tons/year of regulated pollutant undergo bi-annual emission testing (with 3 test runs)	٧	
	Boiler rated between 100 to 250 HP undergo annual emission testing (with 3 test runs)	٧	
	Diesel generator rated at 600 to 1,249KW undergo annual testing (with 3 test runs)	٧	
	Other sources that have potential to emit greater than 30 but less than 100tons/year of regulated pollutant undergo annual emission testing (with 3 test runs)	V	
	Sources of emissions of hazardous air pollutants included in PCL (DAO 1998 -58) undergo bi-annual emission testing (with 3 test runs)	٧	
	Emission sources of petroleum refinery undergo bi-annual emission testing (with 3 test runs)	٧	
	Emission sources of petrochemical works undergo bi-annual emission testing (with 3 test runs)	٧	
	Emission sources of smelters undergo bi-annual emission testing (with 3 test runs)	٧	
	Emission sources of cement kilns undergo bi-annual emission testing 'with 3 test runs)	٧	
	Emission sources of steel -making plants undergo bi-annual emission testing (with 3 test runs)	٧	
	Emission sources of ferro-alloy- making plants undergo bi-annual emission testing (with 3 test runs)	٧	
	Emission sources of glass-making plants undergo bi-annual emission testing (with 3 test runs)	٧	
	Boiler rated at 99HP or less undergo biennial emission testing (with 3 test runs)	٧	
	Diesel generator rated at 599KW or less undergo biennial emission testing (with 3 test runs)	٧	

	Other sources that have potential to emit at least 10tons/year but less than 30tons/year of regulated pollutant undergo biennial emission testing (with 3 test runs)		٧	
	Source using Bunker Fuel Oil, blended fuels involving Bunker Fuel Oil, or sulfur content of 1% or more undergo bi-annual emission testing		٧	
Appendix F (Quality	Assurance Procedures)			
Section 6 (8)	Notification has been sent to EMB for any changes made in the CEMS installation		٧	
	Notification has been sent to EMB for any changes made in the CEMS quality assurance and quality control plan		٧	
Section 6 (5)	Each CEMS is audited and conducted in accordance to CFR 40 part 60 Appendix F.		٧	
Section 6 (6)	Relative Accuracy Test Audit (RATA) is performed annually by industries in the presence of EMB personnel.		٧	
	Establishment has sent thirty (30) day notice to EMB prior to the RATA testing schedule		V	
Section 6 (7)	Calibration gases are subject to audit or relative accuracy audit test every quarter		V	
	Other alternative quarterly audits employed by the establishment are approved by EMB.		٧	
Section 6 (9)	EMB Director and Regional Director have been notified of CEMS malfunction that lasted longer than seven (7) consecutive days.		V	
Section 7 (1)	Records of occurrence and duration of any start-up, shut-down or malfunction in the operation of any source or control facility is available in the establishment.		٧	
Section 7 (2)	Records of audits, performance testing, evaluations, calibration checks, adjustments and maintenance of any continuous emission monitors that have been installed pursuant to Rule IX Section 5 of DAO 2000-81 are available in the establishment.		٧	
Section 8 (1)	SMR includes data on the time intervals, date and magnitude of excess emissions, nature and cause of excess, corrective actions taken, and preventive measures adopted.		٧	
Section 8 (2)	SMR includes information on the averaging period used for data reporting corresponding to the averaging period specified in the emission test period used to determine compliance with an emission standard for the pollutant/source category in question.		V	

Section 8 (3) SMR includes information on time and date for each period during which the continuous monitoring system was inoperative and the nature of system repairs and adjustments made in the CEMS/COMS		V	
Section 8 (4)	SMR data measurements are within 75% data capture?	V	
For Facilities Engaged with	Consent Agreement		
EMS established within 18 months upon entering Consent Agreement with EMB	EMS established within 18 months upon entering Consent Agreement with EMB	V	
DAO 2000-81 Part 7 Rule 25 Section 9b	Environmental Management Plan derived from EMS process submitted within 6 months after entering Consent Agreement with EMB	V	

Other Observations:

- Office records showed that Engr. Alexander D. Rabuya was granted an Environmental Compliance Certificate with reference code ECC-R08-1507-0137 by this Office on 10 July 2015 for the Rockstar Fuel Station Project located in Brgy. Guindapunan, Palo Leyte with a total underground tank capacity of 104KL.
- With valid Permit to Operate until May 10,2024 for the one (1) unit 15KW Meidensha Brand Standby Diesel Genset and two (2) units UGTs with a total capacity of 48KL for Premium and Unleaded Gasoline and Diesel and Kerosene.
- Operating with expired Wastewater Discharge Permit last March 06,2021. The application for the renewal was filed through the EMB Online System on March 4, 2021. On April 01,2021, the application was returned to the proponent due to lacking requirement.
- Pollution Control Officer accreditation of Ms. Perla Cajefe Odal was expired on April 3,2020.
- Last SMR submission was for the 1st quarter of CY 2021. Insufficient information was provided per Module: Module 3-RA 9275, no information provided for the item under Water Pollution Data; Module 4-RA 8749, no data on the Summary of APSE/APCF; and Module 5-PD 1586, no inputs on the compliance to ECC conditions and Environmental Management Plan/Program.
- No records of CMRs submission through the EMB Online System

Remarks and Recommendation:

- Submit CMR semi-annually thru the EMB online system.
- For Ma'am Perla Cajefe Odal to secure renewal of PCO accreditation.
- Timely submission of the Self-Monitoring Report quarterly and provide appropriate information as required per module.
- To comply with the requirements for the issuance of Wastewater Discharge Permit.

List of Documents Reviewed:

Copy of ECC, DP, PTO & SMR

Submitted by:

JANET T. POLEA Engr. IV

Approved by:

FOR. MANUEL J. SACEDA, JR.
OIC-Chief, EMED

Recommending Approval:

Engr. CARLOS A. CAYANONG Chief, WAQMS

Noted by:

REYNALDO B. BARRA, PME.
OIC-Regional Director



Republic of the Philippines Department of Environment and Natural Resources ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. VIII
DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City



DISPOSITION FORM

Doc. Date : April 19, 2022

Company Name: ROCKSTAR FUEL STATION, BRGY.

IIS No. : R8-2022-010920 GUINDAPUNAN, PALO, LEYTE

Subject / Title: Compliance Inspection for Air Quality Management

TO: All Officials/Personnel Concerned:

Please accomplish and route this properly with the corresponding attached communication/documents. The Official or employee in-charge to whom this document is routed shall act promptly and expeditiously without discrimination as prescribed in the SECSIME or within fifteen (15) working days from receipt thereof, failure to do is punishable by LAW under RA 6713 and negligence to Memorandum Circular No. 44 issued by the Office of the President of the Philippines "Directing all Government Agencies and Instrumentalities, including government-owned or controlled corporations to respond to all public requests and concerns within 15 days (15 from the receipt thereof)

For strict compliance.

]	ROUTED	
BY (Official Code/ Sender Initial)	DATE (mm/dd/yy)	TO (Official Code/ Receiver Initial)	TIME (AM/PM)	ACTION REMARKS STATUS
Janet T. Polea	04/19/2022	Carlos A. Cayanong	05:02 PM	For initial/signature.
CA	4-21,	M	767	H
C. EWED	oupolos	600	2:15	Ī
N. Perm	04/20/22	V. Morastil	5:05	5

Use code for comment/instruction and desired action:

A - For information / guidance / reference

B - For comments / recommendations

C - Pls. take up with me

D - Pls. draft answer memo

E - Pls. appropriatte action I - For initial/signature

F - Pls. immediate investigation

J - For study/evaluation

G - Pls. Attach supporting papers K - Pls. release/file

H - Pls. for approval
L - Update stat of case

Important Reminder!

Do not tamper. Continue on separate sheet if necessary. Attach this always with the document to be routed as this shall form an integral part of the document process.