

Exercise sheet 5: Probalign

For the following exercises on Probalign, we use an affine gap penalty with $g(k) = \alpha + \beta k = -0.5 - 0.25k$, there temperature $T = 1$ and the similarity function $\sigma(x_i, y_j)$:

$$\sigma(x_i, y_j) = \begin{matrix} & \begin{matrix} A & C & G & T \end{matrix} \\ \begin{matrix} A \\ C \\ G \\ T \end{matrix} & \begin{pmatrix} 2 & -1 & -1 & -1 \\ -1 & 2 & -1 & -1 \\ -1 & -1 & 2 & -1 \\ -1 & -1 & -1 & 2 \end{pmatrix} \end{matrix}$$

Exercise 1

Question 1A Compute the Boltzmann-weighted score for the following alignments:

$$\begin{array}{ll} \text{(a)} & \begin{array}{l} \text{x: --AGCGG} \\ \quad ||:|| \\ \text{y: ACAGGGG} \end{array} \\ \text{(b)} & \begin{array}{l} \text{x: AGCGG-----} \\ \quad \quad \quad : \\ \text{y: -----ACAGGGG} \end{array} \end{array}$$

Hint 1 : Formulae

$$S(a) = \sum_{x_i \sim y_j \in a} \sigma(x_i, y_j) + \sum \text{gap penalties} e^{\frac{S(a)}{T}} = \left(\prod_{x_i \sim y_j \in a} e^{\frac{\sigma(x_i, y_j)}{T}} \right) \times e^{\frac{\sum \text{gap penalties}}{T}}$$

Hint 2 For each alignment you only need to calculate e^x once.

Hint 3: Calculations

$$\begin{array}{ll} \text{(a)} & e^{\sigma(A,A)} \times e^{3\sigma(G,G)} \times e^{\sigma(C,G)} \times e^{g(2)} = e^2 \times e^6 \times e^{-1} \times e^{-0.5+(-0.25 \times 2)} = e^6 \\ \text{(b)} & e^{\sigma(G,A)} \times e^{g(4)} \times e^{g(6)} = e^{-1} \times e^{0.5+(-0.25 \times 4)} \times e^{0.5+(-0.25 \times 6)} = e^{-4.5} \end{array}$$

Solution

$$\begin{aligned} e^6 &= 403.43 \\ e^{-4.5} &= 0.011 \end{aligned}$$

Exercise 2

Question 2A Derive the recursion formula for $Z_{i,j}^I$. Allow insertions after deletions and vice versa.

Hint 1 : Formulae

$$Z_{i,j}^I = Z_{i,j-1}^I \times e^{\frac{\beta}{T}} + Z_{i,j-1}^M \times e^{\frac{g(1)}{T}} + Z_{i,j-1}^D \times e^{\frac{g(1)}{T}}$$

Hint 2 t

Hint 3: Calculations t

Solution t