

# EiffelRSS

Martin Luder   Michael Käser   Thomas Weibel

28th January 2005

# What is EiffelRSS?

- EiffelRSS is an Eiffel library to parse RSS. The goal is to provide the Eiffel development community with an easy to use and well structured API for RSS.
- The distribution also contains a RSS newsfeed reader written with EiffelVision and EiffelRSS.

# What is EiffelRSS?

- EiffelRSS is an Eiffel library to parse RSS. The goal is to provide the Eiffel development community with an easy to use and well structured API for RSS.
- The distribution also contains a RSS newsfeed reader written with EiffelVision and EiffelRSS.

# What is RSS?

- Foo
- Bar
- SNAFU
- 23 Skidoo

# What is RSS?

- Foo
- Bar
- SNAFU
- 23 Skidoo

# What is RSS?

- Foo
- Bar
- SNAFU
- 23 Skidoo

# What is RSS?

- Foo
- Bar
- SNAFU
- 23 Skidoo

# Project Management

- [developer.berlios.de](http://developer.berlios.de)
- Subversion
- PmWiki
- Gobo Eiffel test (getest)



# Project Management

- [developer.berlios.de](http://developer.berlios.de)
- [Subversion](#)
- [PmWiki](#)
- [Gobo Eiffel test \(getest\)](#)

# Project Management

- [developer.berlios.de](http://developer.berlios.de)
- Subversion
- [PmWiki](#)
- Gobo Eiffel test (getest)

# Project Management

- [developer.berlios.de](http://developer.berlios.de)
- Subversion
- PmWiki
- Gobo Eiffel test (getest)



# Problems

- Foo
- Bar
- SNAFU
- 23 Skidoo

# Problems

- Foo
- Bar
- **SNAFU**
- 23 Skidoo

# Problems

- Foo
- Bar
- SNAFU
- 23 Skidoo

# Statistics

- Number of code lines:  $A + B + C$ 
  - Library:  $A$
  - Newsreader:  $B$
  - Examples and testing framework:  $C$
- Number of classes:  $X + Y + Z$ 
  - 
  - 
  -



# Statistics

- Number of code lines:  $A + B + C$ 
  - Library:  $A$
  - Newsreader:  $B$
  - Examples and testing framework:  $C$
- Number of classes:  $X + Y + Z$ 
  - 
  - 
  -

# Statistics

- Number of code lines:  $A + B + C$ 
  - Library:  $A$
  - Newsreader:  $B$
  - Examples and testing framework:  $C$
- Number of classes:  $X + Y + Z$ 
  - Library:  $X$
  - Newsreader:  $Y$
  - Examples and testing framework:  $Z$

# Statistics

- Number of code lines:  $A + B + C$ 
  - Library:  $A$
  - Newsreader:  $B$
  - Examples and testing framework:  $C$
- Number of classes:  $X + Y + Z$ 
  - Library:  $X$
  - Newsreader:  $Y$
  - Examples and testing framework:  $Z$

# Statistics

- Number of code lines:  $A + B + C$ 
  - Library:  $A$
  - Newsreader:  $B$
  - Examples and testing framework:  $C$
- Number of classes:  $X + Y + Z$ 
  - Library:  $X$
  - Newsreader:  $Y$
  - Examples and testing framework:  $Z$

# Statistics

- Number of code lines:  $A + B + C$ 
  - Library:  $A$
  - Newsreader:  $B$
  - Examples and testing framework:  $C$
- Number of classes:  $X + Y + Z$ 
  - Library:  $X$
  - Newsreader:  $Y$
  - Examples and testing framework:  $Z$

# Statistics

- Number of code lines:  $A + B + C$ 
  - Library:  $A$
  - Newsreader:  $B$
  - Examples and testing framework:  $C$
- Number of classes:  $X + Y + Z$ 
  - Library:  $X$
  - Newsreader:  $Y$
  - Examples and testing framework:  $Z$

# Statistics

- Number of code lines:  $A + B + C$ 
  - Library:  $A$
  - Newsreader:  $B$
  - Examples and testing framework:  $C$
- Number of classes:  $X + Y + Z$ 
  - Library:  $X$
  - Newsreader:  $Y$
  - Examples and testing framework:  $Z$

# EiffelRSS library

[BON diagram]



# EiffelRSS newsreader

[Screenshot, Demo]

# Getting EiffelRSS

- Subversion
  - svn checkout ...
- Archive
  - <http://eiffelrss.borlous.de>

# Getting EiffelRSS

- Subversion
  - `svn checkout ...`
- Archive
  - <http://eiffelrss.berlios.de>

# Getting EiffelRSS

- Subversion
  - svn checkout ...
- Archive
  - <http://eiffelrss.berlios.de>

# Getting EiffelRSS

- Subversion
  - svn checkout ...
- Archive
  - <http://eiffelrss.berlios.de>