

pointer:0x8ed3ca0

root node

```
SgNode* p_parent : 0x8e763b0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_file_info : 0x8eeb3e0
SgGlobal* p_root : 0x8ef9e68
std::list<std::string> p_originalCommandLineArgumentList :
int p_verbose : 0
bool p_C_only : 0
bool p_C99_only : 0
bool p_skip_transformation : 0
bool p_skip_unparse : 0
bool p_unparse_includes : 0
bool p_skipfinalCompileStep : 0
std::string p_sourceFileNameWithPath : TestCases/AliasTests/invokeBaseCtor.C
std::string p_sourceFileNameWithoutPath : invokeBaseCtor.C
std::string p_unparse_output_filename :
bool p_useBackendOnly : 0
bool p_compileOnly : 0
std::string p_savedEdgCommandLine : ./CtoOA
bool p_no_implicit_templates : 0
bool p_no_implicit_inline_templates : 0
bool p_skip_commentsAndDirectives : 0
bool p_collectAllCommentsAndDirectives : 0
ROSEAttributesListContainerPtr p_preprocessorDirectivesAndCommentsList : 0x91002c8
AstAttributeMechanism* p_attributeMechanism : 0
bool p_KCC_frontend : 0
bool p_new_frontend : 0
bool p_travTraceToDOT : 0
bool p_disable_edg_backend : 0
bool p_disable_sage_backend : 0
int p_testingLevel : -1
bool p_preinit_il : 0
bool p_enable_cp_backend : 0
bool p_outputGrammarTreeFiles : 0
bool p_outputGrammarTreeFilesForHeaderFiles : 0
bool p_outputGrammarTreeFilesForEDG : 0
```

pointer:0x8ef9e68

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x8ed3ca0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eeb418
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x8f04a50
SgDeclarationStatementPtrList p_declarations : [0x8f15f08, 0x8f15f68, 0x8f15fc8, 0x8f16028, 0x8f16088, 0x8f160e8, 0x8f16190, 0x8f16230]
```

pointer:0xb7db1008

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x8ef9e68
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eef388
Sg_File_Info* p_endOfConstruct : 0x8eef468
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7db1008
SgDeclarationStatement* p_firstNondefiningDeclaration : 0xb7db111c
SgName p_name : "Base"
int p_class_type : 0
SgClassType* p_type : 0x90449f0
SgClassDefinition* p_definition : 0x90524f8
int p_from_template : 0
SgScopeStatement* p_scope : 0x8ef9e68
bool p_fixupScope : 0
SgDeclarationStatement::template_specialization_enum p_specialization : 1
```

pointer:0x90524f8

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7db1008
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eef3f8
Sg_File_Info* p_endOfConstruct : 0x8eef4a0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x8f04a84
SgDeclarationStatementPtrList p_members : []
SgBaseClassPtrList p_inheritances : []
```

pointer:0xb7db1230

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x8ef9e68
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eef4d8
Sg_File_Info* p_endOfConstruct : 0x8eefdd0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7db1230
SgDeclarationStatement* p_firstNondefiningDeclaration : 0xb7db1344
SgName p_name : "SubClass"
int p_class_type : 0
SgClassType* p_type : 0x9044a60
SgClassDefinition* p_definition : 0x905252c
int p_from_template : 0
SgScopeStatement* p_scope : 0x8ef9e68
bool p_fixupScope : 0
SgDeclarationStatement::template_specialization_enum p_specialization : 1
```

pointer:0x905252c

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7db1230
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eef548
Sg_File_Info* p_endOfConstruct : 0x8eef6d0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x8f04ab8
SgDeclarationStatementPtrList p_members : [0x8fe2438, 0x909fff8]
SgBaseClassPtrList p_inheritances : [0x8fe23f0]
```

pointer:0xb7d5c008

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x905252c
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eef580
Sg_File_Info* p_endOfConstruct : 0x8eef5b8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7d5c008
SgDeclarationStatement* p_firstNondefiningDeclaration : 0
SgName p_name : "SubClass"
SgFunctionParameterList* p_parameterList : 0xb7ed3f0c
SgFunctionModifier p_functionModifier : FTFFFF
SgSpecialFunctionModifier p_specialFunctionModifier : FTFFFF
SgFunctionType* p_type : 0x90809d8
SgFunctionDefinition* p_definition : 0x9090410
bool p_oldStyleDefinition : 0
SgScopeStatement* p_scope : 0x905252c
SgDeclarationStatement::template_specialization_enum p_specialization : 1
SgCtorInitializerList* p_CtorInitializerList : 0xb7d22008
```

pointer:0xb7ed3f0c

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7d5c008
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eef708
Sg_File_Info* p_endOfConstruct : 0x8eef740
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7ed3f0c
SgDeclarationStatement* p_firstNondefiningDeclaration : 0xb7ed3f0c
SgInitializedNamePtrList p_args : [0x909ffb0]
```



pointer:0x8fa717c

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7ed3f0c
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_file_info : 0x8eef890
SgName p_name : "parSubClass"
SgType* p_typeptr : 0x9075d30
SgInitializer* p_initptr : 0
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer : 1
SgDeclarationStatement* p_declptr : 0
SgStorageModifier* p_storageModifier : 0x8fba7e4
SgScopeStatement* p_scope : 0x9090410
SgInitializedName::preinitialization_enum p_preinitialization : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
AstAttributeMechanism* p_attributeMechanism : 0
```

pointer:0x9090410

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7d5c008
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eef580
Sg_File_Info* p_endOfConstruct : 0x8eef7e8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x8f04aec
SgBasicBlock* p_body : 0x90acf28
```

pointer:0x90acf28

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x9090410
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eefaf8
Sg_File_Info* p_endOfConstruct : 0x8eefb30
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x8f04b20
SgStatementPtrList p_statements : [0x909ffe0]
```

pointer:0x90b7c18

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x90acf28
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eefbd8
Sg_File_Info* p_endOfConstruct : 0x8eefc10
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
```

pointer:0xb7d22008

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7d5c008
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eef778
Sg_File_Info* p_endOfConstruct : 0x8eef7b0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7d22008
SgDeclarationStatement* p_firstNondefiningDeclaration : 0xb7d22008
SgInitializedNamePtrList p_ctors : [0x8fe2450]
```

pointer:0x8fa71d0

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7d22008
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_file_info : 0x8eef8c8
SgName p_name : "myParent"
SgType* p_typeptr : 0x9075d30
SgInitializer* p_initptr : 0x9030ec8
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer : 1
SgDeclarationStatement* p_declptr : 0
SgStorageModifier* p_storageModifier : 0x8fba7f8
SgScopeStatement* p_scope : 0x8ef9e68
SgInitializedName::preinitialization_enum p_preinitialization : 3
SgQualifiedNamePtrList p_qualifiedNameList : []
AstAttributeMechanism* p_attributeMechanism : 0
```

pointer:0x9030ec8

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x8fa71d0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eef9e0
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
bool p_is_explicit_cast : 1
SgExpression* p_operand_i : 0x90a1210
SgType* p_expression_type : 0
```

pointer:0x90a1210

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x9030ec8
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eef970
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 1
SgQualifiedNamePtrList p_qualifiedNameList : []
SgVariableSymbol* p_symbol : 0x903eaa0: varsym parSubClass declared at 0x0x8fa717c
```



pointer:0xb7e2f0fc

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x905252c
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eefcf0
Sg_File_Info* p_endOfConstruct : 0x8eefd28
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 1
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0
SgDeclarationStatement* p_firstNondefiningDeclaration : 0xb7e2f0fc
SgInitializedNamePtrList p_variables : [0x909ffc8]
bool p_variableDeclarationContainsBaseTypeDefiningDeclaration : 0
SgDeclarationStatement::template_specialization_enum p_specialization : 1
```

pointer:0x8fa7224

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7e2f0fc
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_file_info : 0x8eefd60
SgName p_name : "myParent"
SgType* p_typeptr : 0x9075d30
SgInitializer* p_initptr : 0
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer : 1
SgDeclarationStatement* p_declptr : 0xb7df50f4
SgStorageModifier* p_storageModifier : 0x8fba80c
SgScopeStatement* p_scope : 0x905252c
SgInitializedName::preinitialization_enum p_preinitialization : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
AstAttributeMechanism* p_attributeMechanism : 0
```

pointer:0xb7db19bc

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x8ef9e68
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eefe08
Sg_File_Info* p_endOfConstruct : 0x8ef0428
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7db19bc
SgDeclarationStatement* p_firstNondefiningDeclaration : 0xb7db1ad0
SgName p_name : "Foo"
int p_class_type : 0
SgClassType* p_type : 0x9044be8
SgClassDefinition* p_definition : 0x9052560
int p_from_template : 0
SgScopeStatement* p_scope : 0x8ef9e68
bool p_fixupScope : 0
SgDeclarationStatement::template_specialization_enum p_specialization : 1
```

pointer:0x9052560

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7db19bc
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eefe78
Sg_File_Info* p_endOfConstruct : 0x8eeff90
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x8f04b54
SgDeclarationStatementPtrList p_members : [0x90a0058]
SgBaseClassPtrList p_inheritances : []
```

pointer:0xb7d5c164

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x9052560
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eefeb0
Sg_File_Info* p_endOfConstruct : 0x8eefee8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7d5c164
SgDeclarationStatement* p_firstNondefiningDeclaration : 0
SgName p_name : "Foo"
SgFunctionParameterList* p_parameterList : 0xb7ed3ff8
SgFunctionModifier p_functionModifier : FTFFFF
SgSpecialFunctionModifier p_specialFunctionModifier : FTFFFF
SgFunctionType* p_type : 0x9080a18
SgFunctionDefinition* p_definition : 0x9090438
bool p_oldStyleDefinition : 0
SgScopeStatement* p_scope : 0x9052560
SgDeclarationStatement::template_specialization_enum p_specialization : 1
SgCtorInitializerList* p_CtorInitializerList : 0xb7d220f4
```

pointer:0xb7ed3ff8

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7d5c164
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0038
Sg_File_Info* p_endOfConstruct : 0x8ef0070
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7ed3ff8
SgDeclarationStatement* p_firstNondefiningDeclaration : 0xb7ed3ff8
SgInitializedNamePtrList p_args : [0x90a0088]
```

pointer:0x8fa7278

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7ed3ff8
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_file_info : 0x8ef01c0
SgName p_name : "f"
SgType* p_typeptr : 0x9075d5c
SgInitializer* p_initptr : 0
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer : 1
SgDeclarationStatement* p_declptr : 0
SgStorageModifier* p_storageModifier : 0x8fba820
SgScopeStatement* p_scope : 0x9090438
SgInitializedName::preinitialization_enum p_preinitialization : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
AstAttributeMechanism* p_attributeMechanism : 0
```

pointer:0x9090438

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7d5c164
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8eefeb0
Sg_File_Info* p_endOfConstruct : 0x8ef0118
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x8f04b88
SgBasicBlock* p_body : 0x90acf54
```



pointer:0x90acf54

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x9090438
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0268
Sg_File_Info* p_endOfConstruct : 0x8ef02a0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x8f04bbc
SgStatementPtrList p_statements : [0x90a00a0]
```

pointer:0x90b7c38

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x90acf54
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0348
Sg_File_Info* p_endOfConstruct : 0x8ef0380
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
```

pointer:0xb7d220f4

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7d5c164
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef00a8
Sg_File_Info* p_endOfConstruct : 0x8ef00e0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7d220f4
SgDeclarationStatement* p_firstNondefiningDeclaration : 0xb7d220f4
SgInitializedNamePtrList p_ctors : []
```

pointer:0xb7db1f20

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x8ef9e68
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0460
Sg_File_Info* p_endOfConstruct : 0x8ef10d8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7db1f20
SgDeclarationStatement* p_firstNondefiningDeclaration : 0xb7db2034
SgName p_name : "SubSubClass"
int p_class_type : 0
SgClassType* p_type : 0x9044d00
SgClassDefinition* p_definition : 0x9052594
int p_from_template : 0
SgScopeStatement* p_scope : 0x8ef9e68
bool p_fixupScope : 0
SgDeclarationStatement::template_specialization_enum p_specialization : 1
```

pointer:0x9052594

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7db1f20
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef04d0
Sg_File_Info* p_endOfConstruct : 0x8ef06c8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x8f04bf0
SgDeclarationStatementPtrList p_members : [0x90a0160, 0x90a0250]
SgBaseClassPtrList p_inheritances : [0x90a00b8]
```

pointer:0xb7d5c2c0

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x9052594
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0508
Sg_File_Info* p_endOfConstruct : 0x8ef0540
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7d5c2c0
SgDeclarationStatement* p_firstNondefiningDeclaration : 0
SgName p_name : "SubSubClass"
SgFunctionParameterList* p_parameterList : 0xb7ed40e4
SgFunctionModifier p_functionModifier : FTFFFF
SgSpecialFunctionModifier p_specialFunctionModifier : FTFFFF
SgFunctionType* p_type : 0x9080a58
SgFunctionDefinition* p_definition : 0x9090460
bool p_oldStyleDefinition : 0
SgScopeStatement* p_scope : 0x9052594
SgDeclarationStatement::template_specialization_enum p_specialization : 1
SgCtorInitializerList* p_CtorInitializerList : 0xb7d221e0
```

pointer:0xb7ed40e4

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7d5c2c0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0700
Sg_File_Info* p_endOfConstruct : 0x8ef0738
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7ed40e4
SgDeclarationStatement* p_firstNondefiningDeclaration : 0xb7ed40e4
SgInitializedNamePtrList p_args : [0x90a0190, 0x90a0178, 0x90a01a8]
```

pointer:0x8fa72cc

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7ed40e4
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_file_info : 0x8ef0888
SgName p_name : "par"
SgType* p_typeptr : 0x9075d30
SgInitializer* p_initptr : 0
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer : 1
SgDeclarationStatement* p_declptr : 0
SgStorageModifier* p_storageModifier : 0x8fba834
SgScopeStatement* p_scope : 0x9090460
SgInitializedName::preinitialization_enum p_preinitialization : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
AstAttributeMechanism* p_attributeMechanism : 0
```



pointer:0x8fa7320

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7ed40e4
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_file_info : 0x8ef08c0
SgName p_name : "aint"
SgType* p_typeptr : 0x9075d88
SgInitializer* p_initptr : 0
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer : 1
SgDeclarationStatement* p_declptr : 0
SgStorageModifier* p_storageModifier : 0x8fba848
SgScopeStatement* p_scope : 0x9090460
SgInitializedName::preinitialization_enum p_preinitialization : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
AstAttributeMechanism* p_attributeMechanism : 0
```

pointer:0x8fa7374

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7ed40e4
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_file_info : 0x8ef0968
SgName p_name : "f"
SgType* p_typeptr : 0x9075d5c
SgInitializer* p_initptr : 0
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer : 1
SgDeclarationStatement* p_declptr : 0
SgStorageModifier* p_storageModifier : 0x8fba85c
SgScopeStatement* p_scope : 0x9090460
SgInitializedName::preinitialization_enum p_preinitialization : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
AstAttributeMechanism* p_attributeMechanism : 0
```

pointer:0x9090460

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7d5c2c0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0508
Sg_File_Info* p_endOfConstruct : 0x8ef07e0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x8f04c24
SgBasicBlock* p_body : 0x90acf80
```

pointer:0x90acf80

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x9090460
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0e00
Sg_File_Info* p_endOfConstruct : 0x8ef0e38
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x8f04c58
SgStatementPtrList p_statements : [0x90a0238]
```

pointer:0x90b7c58

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x90acf80
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0ee0
Sg_File_Info* p_endOfConstruct : 0x8ef0f18
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
```

pointer:0xb7d221e0

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7d5c2c0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0770
Sg_File_Info* p_endOfConstruct : 0x8ef07a8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7d221e0
SgDeclarationStatement* p_firstNondefiningDeclaration : 0xb7d221e0
SgInitializedNamePtrList p_ctors : [0x90a01d8, 0x90a0208]
```

pointer:0x8fa73c8

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7d221e0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_file_info : 0x8ef09a0
SgName p_name : "SubClass"
SgType* p_typeptr : 0x9044a98
SgInitializer* p_initptr : 0x90cda80
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer : 1
SgDeclarationStatement* p_declptr : 0
SgStorageModifier* p_storageModifier : 0x8fba870
SgScopeStatement* p_scope : 0x8ef9e68
SgInitializedName::preinitialization_enum p_preinitialization : 2
SgQualifiedNamePtrList p_qualifiedNameList : []
AstAttributeMechanism* p_attributeMechanism : 0
```

pointer:0x90cda80

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x8fa73c8
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef09a0
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
bool p_is_explicit_cast : 0
SgMemberFunctionDeclaration* p_declaration : 0xb7d5c008
SgExprListExp* p_args : 0x90c0e68
SgClassDeclaration* p_class_decl : 0xb7db1230
bool p_need_name : 0
bool p_need_qualifier : 0
bool p_need_parenthesis_after_name : 1
bool p_associated_class_unknown : 0
```



pointer:0x90c0e68

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x90cda80
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef09d8
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
SgExpressionPtrList p_expressions : [0x90a01c0]
```

pointer:0x90a1240

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x90c0e68
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0ab8
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 1
SgQualifiedNamePtrList p_qualifiedNameList : []
SgVariableSymbol* p_symbol : 0x903eae8: varsym par declared at 0x0x8fa72cc
```

pointer:0x8fa741c

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7d221e0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_file_info : 0x8ef0b98
SgName p_name : "mF"
SgType* p_typeptr : 0x9044c20
SgInitializer* p_initptr : 0x90cdac0
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer : 1
SgDeclarationStatement* p_declptr : 0
SgStorageModifier* p_storageModifier : 0x8fba884
SgScopeStatement* p_scope : 0x8ef9e68
SgInitializedName::preinitialization_enum p_preinitialization : 3
SgQualifiedNamePtrList p_qualifiedNameList : []
AstAttributeMechanism* p_attributeMechanism : 0
```

pointer:0x90cdac0

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x8fa741c
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0b98
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
bool p_is_explicit_cast : 0
SgMemberFunctionDeclaration* p_declaration : 0xb7d5c164
SgExprListExp* p_args : 0x90c0e9c
SgClassDeclaration* p_class_decl : 0xb7db19bc
bool p_need_name : 0
bool p_need_qualifier : 0
bool p_need_parenthesis_after_name : 1
bool p_associated_class_unknown : 0
```

pointer:0x90c0e9c

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x90cdac0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0bd0
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
SgExpressionPtrList p_expressions : [0x90a01f0]
```

pointer:0x90a1270

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x90c0e9c
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0cb0
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_lvalue : 1
SgQualifiedNamePtrList p_qualifiedNameList : []
SgVariableSymbol* p_symbol : 0x903eb18: varsym f declared at 0x0x8fa7374
```

pointer:0xb7e2f1f0

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x9052594
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef0ff8
Sg_File_Info* p_endOfConstruct : 0x8ef1030
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 1
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0
SgDeclarationStatement* p_firstNondefiningDeclaration : 0xb7e2f1f0
SgInitializedNamePtrList p_variables : [0x90a0220]
bool p_variableDeclarationContainsBaseTypeDefiningDeclaration : 0
SgDeclarationStatement::template_specialization_enum p_specialization : 1
```

pointer:0x8fa7470

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7e2f1f0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_file_info : 0x8ef1068
SgName p_name : "mF"
SgType* p_typeptr : 0x9044c20
SgInitializer* p_initptr : 0
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer : 1
SgDeclarationStatement* p_declptr : 0xb7df51e0
SgStorageModifier* p_storageModifier : 0x8fba898
SgScopeStatement* p_scope : 0x9052594
SgInitializedName::preinitialization_enum p_preinitialization : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
AstAttributeMechanism* p_attributeMechanism : 0
```



pointer:0xb7f0f490

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x8ef9e68
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef1110
Sg_File_Info* p_endOfConstruct : 0x8ef1148
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7f0f490
SgDeclarationStatement* p_firstNondefiningDeclaration : 0
SgName p_name : "main"
SgFunctionParameterList* p_parameterList : 0xb7ed41d0
SgFunctionModifier p_functionModifier : FTFFFF
SgSpecialFunctionModifier p_specialFunctionModifier : FTFFFF
SgFunctionType* p_type : 0x8f92cc8
SgFunctionDefinition* p_definition : 0x9090488
bool p_oldStyleDefinition : 0
SgScopeStatement* p_scope : 0x8ef9e68
SgDeclarationStatement::template_specialization_enum p_specialization : 1
```

pointer:0xb7ed41d0

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7f0f490
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef1180
Sg_File_Info* p_endOfConstruct : 0x8ef11b8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7ed41d0
SgDeclarationStatement* p_firstNondefiningDeclaration : 0xb7ed41d0
SgInitializedNamePtrList p_args : []
```

pointer:0x9090488

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0xb7f0f490
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef1110
Sg_File_Info* p_endOfConstruct : 0x8ef11f0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x8f04c8c
SgBasicBlock* p_body : 0x90acf0c
```

pointer:0x90acf6c

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x9090488
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef1298
Sg_File_Info* p_endOfConstruct : 0x8ef12d0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x8f04cc0
SgStatementPtrList p_statements : [0x90a0298, 0x90a02b0]
```

pointer:0x90ddfa0

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x90acf6c
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef13b0
Sg_File_Info* p_endOfConstruct : 0x8ef1340
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgExpressionRoot* p_expression_root : 0x90e6ca8
```

pointer:0x90e6ca8

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x90ddfa0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef1420
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
SgExpression* p_operand_i : 0x902439c
SgType* p_expression_type : 0
SgUnaryOp::Sgop_mode p_mode : 0
```

pointer:0x902439c

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x90e6ca8
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef1420
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
SgExpression* p_valueExpressionTree : 0
int p_value : 0
```

pointer:0x90b7c78

[Click here to go to the parent node](#)

```
SgNode* p_parent : 0x90acf6c
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x90f7450
Sg_File_Info* p_startOfConstruct : 0x8ef1458
Sg_File_Info* p_endOfConstruct : 0x8ef1490
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
```