

# Compound Poisson process

2XXXXXXX NAME

This document demonstrates how simulate a compound Poisson process.

- Consider a shop where customers arrive in an exponential distribution with rate  $\lambda = 20$ .
  - mean of  $\text{Exp}(\lambda) = 1/\lambda$ .
- The number of customers for each arrival follows a geometric distribution with parameter  $p = 0.4$  plus one.
  - mean of  $\text{Geom}(p) = (1 - p)/p$ .
  - expectation of the number of customers for each arrival is  $1/p$ .
- All random values are independent.

Example of generating exponential random variables:

```
lambda <- 20  
rexp(1, lambda)
```

```
## [1] 0.014861
```

```
lambda <- 12  
num_rv <- 5  
rexp(num_rv, lambda)
```

```
## [1] 0.08162682 0.05076212 0.01080558 0.07705507 0.12049546
```

From time 0 to 1, how many times will customers arrive?

- Of course, this is random.
- `num_arrivals` represents the total arrival numbers up to time 1.

```
arrivals <- numeric()  
while (sum(arrivals)<1){  
  arrivals <- c(arrivals, rexp(1, lambda))  
}  
(num_arrivals <- length(arrivals) - 1)
```

```
## [1] 13
```

The number of cumstomers in each arrival is determined by a geometric distribution plus one.


```
p = 0.5  
(num_customer <- rgeom(1, p) + 1)
```

```
## [1] 1
```

The following plot represents the customer arrivals:

- To plot stair type graph, use `type='s'` .

```
# Your code should be here
```



In this case, the total number of customer up to time 1 is:

```
sum(num_customer[1:(length(num_customer)-1)])
```

```
## [1] 14
```

Now simulate this procedure 100 times.

- first, compute the total number of customers up to time 1 for each simulation.
- next, compute the mean of the total number of customers.

```
# Your code should be here
```


```
## [1] 24.01
```

Increase sequentially the simulation number:

```
num_simuls <- seq(100, 5000, 100)
```

Now plot the mean of the number of total customer with simulation number.

```
# Your code should be here  
# This takes time.
```



Question :

- Which value does the mean of total num of customer converge?
- Caluate the theoritical value of the mean of total num of customer.