



Teacher Copy — includes the Answer Key & Teacher Guide. Do not distribute to students.

UNIT 1 • STANDARD 6.NOS.2

Divide Multi-Digit Numbers

Lesson 1-4 • Teacher Copy

Name: _____

Date: _____

Class: _____

My Notes

Level 2 Standard



TODAY'S OBJECTIVES

Content Objective: I can divide multi-digit whole numbers and explain the meaning of the quotient and remainder.

Language Objective: I can explain my division using the words dividend, divisor, quotient, and remainder.



See **Learn It** for the explanation and worked examples, and the **Vocab** tab for the words. These are your notes to fill in and keep.



Fill in each blank as we go. Use the Word Bank to help you.



WORD BANK — FILL EACH BLANK WITH THE BEST WORD

Dividend

Divisor

Quotient

Remainder

Partial quotients



Tap any word to see what it means and a picture.

1

In $84 \div 7$, the number 84 being divided is the .

2

In $84 \div 7$, the number 7 that we divide by is the .

3

The answer to a division problem is called the .

4

When a number does not divide evenly, the amount left over is the .

5

Breaking division into easier chunks and adding the pieces uses .

Write About the Math

Guided ESOL writing

Use the support level you need. Every level answers the same math question.

1. Understand the Question

EXPLAIN

You used partial quotients for $1,344 \div 12$. What steps did you use, and how do they build to the final quotient?

Your job: Answer the question. Use math evidence. Explain how the evidence proves your answer.

Responde la pregunta. Usa evidencia matemática. Explica cómo la evidencia demuestra tu respuesta.

2. Plan Your Math Words

Check at least two words you will use.

☐

Dividend — The number you are splitting up in a division problem.

Dividendo — El número que estás repartiendo en una división.

☐

Divisor — The number you split by in a division problem.

Divisor — El número entre el que divides en una división.

☐

Quotient — The answer when you divide.

Cociente — La respuesta cuando divides.

☐

Remainder — What is left over when a number does not divide evenly.

Residuo — Lo que sobra cuando un número no se divide de forma exacta.

☐

Partial quotients — A way to divide by breaking the problem into smaller, easier steps.

Cocientes parciales — Una manera de dividir separando el problema en pasos más fáciles.

Say it first: Say your idea to a partner or quietly to yourself before you write.

Di tu idea a un compañero o en voz baja antes de escribir.

First I took $12 \times \underline{\hspace{1cm}} = 1,200$, then $12 \times \underline{\hspace{1cm}} = 144$.

Primero usé $12 \times \underline{\hspace{1cm}} = 1,200$, luego $12 \times \underline{\hspace{1cm}} = 144$.

3. Build Your Explanation

Model the parts: This model shows the parts of an explanation. It does not answer your writing question.

Claim: Estimating with friendly numbers checks whether the quotient is reasonable.

Evidence: Students estimate using $1,200 \div 12 = 100$ (or similar) to predict roughly 100+ bars per section, identifying 1,344 as the dividend and 12 as the divisor.

Reasoning: This evidence connects the definition of dividend to the mathematical claim.

Start

Most language support

Complete the frames. Use the word bank.

Completa las oraciones. Usa el banco de palabras.

- **First I took** $12 \times \underline{\hspace{1cm}} = 1,200$, **then** $12 \times \underline{\hspace{1cm}} = 144$.

Primero usé $12 \times \underline{\hspace{1cm}} = 1,200$, luego $12 \times \underline{\hspace{1cm}} = 144$.

- **The quotient is** $\underline{\hspace{1cm}}$ **because I added the partial quotients** $\underline{\hspace{1cm}}$.

El cociente es $\underline{\hspace{1cm}}$ porque sumé los cocientes parciales $\underline{\hspace{1cm}}$.

Build

Some language support

Write two connected sentences. Use because, so, or but.

Escribe dos oraciones conectadas. Usa porque, entonces o pero.

- **My claim is** $\underline{\hspace{1cm}}$.

Mi afirmación es $\underline{\hspace{1cm}}$.

- **I know because** $\underline{\hspace{1cm}}$.

Lo sé porque $\underline{\hspace{1cm}}$.

- **So** $\underline{\hspace{1cm}}$.

Entonces $\underline{\hspace{1cm}}$.

Explain

Light language support

Write a claim, give math evidence, and explain your reasoning.

Escribe una afirmación, da evidencia matemática y explica tu razonamiento.

- **My claim is ____.**
Mi afirmación es ____.
- **My math evidence is ____.**
Mi evidencia matemática es ____.
- **This proves ____ because ____.**
Esto demuestra ____ porque ____.

4. Check Your Explanation

- ☐ I answered the question.
Respondí la pregunta.

- ☐ I used math evidence: numbers, an equation, a model, or a comparison.
Usé evidencia matemática: números, una ecuación, un modelo o una comparación.

- ☐ I explained how the evidence proves my answer.
Explicué cómo la evidencia demuestra mi respuesta.

- ☐ I used at least two math words.
Usé por lo menos dos palabras matemáticas.

- ☐ I reread complete sentences and punctuation.
Volví a leer mis oraciones completas y la puntuación.

Writing Guide — Teacher Copy

The support level changes the amount of language scaffolding, not the mathematical expectation. Look for the same five features in every response.

- I answered the question.
- I used math evidence: numbers, an equation, a model, or a comparison.
- I explained how the evidence proves my answer.
- I used at least two math words.
- I reread complete sentences and punctuation.

Answer Key & Teacher Guide

1. **Notes 1:** Dividend
2. **Notes 2:** Divisor
3. **Notes 3:** Quotient
4. **Notes 4:** Remainder
5. **Notes 5:** Partial quotients
6. **Watch for this mistake:** *A common mistake in Divide Multi-Digit Numbers is skipping a placeholder zero in the quotient when a digit doesn't divide evenly, which shifts every digit after it out of place. For example, dividing $3,216 \div 3$: $3 \div 3 = 1$, but the next digit 2 doesn't divide by 3, so a 0 must be written before continuing — bring down the 1 to make $21 \div 3 = 7$, then bring down 6 $\div 3 = 2$, giving the correct quotient 1,072. A student who skips writing that 0 and jumps straight to $21 \div 3 = 7$ ends up with 172 instead of 1,072 — an answer off by a factor of ten. Always check: does a digit in your quotient go missing every time you 'can't divide'? If so, you dropped a placeholder zero.*
7. **Try It 1:** A. $704 - 7 \times 704 = 4,928$ exactly, so the quotient is 704 with no remainder.
8. **Try It 2:** A. $671 \text{ R } 6 - 9 \times 671 = 6,039$, and $6,045 - 6,039 = 6$, so $6,045 \div 9 = 671 \text{ R } 6$.