



Teacher Copy — includes the Answer Key & Teacher Guide. Do not distribute to students.

UNIT 7 • STANDARD 6.AT.8

Solve One-Step Addition and Subtraction Equations

Lesson 7-2 • Teacher Copy

Name: _____

Date: _____

Class: _____



TODAY'S OBJECTIVES

Content Objective: I can solve one-step addition and subtraction equations using inverse operations.

Language Objective: I can explain my steps using the words equation, inverse operation, isolate, and solution.

See **Learn It** for the explanation and worked examples, and the **Vocab** tab for the words. These are your notes to fill in and keep.



Fill in each blank as we go. Use the Word Bank to help you.



WORD BANK — FILL EACH BLANK WITH THE BEST WORD

Equation

Inverse operation

Isolate

Solution

One-step equation

Balance



Tap any word to see what it means and a picture.

Level 3: try the blanks from memory first, then check the bank.

1

A math sentence with an equal sign showing two equal amounts is an

2

An operation that undoes another, like subtraction undoing addition, is an

3

To get the variable alone on one side of the equation is to it.

4

The value of the variable that makes the equation true is the

.

5

An equation solved in a single step is a .

6

Doing the same thing to both sides to keep them equal keeps the equation in

Reflect — Exit Ticket

Solve: $p + 2.8 = 9.1$

- A. $p = 6.3$
- B. $p = 11.9$
- C. $p = 6.8$
- D. $p = 3.25$

Your answer:

Answer Key & Teacher Guide

1. **Notes 1:** Equation
2. **Notes 2:** Inverse operation
3. **Notes 3:** Isolate
4. **Notes 4:** Solution
5. **Notes 5:** One-step equation
6. **Notes 6:** Balance
7. **Watch for this mistake:** *A common mistake in Solve One-Step Addition and Subtraction Equations is skipping the key idea: "Undo the operation with its inverse, and do it to both sides to keep the equation balanced." — always check your work against this rule before you submit.*
8. **Try It 1:** A. $n = 13$ — Add 4 to both sides: $n = 9 + 4 = 13$. Check: $13 - 4 = 9$ ✓
9. **Try It 2:** A. 34 — Subtract 16 from both sides: $t = 50 - 16 = 34$. Check: $34 + 16 = 50$ ✓
10. **Exit Ticket:** A. $p = 6.3$ — Subtract 2.8 from both sides: $p = 9.1 - 2.8 = 6.3$. Check: $6.3 + 2.8 = 9.1$ ✓