



Teacher Copy — includes the Answer Key & Teacher Guide. Do not distribute to students.

UNIT 2 • STANDARD 6.NOS.3

Divide Decimals Using an Algorithm

Lesson 2-7 • Teacher Copy

Name: _____

Date: _____

Class: _____



TODAY'S OBJECTIVES

Content Objective: I can divide with decimals by making the divisor a whole number first.

Language Objective: I can explain my work using the words dividend, divisor, quotient, and equivalent division.



See **Learn It** for the explanation and worked examples, and the **Vocab** tab for the words. These are your notes to fill in and keep.



Fill in each blank as we go. Use the Word Bank to help you.



WORD BANK — FILL EACH BLANK WITH THE BEST WORD

Dividend

Divisor

Quotient

Decimal Division Algorithm

Equivalent division



Tap any word to see its meaning and a picture.

Level 3: try the blanks from memory first, then check the bank.

1

In a division problem, the total amount being divided is the

2

In a division problem, the number of equal groups you divide into is the

3

The answer to a division problem is the

4

The steps that make the divisor whole before you divide are called the

5

Multiplying both the dividend and divisor by the same power of 10 creates an that is easier to solve.

Write About the Math

How does decimal division help you figure out how many pieces you can cut?

¿Cómo te ayuda la división de decimales a averiguar cuántas piezas puedes cortar?

Say your answer to a partner first. Then write it, using at least two of these words:

☐ **Dividend**
Dividendo

☐ **Divisor**
Divisor

☐ **Quotient**
Cociente

☐ **Decimal Division Algorithm**
Algoritmo de división decimal

☐ **Equivalent division**
División equivalente

Model: Move both decimal points the same number of places so the value stays equal. — Students rewrite $18.9 \div 6.3$ as $189 \div 63 = 3$, explaining moving both points one place keeps the division equivalent, so 3 pods are filled.

Start

Complete the frames. Use the word bank.

Completa las oraciones. Usa el banco de palabras.

- **I can cut ____ pieces because $16.8 \div 2.4 =$ ____.**
- **My answer is ____ because ____.**
Mi respuesta es ____ porque ____.

Build

Write two connected sentences. Use because, so, or but.

Escribe dos oraciones conectadas. Usa porque, entonces o pero.

- **My claim is ____.**
Mi afirmación es ____.
- **My evidence is ____, so ____.**
Mi evidencia es ____, entonces ____.

Explain

Write a claim, give math evidence, and explain your reasoning.

Escribe una afirmación, da evidencia matemática y explica tu razonamiento.

☐ I answered the question.

☐ I used math evidence: numbers, an equation, or a model.

☐ I used at least two math words.

Writing Guide — Teacher Copy

- The answer to the math question is correct.
- The evidence is real lesson mathematics (numbers, equation, or model), not restated claim.
- The support level changed the language scaffolding, never the mathematical expectation.

Answer Key & Teacher Guide

1. **Notes 1:** Dividend
2. **Notes 2:** Divisor
3. **Notes 3:** Quotient
4. **Notes 4:** Decimal Division Algorithm
5. **Notes 5:** Equivalent division
6. **Watch for this mistake:** *A common mistake in Divide Decimals is moving the decimal point in the divisor but forgetting to move it the same number of places in the dividend. For example, in $6.4 \div 0.8$ a student changes 0.8 to 8 but leaves the dividend as 6.4, then divides $6.4 \div 8 = 0.8$ instead of moving both points to get $64 \div 8 = 8$. A second version of this mistake happens when the divisor has two decimal places, like 0.12: students move both points only 1 place instead of 2, turning $9.6 \div 0.12$ into $96 \div 1.2$ instead of the correct $960 \div 12$. Count the divisor's decimal places first, then move BOTH points that same number of places.*
7. **Try It 1:** B. 3 batches — $9.6 \div 3.2$. The divisor 3.2 has one decimal place, so multiply BOTH numbers by 10: $96 \div 32 = 3$. The flour makes 3 batches.
8. **Try It 2:** C. 9 strips — Multiply both by 10: $81 \div 9 = 9$ strips.