

# GEANT4 GPU Port:

## **Test Report**

Stuart Douglas – dougls2  
Matthew Pagnan – pagnanmm  
Rob Gorrie – gorrierw  
Victor Reginato – reginavp

**Version 0**  
March 20, 2016

# Contents

|          |   |          |
|----------|---|----------|
| <b>1</b> | <b>Introduction</b>                               | <b>2</b> |
| 1.1      | Purpose of the Document . . . . .                 | 2        |
| 1.2      | Scope of the Testing . . . . .                    | 2        |
| 1.3      | Organization . . . . .                            | 2        |
| 1.4      | Usability Testing . . . . .                       | 2        |
| 1.5      | Robustness . . . . .                              | 2        |
| <br>     |   |          |
| <b>2</b> | <b>Module Unit Testing</b>                        | <b>3</b> |
| 2.1      | Use of Automated Testing . . . . .                | 3        |
| 2.1.1    | Overview . . . . .                                | 3        |
| 2.1.2    | Generating Test Results . . . . .                 | 3        |
| 2.1.3    | Analyzing Test Results . . . . .                  | 3        |
| 2.2      | General variables used for Unit Testing . . . . . | 3        |
| 2.3      | Note about Performance testing . . . . .          | 4        |
| 2.4      | = (overloaded assignment operator) . . . . .      | 4        |
| 2.4.1    | Method Signature . . . . .                        | 4        |
| 2.4.2    | Test Description . . . . .                        | 4        |
| 2.4.3    | Test Inputs . . . . .                             | 5        |
| 2.4.4    | Results . . . . .                                 | 5        |
| 2.4.5    | Performance . . . . .                             | 5        |
| 2.5      | GetPoint . . . . .                                | 5        |
| 2.5.1    | Method Signature . . . . .                        | 5        |
| 2.5.2    | Test Description . . . . .                        | 5        |
| 2.5.3    | Test Inputs . . . . .                             | 5        |
| 2.5.4    | Test Results . . . . .                            | 6        |
| 2.5.5    | Performance . . . . .                             | 6        |
| 2.6      | GetX . . . . .                                    | 6        |
| 2.6.1    | Method Signature . . . . .                        | 6        |
| 2.6.2    | Test Description . . . . .                        | 6        |
| 2.6.3    | Test Inputs . . . . .                             | 6        |
| 2.6.4    | Test Results . . . . .                            | 7        |
| 2.6.5    | Performance . . . . .                             | 7        |
| 2.7      | GetY . . . . .                                    | 7        |
| 2.7.1    | Method Signature . . . . .                        | 7        |
| 2.7.2    | Test Description . . . . .                        | 7        |
| 2.7.3    | Test Inputs . . . . .                             | 7        |
| 2.7.4    | Test Results . . . . .                            | 8        |
| 2.7.5    | Performance . . . . .                             | 8        |
| 2.8      | GetXsec . . . . .                                 | 8        |
| 2.8.1    | Method Signature . . . . .                        | 8        |
| 2.8.2    | Test Description . . . . .                        | 8        |
| 2.8.3    | Test Inputs . . . . .                             | 8        |

|        |                            |    |
|--------|----------------------------|----|
| 2.8.4  | Test Results . . . . .     | 9  |
| 2.8.5  | Performance . . . . .      | 9  |
| 2.9    | GetEnergy . . . . .        | 9  |
| 2.9.1  | Method Signature . . . . . | 9  |
| 2.9.2  | Test Description . . . . . | 9  |
| 2.9.3  | Test Inputs . . . . .      | 9  |
| 2.9.4  | Test Results . . . . .     | 10 |
| 2.9.5  | Performance . . . . .      | 10 |
| 2.10   | SetData . . . . .          | 10 |
| 2.10.1 | Method Signature . . . . . | 10 |
| 2.10.2 | Test Description . . . . . | 10 |
| 2.10.3 | Test Inputs . . . . .      | 10 |
| 2.10.4 | Test Results . . . . .     | 11 |
| 2.10.5 | Performance . . . . .      | 11 |
| 2.11   | SetEnergy . . . . .        | 11 |
| 2.11.1 | Method Signature . . . . . | 11 |
| 2.11.2 | Test Description . . . . . | 11 |
| 2.11.3 | Test Inputs . . . . .      | 11 |
| 2.11.4 | Test Results . . . . .     | 12 |
| 2.11.5 | Performance . . . . .      | 12 |
| 2.12   | SetXsec . . . . .          | 12 |
| 2.12.1 | Method Signature . . . . . | 12 |
| 2.12.2 | Test Description . . . . . | 12 |
| 2.12.3 | Test Inputs . . . . .      | 12 |
| 2.12.4 | Test Results . . . . .     | 13 |
| 2.12.5 | Performance . . . . .      | 13 |
| 2.13   | SetX . . . . .             | 13 |
| 2.13.1 | Method Signature . . . . . | 13 |
| 2.13.2 | Test Description . . . . . | 13 |
| 2.13.3 | Test Inputs . . . . .      | 13 |
| 2.13.4 | Test Results . . . . .     | 14 |
| 2.13.5 | Performance . . . . .      | 14 |
| 2.14   | SetY . . . . .             | 14 |
| 2.14.1 | Method Signature . . . . . | 14 |
| 2.14.2 | Test Description . . . . . | 14 |
| 2.14.3 | Test Inputs . . . . .      | 14 |
| 2.14.4 | Test Results . . . . .     | 15 |
| 2.14.5 | Performance . . . . .      | 15 |
| 2.15   | Init . . . . .             | 15 |
| 2.15.1 | Unit Tests . . . . .       | 15 |
| 2.15.2 | Accuracy . . . . .         | 15 |
| 2.15.3 | Performance . . . . .      | 15 |
| 2.16   | SampleLin . . . . .        | 15 |
| 2.16.1 | Method Signature . . . . . | 15 |

|        |                    |    |
|--------|--------------------|----|
| 2.16.2 | Test Description   | 15 |
| 2.16.3 | Test Inputs        | 16 |
| 2.16.4 | Test Results       | 16 |
| 2.16.5 | Performance        | 16 |
| 2.17   | Times              | 16 |
| 2.17.1 | Method Signature   | 16 |
| 2.17.2 | Test Description   | 16 |
| 2.17.3 | Test Inputs        | 16 |
| 2.17.4 | Test Results       | 17 |
| 2.17.5 | Performance        | 17 |
| 2.18   | GetXsecBuffer      | 17 |
| 2.18.1 | Unit Tests         | 18 |
| 2.18.2 | Accuracy           | 18 |
| 2.18.3 | Performance        | 18 |
| 2.19   | ThinOut            | 18 |
| 2.19.1 | Method Signature   | 18 |
| 2.19.2 | Test Description   | 18 |
| 2.19.3 | Test Inputs        | 19 |
| 2.19.4 | Test Results       | 19 |
| 2.19.5 | Performance        | 19 |
| 2.20   | Sample             | 19 |
| 2.20.1 | Method Signature   | 19 |
| 2.20.2 | Test Description   | 19 |
| 2.20.3 | Test Inputs        | 19 |
| 2.20.4 | Test Results       | 20 |
| 2.20.5 | Performance        | 20 |
| 2.21   | SetPoint           | 20 |
| 2.21.1 | Unit Tests         | 20 |
| 2.21.2 | Accuracy           | 21 |
| 2.21.3 | Performance        | 21 |
| 2.22   | Get15percentBorder | 21 |
| 2.22.1 | Method Signature   | 21 |
| 2.22.2 | Test Description   | 21 |
| 2.22.3 | Test Inputs        | 21 |
| 2.22.4 | Test Results       | 22 |
| 2.22.5 | Performance        | 22 |
| 2.23   | Get50percentBorder | 22 |
| 2.23.1 | Method Signature   | 22 |
| 2.23.2 | Test Description   | 22 |
| 2.23.3 | Test Inputs        | 22 |
| 2.23.4 | Test Results       | 22 |
| 2.23.5 | Performance        | 23 |

|          |                                      |           |
|----------|--------------------------------------|-----------|
| <b>3</b> | <b>Specific System Tests</b>         | <b>23</b> |
| 3.1      | Summary of Tests Performed . . . . . | 23        |
| 3.2      | System Tests Results . . . . .       | 23        |
| 3.3      | System test # 39 . . . . .           | 24        |
| 3.3.1    | Accuracy . . . . .                   | 24        |
| 3.3.2    | Performance . . . . .                | 26        |
| 3.4      | System test # 40 . . . . .           | 27        |
| 3.4.1    | Accuracy . . . . .                   | 27        |
| 3.4.2    | Performance . . . . .                | 28        |
| 3.5      | System test # 41 . . . . .           | 28        |
| 3.5.1    | Accuracy . . . . .                   | 28        |
| 3.5.2    | Performance . . . . .                | 30        |
| <b>4</b> | <b>Traceability</b>                  | <b>30</b> |
| 4.1      | Requirements . . . . .               | 30        |
| 4.2      | Modules . . . . .                    | 31        |
| <b>5</b> | <b>Changes after Testing</b>         | <b>31</b> |

## Revision History

All major edits to this document will be recorded in the table below.

Table 1: Revision History

| Description of Changes    | Author                    | Date       |
|---------------------------|---------------------------|------------|
| Initial draft of document | Matt, Rob, Victor, Stuart | 2016-03-18 |
| Template of document      | Matt                      | 2016-03-15 |

## List of Figures

Tables and figures for specific unit tests have been omitted in order to keep this document readable.

| Table #            | Title                               |
|--------------------|-------------------------------------|
| <a href="#">1</a>  | Revision History                    |
| <a href="#">2</a>  | Definitions and Acronyms            |
| <a href="#">3</a>  | General Unit Test Variables         |
| <a href="#">52</a> | Tests and Requirements Relationship |
| <a href="#">53</a> | Tests and Modules Relationship      |

## Definitions and Acronyms

Table 2: Definitions and Acronyms

| Term       | Description   |
|------------|---|
| GEANT4     | Open-source software toolkit used to simulate the passage of particles through matter       |
| GEANT4-GPU | GEANT4 with some computations running on the GPU  |
| GPU        | Graphics processing unit, well-suited to parallel computing tasks                           |
| CPU        | Computer processing unit, general computer processor well-suited to serial tasks            |
| CUDA       | Parallel computing architecture for general purpose programming on GPU, developed by NVIDIA |
| RHEL       | Red Hat Enterprise Linux Server   |
| OS X       | Operating system developed by Apple   |

# **1 Introduction**

## **1.1 Purpose of the Document**

This document summarizes the testing and test conclusions of GEANT4-GPU. This document uses the implementation outlined in the test plan.

## **1.2 Scope of the Testing**

## **1.3 Organization**

In Section 4 we provide an introduction to this report. Section 5 describes the test cases which are carried out on each function. Section 6 describes system test cases that were carried out by our team. In section 7 traceability matrices to requirements and modules are documented. Section 8 provides a summary of changes made in response to the testing results.

## **1.4 Usability Testing**

GEANT4-GPU is a back end implementation of already existing GEANT4 modules. Therefore users will not be interacting with it directly. Since there is no direct user interaction with GEANT4-GPU. There are no usability test.

## **1.5 Robustness**

The GEANT4-GPU functions are meant to mimic the already existing GEANT4 functions. Therefore the GEANT4-GPU functions must also mimic the robustness of the GEANT4 functions. The accuracy section for unit tests has several unit tests designed to test the robustness of the functions.

## 2 Module Unit Testing

### 2.1 Use of Automated Testing

#### 2.1.1 Overview

#### 2.1.2 Generating Test Results

Our unit testing system is semi-automated. A program (`GenerateTestResults`) was written which first initializes several `G4ParticleHPVector` objects from data files included with Geant4 of varying numbers of entries, including the creation of one `G4ParticleHPVector` with 0 entries. After the vectors have been initialized, the unit-tested methods are tested with a variety of input values. These cover edge cases (i.e. negative index for array, index greater than number of elements etc.) as well as more “normal” cases. The result is then written to the results text file `foFor` methods that are computationally intensive, the runtimes of the method are recorded and output to a separate

#### 2.1.3 Analyzing Test Results

Due to the nature of this implementation we need to recompile GEANT4-GPU from GPU to CPU in order to get the CPU results to compare against the GPU results. We have a unit test file which preforms all our unit tests and writes the results into a file. The user will then have to manually recompile GEANT4-GPU with GPU acceleration off. Once the unit test file is run again another results file is generated. The comparing of the results is automated by feeding them to an application that we created that will compare the test results against each other. The program outputs a summary of any differences between the two results, if there are any.

### 2.2 General variables used for Unit Testing

The following are variables that are used for multiple unit tests. Instead of defining them again for each unit test they are defined here only once. Other variables used for specific unit tests will be defined in their respective unit test sections

For all unit tests:



Table 3: General Unit Test Variables

| Name # | Type               | Value                                       |
|--------|--------------------|---|
| n      | G4double           | number of entries in the G4ParticleHPVector |
| r1     | G4double           | -1.0  |
| r2     | G4double           | 0.0   |
| r3     | G4double           | 0.00051234                                  |
| r4     | G4double           | 1.5892317                                   |
| r5     | G4double           | 513.18                                      |
| vec0   | G4ParticleHPVector | 0 entries                                   |
| vec1   | G4ParticleHPVector | 80 entries                                  |
| vec2   | G4ParticleHPVector | 1509 entries                                |
| vec3   | G4ParticleHPVector | 8045 entries                                |
| vec4   | G4ParticleHPVector | 41854 entries                               |
| vec5   | G4ParticleHPVector | 98995 entries                               |
| vec6   | G4ParticleHPVector | 242594 entries                              |

## 2.3 Note about Performance testing

Tests on vectors A - F all behave the same. Showing accuracy for vectors A - F does not provide any extra useful information. Therefore only unit tests on vector D will be shown in the Unit Tests and Accuracy sections. Unit test interfaces for the other vectors will be omitted from this document in order to make it more readable. The unit tests were still performed on the other vectors. These unit tests on vectors of different length are done to show how increasing the size of the vector increases the execution time of some functions

## 2.4 = (overloaded assignment operator)

### 2.4.1 Method Signature

`G4ParticleHPVector & operator = (const G4ParticleHPVector & right)`

### 2.4.2 Test Description

Create a new, temporary G4ParticleHPVector object and assign the current vector to it. Output the data and the integral from the new vector.

### 2.4.3 Test Inputs

Table 4: Unit Tests - = (overloaded assignment operator)

| Test # | Inputs         |
|--------|----------------|
|        | right          |
| 1      | Current vector |

### 2.4.4 Results

Table 5: Test results - = (overloaded assignment operator)

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 1      | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

### 2.4.5 Performance

The following graph was generated from the recorded times from the unit tests.

## 2.5 GetPoint

### 2.5.1 Method Signature

```
const G4ParticleHPDataPoint GetPoint(G4int i)
```

### 2.5.2 Test Description

Returns the G4ParticleHPDataPoint at index *i* in the current vector. The *x* and *y* values of the point are outputted.

### 2.5.3 Test Inputs

Table 6: Unit Tests - GetPoint

| Test # | Inputs   |
|--------|----------|
|        | <i>i</i> |
| 2      | -1       |
| 3      | 0        |
| 4      | $n/2$    |
| 5      | $n-1$    |
| 6      | $n$      |

#### 2.5.4 Test Results

Table 7: Test Results – GetPoint

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 2      | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 3      | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 4      | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 5      | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 6      | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

#### 2.5.5 Performance

### 2.6 GetX

#### 2.6.1 Method Signature

G4double GetX(G4int i)

#### 2.6.2 Test Description

Returns the energy at index *i* in the current vector. The **x** value of the point are outputted.

#### 2.6.3 Test Inputs

Table 8: Unit Tests - GetX

| Test # | Inputs<br><i>i</i> |
|--------|--------------------|
| 7      | -1                 |
| 8      | 0                  |
| 9      | $n/2$              |
| 10     | $n-1$              |
| 11     | $n$                |

#### 2.6.4 Test Results

Table 9: Test Results – GetX

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 7      | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 8      | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 9      | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 10     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 11     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

#### 2.6.5 Performance

### 2.7 GetY

#### 2.7.1 Method Signature

G4double GetY(G4int i)

#### 2.7.2 Test Description

Returns the xSec at index *i* in the current vector. The y value of the point are outputted.

#### 2.7.3 Test Inputs

Table 10: Unit Tests - GetY

| Test # | Inputs<br><i>i</i> |
|--------|--------------------|
| 12     | -1                 |
| 13     | 0                  |
| 14     | $n/2$              |
| 15     | $n-1$              |
| 16     | $n$                |

#### 2.7.4 Test Results

Table 11: Test Results – GetY

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 12     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 13     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 14     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 15     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 16     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

#### 2.7.5 Performance

### 2.8 GetXsec

#### 2.8.1 Method Signature

G4double GetXsec(G4int i)

#### 2.8.2 Test Description

Returns the xSec at index *i* in the current vector. The y value of the point are outputted.

#### 2.8.3 Test Inputs

Table 12: Unit Tests - GetXsec

| Test # | Inputs<br><i>i</i> |
|--------|--------------------|
| 17     | -1                 |
| 18     | 0                  |
| 19     | n/2                |
| 20     | n-1                |
| 21     | n                  |

#### 2.8.4 Test Results

Table 13: Test Results – GetXsec

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 17     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 18     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 19     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 20     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 21     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

#### 2.8.5 Performance

### 2.9 GetEnergy

#### 2.9.1 Method Signature

G4double GetEnergy(G4int i)

#### 2.9.2 Test Description

Returns the energy at index *i* in the current vector. The **x** value of the point are outputted.

#### 2.9.3 Test Inputs

Table 14: Unit Tests - GetEnergy

| Test # | Inputs<br><i>i</i> |
|--------|--------------------|
| 22     | -1                 |
| 23     | 0                  |
| 24     | $n/2$              |
| 25     | $n-1$              |
| 26     | $n$                |

#### 2.9.4 Test Results

Table 15: Test Results – GetEnergy

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 22     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 23     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 24     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 25     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 26     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

#### 2.9.5 Performance

### 2.10 SetData

#### 2.10.1 Method Signature

```
void SetData(G4int i, G4double x, G4double y)
```

#### 2.10.2 Test Description

Sets the energy and xSec at index *i* in the current vector.

#### 2.10.3 Test Inputs

Commas denote multiple sub test inputs. If one of the sub tests fail then the whole test fails.

Table 16: Unit Tests - SetData

| Test # | Inputs |                    |                    |
|--------|--------|--------------------|--------------------|
|        | i      | x                  | y                  |
| 27     | -1     | r1, r2, r3, r4, r5 | r1, r2, r3, r4, r5 |
| 28     | 0      | r1, r2, r3, r4, r5 | r1, r2, r3, r4, r5 |
| 29     | n/2    | r1, r2, r3, r4, r5 | r1, r2, r3, r4, r5 |
| 30     | n-1    | r1, r2, r3, r4, r5 | r1, r2, r3, r4, r5 |
| 31     | n      | r1, r2, r3, r4, r5 | r1, r2, r3, r4, r5 |

#### 2.10.4 Test Results

Table 17: Test Results – SetData

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 27     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 28     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 29     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 30     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 31     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

#### 2.10.5 Performance

### 2.11 SetEnergy

#### 2.11.1 Method Signature

```
void SetEnergy(G4int i, G4double e)
```

#### 2.11.2 Test Description

Sets the energy at index *i* in the current vector.

#### 2.11.3 Test Inputs

Commas denote multiple sub test inputs. If one of the sub tests fail then the whole test fails.

Table 18: Unit Tests - SetEnergy

| Test # | Inputs |                    |
|--------|--------|--------------------|
|        | i      | e                  |
| 32     | -1     | r1, r2, r3, r4, r5 |
| 33     | 0      | r1, r2, r3, r4, r5 |
| 34     | n/2    | r1, r2, r3, r4, r5 |
| 35     | n-1    | r1, r2, r3, r4, r5 |
| 36     | n      | r1, r2, r3, r4, r5 |



#### 2.11.4 Test Results

Table 19: Test Results – SetEnergy

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 32     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 33     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 34     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 35     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 36     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

#### 2.11.5 Performance

### 2.12 SetXsec

#### 2.12.1 Method Signature

```
void SetXsec(G4int i, G4double e)
```

#### 2.12.2 Test Description

Sets the xSec at index *i* in the current vector.

#### 2.12.3 Test Inputs

Commas denote multiple sub test inputs. If one of the sub tests fail then the whole test fails.

Table 20: Unit Tests - SetXsec

| Test # | Inputs |                    |
|--------|--------|--------------------|
|        | i      | e                  |
| 37     | -1     | r1, r2, r3, r4, r5 |
| 38     | 0      | r1, r2, r3, r4, r5 |
| 39     | n/2    | r1, r2, r3, r4, r5 |
| 40     | n-1    | r1, r2, r3, r4, r5 |
| 41     | n      | r1, r2, r3, r4, r5 |

#### 2.12.4 Test Results

Table 21: Test Results – SetXsec

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 37     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 38     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 39     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 40     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 41     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

#### 2.12.5 Performance

### 2.13 SetX

#### 2.13.1 Method Signature

void SetX(G4int i, G4double e)

#### 2.13.2 Test Description

Sets the energy at index i in the current vector.

#### 2.13.3 Test Inputs

Commas denote multiple sub test inputs. If one of the sub tests fail then the whole test fails.

Table 22: Unit Tests - SetX

| Test # | Inputs |                    |
|--------|--------|--------------------|
|        | i      | e                  |
| 42     | -1     | r1, r2, r3, r4, r5 |
| 43     | 0      | r1, r2, r3, r4, r5 |
| 44     | n/2    | r1, r2, r3, r4, r5 |
| 45     | n-1    | r1, r2, r3, r4, r5 |
| 46     | n      | r1, r2, r3, r4, r5 |

### 2.13.4 Test Results

Table 23: Test Results – SetX

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 42     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 43     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 44     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 45     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 46     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

### 2.13.5 Performance

## 2.14 SetY

### 2.14.1 Method Signature

```
void SetY(G4int i, G4double e)
```

### 2.14.2 Test Description

Sets the xSec at index *i* in the current vector.

### 2.14.3 Test Inputs

Commas denote multiple sub test inputs. If one of the sub tests fail then the whole test fails.

Table 24: Unit Tests - SetY

| Test # | Inputs |                    |
|--------|--------|--------------------|
|        | i      | e                  |
| 47     | -1     | r1, r2, r3, r4, r5 |
| 48     | 0      | r1, r2, r3, r4, r5 |
| 49     | n/2    | r1, r2, r3, r4, r5 |
| 50     | n-1    | r1, r2, r3, r4, r5 |
| 51     | n      | r1, r2, r3, r4, r5 |

#### 2.14.4 Test Results

Table 25: Test Results – SetY

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 47     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 48     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 49     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 50     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 51     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

#### 2.14.5 Performance

### 2.15 Init

#### 2.15.1 Unit Tests

Table 26: Unit Tests

| Test # | Code         | Description          |
|--------|--------------|----------------------|
| 52     | Empty.Init() | Init an empty Vector |
| 53     | D.Init()     | Init a Vector        |

#### 2.15.2 Accuracy

Table 27: Accuracy

| Test # | Status |
|--------|--------|
| 52     | Pass   |
| 53     | Pass   |

#### 2.15.3 Performance

### 2.16 SampleLin

#### 2.16.1 Method Signature

G4double SampleLin()

#### 2.16.2 Test Description

Performs samples of the vector with a linear interpolation scheme.

### 2.16.3 Test Inputs

Table 28: Unit Tests - SampleLin

| Test # | Inputs<br>N/A |
|--------|---------------|
| 54     | N/A           |

### 2.16.4 Test Results

Table 29: Test Results – SampleLin

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 54     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

### 2.16.5 Performance

## 2.17 Times

### 2.17.1 Method Signature

void Times(G4double factor)

### 2.17.2 Test Description

Multiplies every element in the vector by **factor**.

### 2.17.3 Test Inputs

Table 30: Unit Tests - Times

| Test # | Inputs<br>factor |
|--------|------------------|
| 55     | r1               |
| 56     | r2               |
| 57     | r3               |
| 58     | r4               |
| 59     | r5               |

#### 2.17.4 Test Results

Table 31: Test Results – Times

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 55     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 56     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 57     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 58     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 59     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

#### 2.17.5 Performance

### 2.18 GetXsecBuffer

Table 32: General Unit Test Variables

| Name       | Size  | Description   |
|------------|-------|---|
| emptyBuff  | 0     | Array with no queries   |
| singleBuff | 1     | Array with a single query   |
| smallbuff  | 50    | Array with a small number of queries                                      |
| normalBuff | 1000  | Array with a moderate number of queries                                   |
| largeBuff  | 10000 | Array with a large amount of queries                                      |
| negBuff    | 50    | Array of queries with negative values                                     |
| zeroBuff   | 50    | Array of queries with values of zero                                      |
| highBuff   | 50    | Array of queries with values larger than the highest energy in the vector |

### 2.18.1 Unit Tests

Table 33: Unit Tests

| Test # | Code                                  | Description                                      |
|--------|---------------------------------------|--|
| 60     | D.GetXsecBuffer(normalBuff, -1)       | buffer with a negative size                      |
| 61     | Empty.GetXsecBuffer(emptyBuff, 0)     | Empty buffer of xSec queries to an empty vector  |
| 62     | Empty.GetXsecBuffer(normalBuff, 1000) | Normal buffer of xSec queries to an empty vector |
| 63     | D.GetXsecBuffer(emptyBuff, 0)         | Empty buffer of xSec queries                     |
| 64     | D.GetXsecBuffer(smallerBuff, 50)      | Small number of queries                          |
| 65     | D.GetXsecBuffer(normalBuff, 1000)     | Normal case                                      |
| 66     | D.GetXsecBuffer(highBuff, 10000)      | Large number of queries                          |
| 67     | D.GetXsecBuffer(negBuff, 1000)        | Buffer of negative xSec queries                  |
| 68     | D.GetXsecBuffer(emptyBuff, 1000)      | Buffer of zeros                                  |
| 69     | D.GetXsecBuffer(highBuff, 0)          | Buffer of high valued xSec queries               |

### 2.18.2 Accuracy

Table 34: Accuracy

| Test # | Status |
|--------|--------|
| 60     | Pass   |
| 61     | Pass   |
| 62     | Pass   |
| 63     | Pass   |
| 64     | Pass   |
| 65     | Pass   |
| 66     | Pass   |
| 67     | Pass   |
| 68     | Pass   |
| 69     | Pass   |

### 2.18.3 Performance

## 2.19 ThinOut

### 2.19.1 Method Signature

`void ThinOut(G4double precision)`

### 2.19.2 Test Description

Removes any element from the vector whose neighbor is closer than `precision`.

### 2.19.3 Test Inputs

Table 35: Unit Tests - ThinOut

| Test # | Inputs<br>factor |
|--------|------------------|
| 70     | r1               |
| 71     | r2               |
| 72     | r3               |
| 73     | r4               |
| 74     | r5               |

### 2.19.4 Test Results

Table 36: Test Results – ThinOut

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 70     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 71     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 72     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 73     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |
| 74     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

### 2.19.5 Performance

## 2.20 Sample

### 2.20.1 Method Signature

G4double Sample()

### 2.20.2 Test Description

Performs samples of the vector according to interpolation its interpolation scheme.

### 2.20.3 Test Inputs

Table 37: Unit Tests - Sample

| Test # | Inputs<br>N/A |
|--------|---------------|
| 75     | N/A           |



## 2.20.4 Test Results

Table 38: Test Results – Sample

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 75     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

## 2.20.5 Performance

## 2.21 SetPoint

### 2.21.1 Unit Tests

- “rPoint” is a random G4ParticleHPDataPoint
- “nPoint” is a negative G4ParticleHPDataPoint
- “zPoint” is a zero G4ParticleHPDataPoint

Table 39: Unit Tests

| Test # | Code                       | Description  |
|--------|----------------------------|--|
| 76     | Empty.SetPoint(-1, rPoint) | Set a point at a negative index of an empty vector       |
| 77     | Empty.SetPoint(0, rPoint)  | Set a point at a the first index of an empty vector      |
| 78     | Empty.SetPoint(1, rPoint)  | Set a point at an index out of bounds of an empty vector |
| 79     | D.SetPoint(-1, rPoint)     | Set a point at a negative index                          |
| 80     | D.SetPoint(0, rPoint)      | Set a point at a the first index                         |
| 81     | D.SetPoint(n/2, rPoint)    | Set a point at an index within the vector                |
| 82     | D.SetPoint(n-1, rPoint)    | Set a point at the last index                            |
| 83     | D.SetPoint(n, rPoint)      | Set a point at an index our of bounds                    |
| 84     | D.SetPoint(0, nPoint)      | Set a negative point                                     |
| 85     | D.SetPoint(0, zPoint)      | Set a zero point   |

### 2.21.2 Accuracy

Table 40: Accuracy

| Test # | Status |
|--------|--------|
| 76     | Pass   |
| 77     | Pass   |
| 78     | Pass   |
| 79     | Pass   |
| 80     | Pass   |
| 81     | Pass   |
| 82     | Pass   |
| 83     | Pass   |
| 84     | Pass   |
| 85     | Pass   |

### 2.21.3 Performance

## 2.22 Get15percentBorder

### 2.22.1 Method Signature

G4double Get15percentBorder()

### 2.22.2 Test Description

Returns the integral from each data point to the last data point and returns the first one within 15% of the last data point.

### 2.22.3 Test Inputs

Table 41: Unit Tests - Get15percentBorder

| Test # | Inputs |
|--------|--------|
|        | N/A    |
| 86     | N/A    |

#### 2.22.4 Test Results

Table 42: Test Results – Get15percentBorder

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 86     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

#### 2.22.5 Performance

### 2.23 Get50percentBorder

#### 2.23.1 Method Signature

G4double Get50percentBorder()

#### 2.23.2 Test Description

Returns the integral from each data point to the last data point and returns the first one within 50% of the last data point.

#### 2.23.3 Test Inputs

Table 43: Unit Tests - Get50percentBorder

| Test # | Inputs |
|--------|--------|
|        | N/A    |
| 87     | N/A    |

#### 2.23.4 Test Results

Table 44: Test Results – Get50percentBorder

| Test # | Test Result |      |      |      |      |      |      |
|--------|-------------|------|------|------|------|------|------|
|        | vec0        | vec1 | vec2 | vec3 | vec4 | vec5 | vec6 |
| 87     | Pass        | Pass | Pass | Pass | Pass | Pass | Pass |

### 2.23.5 Performance

## 3 Specific System Tests

### 3.1 Summary of Tests Performed

System tests will be performed by running the sample code packaged with the GEANT4 installation. The Hadr04 example will be run with different materials (i.e water, uranium) and number of events. The values and conditions that are changed per test are detailed in the table below.

Table 45: System Tests

| Test # | Initial State  | Inputs                                  | Outputs                             | Description                             |
|--------|----------------|---|-------------------------------------|---|
| 88     | Fresh start up | Events = 2000<br>Material =<br>Water    | Same output as<br>non-GPU<br>GEANT4 | HADR04 no changes                       |
| 89     | Fresh start up | Events = 2000<br>Material =<br>Uranium  | Same output as<br>non-GPU<br>GEANT4 | HADR04 – basic<br>example               |
| 90     | Fresh start up | Events = 600<br>Material =<br>Water     | Same output as<br>non-GPU<br>GEANT4 | HADR04 – Shorter test                   |
| 91     | Fresh start up | Events = 600<br>Material =<br>Uranium   | Same output as<br>non-GPU<br>GEANT4 | HADR04 – Shorter test                   |
| 92     | Fresh start up | Events =<br>20000 Material<br>= Uranium | Same output as<br>non-GPU<br>GEANT4 | HADR04 – Long<br>simulation stress Test |
| 93     | Fresh start up | Events = 0<br>Material =<br>Uranium     | Same output as<br>non-GPU<br>GEANT4 | HADR04 – no runs,<br>Edge case          |

### 3.2 System Tests Results

This section will summarize all of the results from running tests 39 through 44. Each test has an accuracy section as well as a performance section. The accuracy of the

results will be based on how well the values generated on the GPU match up with the values generated on the CPU. The performance metrics used will include user, system and real time required to run each system test.

### **3.3 System test # 39**

This test simply runs the Hadr04 example on both the GPU and the CPU without changing the source files. The code for this example is bundled with the GEANT4 installation.

#### **3.3.1 Accuracy**

Table 46: Accuracy Test #39

| Data                                | CPU Values | GPU Values | Difference |
|-------------------------------------|------------|------------|------------|
| <b>Process Calls</b>                |            |            |            |
| hadElastic                          | NA         | NA         | NA         |
| nCapture                            | NA         | NA         | NA         |
| neutronInelastic                    | NA         | NA         | NA         |
| <b>Parcours of incident neutron</b> |            |            |            |
| collisions                          | NA         | NA         | NA         |
| track length                        | NA         | NA         | NA         |
| time of flight                      | NA         | NA         | NA         |
| <b>Generated particles</b>          |            |            |            |
| C14                                 |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| O16                                 |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| O17                                 |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| O18                                 |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| Alpha                               |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| Deuteron                            |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| Gamma                               |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| Proton                              |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |

### 3.3.2 Performance

Table 47: Performance Test #39

| Type   | CPU Time | GPU Time |
|--------|----------|----------|
| User   | NA       | NA       |
| Real   | NA       | NA       |
| System | NA       | NA       |

### 3.4 System test # 40

This test simply runs the Hadr04 example on both the GPU and the CPU without changing the source files. The code for this example is bundled with the GEANT4 installation.

#### 3.4.1 Accuracy

Table 48: Accuracy Test #40

| Data                                | CPU Values | GPU Values | Difference |
|-------------------------------------|------------|------------|------------|
| <b>Process Calls</b>                |            |            |            |
| hadElastic                          | NA         | NA         | NA         |
| nCapture                            | NA         | NA         | NA         |
| neutronInelastic                    | NA         | NA         | NA         |
| <b>Parcours of incident neutron</b> |            |            |            |
| collisions                          | NA         | NA         | NA         |
| track length                        | NA         | NA         | NA         |
| time of flight                      | NA         | NA         | NA         |
| <b>Generated particles</b>          |            |            |            |
| U235                                |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| U238                                |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| U239                                |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| Gamma                               |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| Neutron                             |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |



### 3.4.2 Performance

Table 49: Performance Test #40

| Type   | CPU Time | GPU Time |
|--------|----------|----------|
| User   | NA       | NA       |
| Real   | NA       | NA       |
| System | NA       | NA       |

## 3.5 System test # 41

This test simply runs the Hadr04 example on both the GPU and the CPU without changing the source files. The code for this example is bundled with the GEANT4 installation.

### 3.5.1 Accuracy

Table 50: Accuracy Test #41

| Data                                | CPU Values | GPU Values | Difference |
|-------------------------------------|------------|------------|------------|
| <b>Process Calls</b>                |            |            |            |
| hadElastic                          | NA         | NA         | NA         |
| nCapture                            | NA         | NA         | NA         |
| neutronInelastic                    | NA         | NA         | NA         |
| <b>Parcours of incident neutron</b> |            |            |            |
| collisions                          | NA         | NA         | NA         |
| track length                        | NA         | NA         | NA         |
| time of flight                      | NA         | NA         | NA         |
| <b>Generated particles</b>          |            |            |            |
| <b>O16</b>                          |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| <b>O17</b>                          |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| <b>O18</b>                          |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| <b>Alpha</b>                        |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| <b>Gamma</b>                        |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |
| <b>Proton</b>                       |            |            |            |
| # of particles                      | NA         | NA         | NA         |
| Emean                               | NA         | NA         | NA         |
| Range                               | NA         | NA         | NA         |

### 3.5.2 Performance

Table 51: Performance Test #41

| Type   | CPU Time | GPU Time |
|--------|----------|----------|
| User   | NA       | NA       |
| Real   | NA       | NA       |
| System | NA       | NA       |

## 4 Traceability

The following section is used to highlight the relations of implemented test cases to requirements and modules. In doing so, we hope to draw clear reasoning upon the inclusion of such tests.

### 4.1 Requirements

Below is a traceability table outlining test cases and the requirements they are related to:

Table 52: Tests and Requirements Relationship

| Test # | Description                   | Requirement  |
|--------|-------------------------------|--|
| 1      | Performance test of functions | Req. # 4 (Speed and Latency)                           |
| 2      | InitializeVector              | Req # 5 & 6 & 7 (Precision & Reliability & Robustness) |
| 3      | SettersandGetters             | Req # 5 & 6 & 7 (Precision & Reliability & Robustness) |
| 4      | GetXSec                       | Req # 5 & 6 & 7 (Precision & Reliability & Robustness) |
| 5      | ThinOut                       | Req # 5 & 6 & 7 (Precision & Reliability & Robustness) |
| 6      | Merge                         | Req # 5 & 6 & 7 (Precision & Reliability & Robustness) |
| 7      | Sample                        | Req # 5 & 6 & 7 (Precision & Reliability & Robustness) |
| 8      | GetBorder                     | Req # 5 & 6 & 7 (Precision & Reliability & Robustness) |

|    |             |  |
|----|-------------|--|
| 9  | Integral    | Req # 5 & 6 & 7 (Precision & Reliability & Robustness) |
| 10 | Times       | Req # 5 & 6 & 7 (Precision & Reliability & Robustness) |
| 11 | Assignment  | Req # 5 & 6 & 7 (Precision & Reliability & Robustness) |
| 12 | System Test | Req # 1 & 2 & 8 & 11 (Adjacent Systems & Access)       |

## 4.2 Modules

Similarly, the following is a traceability table explicitly relating test cases to modules:

Table 53: Tests and Modules Relationship

| Test # | Description                   | Module  |
|--------|-------------------------------|---|
| 1      | Performance test of functions | G4ParticleVector                                      |
| 2      | InitializeVector              | G4ParticleVector                                      |
| 3      | SettersandGetters             | G4ParticleVector                                      |
| 4      | GetXSec                       | G4ParticleVector                                      |
| 5      | ThinOut                       | G4ParticleVector                                      |
| 6      | Merge                         | G4ParticleVector                                      |
| 7      | Sample                        | G4ParticleVector                                      |
| 8      | GetBorder                     | G4ParticleVector                                      |
| 9      | Integral                      | G4ParticleVector                                      |
| 10     | Times                         | G4ParticleVector                                      |
| 11     | Assignment                    | G4ParticleVector                                      |
| 12     | System Test                   | G4NeutronHPDataPoint & G4ParticleVector & CMake Files |

## 5 Changes after Testing