EXP	:	08	

Library Management System

AIM:

To create a library management system using JSP and SQL Connector.

CODE:

library_managemet_system.jsp

```
<%@ page import="java.sql.*" %>
< @ page contentType="text/html;charset=UTF-8" language="java" %>
<html>
<head>
 <title>Library Management - Add Book</title>
 <style>
 body {
  font-family: Arial, sans-serif;
  background-color: #f3f3f3;
  margin: 20px;
  padding: 20px;
 }
 h2 {
  color: #333;
 }
 form {
  background-color: #fff;
  padding: 20px;
  border-radius: 8px;
  box-shadow: 0 2px 5px rgba(0,0,0,0.1);
```

```
width: 400px;
}
input[type="text"],
input[type="number"],
select {
 width: 100%;
 padding: 8px;
 margin: 6px 0 12px 0;
 border: 1px solid #ccc;
 border-radius: 4px;
}
input[type="submit"] {
 background-color: #4CAF50;
 color: white;
 border: none;
 padding: 10px 16px;
 cursor: pointer;
 border-radius: 4px;
}
input[type="submit"]:hover {
 background-color: #45a049;
}
p {
 font-size: 16px;
}
```

```
a {
  color: #007BFF;
  text-decoration: none;
 }
 a:hover {
  text-decoration: underline;
 }
</style>
 <script>
  function validateForm() {
   const bookId = document.getElementById("bookId").value.trim();
   const title = document.getElementById("title").value.trim();
   const author = document.getElementById("author").value.trim();
   const year = document.getElementById("year").value.trim();
   const category = document.getElementById("category").value;
   const copies = document.getElementById("copies").value.trim();
   const currentYear = new Date().getFullYear();
   if (!/^[a-zA-Z0-9]+\$/.test(bookId)) {
    alert("Book ID must be alphanumeric.");
    return false;
   }
   if (!/^[A-Za-z ]+$/.test(title)) {
    alert("Title must contain only letters.");
    return false;
   }
   if (!/^[A-Za-z]+\$/.test(author)) {
```


```
alert("Author name must contain only letters.");
    return false;
   }
   if (!/^d{4}).test(year) || parseInt(year) > currentYear) {
    alert("Year must be a valid 4-digit year.");
    return false:
    }
   if (category === "") {
    alert("Please select a category.");
    return false;
   if (isNaN(copies) || parseInt(copies) <= 0) {
    alert("Copies must be a positive number.");
    return false;
    }
   return true;
  }
 </script>
</head>
<body>
 <h2>Add Book to Library</h2>
 <form method="post" onsubmit="return validateForm()">
  Book ID: <input type="text" name="bookId" id="bookId"/><br/>
  Title: <input type="text" name="title" id="title"/><br/>
  Author: <input type="text" name="author" id="author"/><br/>
  Year: <input type="text" name="year" id="year"/><br/>
  Category:
  <select name="category" id="category">
```

```
<option value="">--Select--</option>
   <option value="Science">Science</option>
   <option value="Fiction">Fiction</option>
   <option value="History">History</option>
  </select><br/>
  Copies: <input type="number" name="copies" id="copies"/><br/>
  <input type="submit" value="Add Book"/>
  >
  <label>Book Details:-</label>
  <a href="./display_books.jsp">Click Here</a>
  </form>
 <%
  // JSP Database logic
// TODO:Change password before run the code
// TODO: CREATE THE TABLE IN MYSQL
/**
CREATE TABLE books (
 book_id VARCHAR(20) PRIMARY KEY,
 title VARCHAR(100),
 author VARCHAR(100),
 year INT,
 category VARCHAR(50),
 copies INT
);
**/
```

```
String bookId = request.getParameter("bookId");
  if (bookId != null) {
   String title = request.getParameter("title");
   String author = request.getParameter("author");
   String year = request.getParameter("year");
   String isbn = request.getParameter("isbn");
   String category = request.getParameter("category");
   String copies = request.getParameter("copies");
   try {
     Class.forName("com.mysql.cj.jdbc.Driver");
     Connection conn = DriverManager.getConnection(
      "jdbc:mysql://localhost:3306/library_management_arunachalam", "root", "");
     PreparedStatement ps = conn.prepareStatement(
      "INSERT INTO books (book_id, title, author, year, category, copies) VALUES (?, ?, ?,
?, ?, ?)");
     ps.setString(1, bookId);
     ps.setString(2, title);
     ps.setString(3, author);
     ps.setInt(4, Integer.parseInt(year));
     ps.setString(5, category);
     ps.setInt(6, Integer.parseInt(copies));
     int result = ps.executeUpdate();
     if (result > 0) {
     %>
     <script>alert("Book Added Successfully!!")</script>
     <%
     } else {
        %>
```

OUTPUT:

```
| Four field (Stort Discost Notings Stand Proper To Without Vide) | Four Stand Proper Stand Prop
```





RESULT:

creation a library management system using JSP and SQL Connector is done successfully.