Python from Scratch

Python Lists

Lesson 10

• Python Lists

- List
- List Items
- Ordered
- Changeable
- Allow Duplicates
- List Length
- List Items Data Types
- type()
- The list() Constructor
- Python Collections (Arrays)

Python - Access List Items

- Access Items
- Negative Indexing
- Range of Indexes
- Range of Negative Indexes
- Check if Item Exists

• Python - Change List Items

- Change Item Value
- Change a Range of Item Values
- Insert Items

• Python - Add List Items

- Append Items
- nsert Items
- Extend List
- Add Any Iterable

• Python - Remove List Items

- Remove Specified Item
- Remove Specified Index
- Clear the List

• Python - Loop Lists

- Loop Through a List
- Loop Through the Index Numbers
- Using a While Loop
- Looping Using List

Comprehension

• Python - List Comprehension

- The Syntax
- Condition
- Iterable
- Expression

• Python - Sort Lists

- Sort List Alphanumerically
- Sort Descending
- Customize Sort Function
- Case Insensitive Sort
- Reverse Order
- Python Copy Lists
- Python Join Lists
- Python List Methods
- Python List Exercises

Python Lists

```
mylist = ["apple", "banana", "cherry"]
```

List

Lists are used to store multiple items in a single variable.

Lists are one of 4 built-in data types in Python used to store collections of data, the other 3 are <u>Tuple</u>, <u>Set</u>, and <u>Dictionary</u>, all with different qualities and usage.

Lists are created using square brackets:

Example

```
Create a List:
   thislist = ["apple", "banana", "cherry"]
   print(thislist)
```

List Items

List items are ordered, changeable, and allow duplicate values.

List items are indexed, the first item has index [0], the second item has index [1] etc.

Ordered

When we say that lists are ordered, it means that the items have a defined order, and that order will not change.

If you add new items to a list, the new items will be placed at the end of the list.

Note: There are some <u>list methods</u> that will change the order, but in general: the order of the items will not change.

Changeable

The list is changeable, meaning that we can change, add, and remove items in a list after it has been created.

Allow Duplicates

Since lists are indexed, lists can have items with the same value:

Example

```
Lists allow duplicate values:
```

```
thislist = ["apple", "banana", "cherry", "apple", "cherry"]
print(thislist)
```

List Length

To determine how many items a list has, use the len() function:

Example

Print the number of items in the list:

```
thislist = ["apple", "banana", "cherry"]
print(len(thislist))
```

List Items - Data Types

List items can be of any data type:

Example

```
String, int and boolean data types:
```

```
list1 = ["apple", "banana", "cherry"]
list2 = [1, 5, 7, 9, 3]
list3 = [True, False, False]
```

A list can contain different data types:

Example

A list with strings, integers and boolean values:

```
list1 = ["abc", 34, True, 40, "male"]
```

type()

From Python's perspective, lists are defined as objects with the data type 'list':

```
<class 'list'>
```

Example

```
What is the data type of a list?

mylist = ["apple", "banana", "cherry"]
print(type(mylist))
```

The list() Constructor

It is also possible to use the list() constructor when creating a new list.

Example

```
Using the list() constructor to make a List:

thislist = list(("apple", "banana", "cherry")) # note
the double round-brackets
print(thislist)
```

Python Collections (Arrays)

There are four collection data types in the Python programming language:

- **List** is a collection which is ordered and changeable. Allows duplicate members.
- <u>Tuple</u> is a collection which is ordered and unchangeable. Allows duplicate members.
- <u>Set</u> is a collection which is unordered, unchangeable*, and unindexed. No duplicate members.
- <u>Dictionary</u> is a collection which is ordered** and changeable. No duplicate members.

*Set *items* are unchangeable, but you can remove and/or add items whenever you like.

**As of Python version 3.7, dictionaries are *ordered*. In Python 3.6 and earlier, dictionaries are *unordered*.

When choosing a collection type, it is useful to understand the properties of that type. Choosing the right type for a particular data set could mean retention of meaning, and, it could mean an increase in efficiency or security.

Python - Access List Items

Access Items

List items are indexed and you can access them by referring to the index number:

Example

```
Print the second item of the list:

thislist = ["apple", "banana", "cherry"]

print(thislist[1])

Note: The first item has index 0.
```

Negative Indexing

Negative indexing means start from the end

-1 refers to the last item, -2 refers to the second last item etc.

Example

```
Print the last item of the list:
    thislist = ["apple", "banana", "cherry"]
    print(thislist[-1])
```

Range of Indexes

You can specify a range of indexes by specifying where to start and where to end the range.

When specifying a range, the return value will be a new list with the specified items.

Example

Return the third, fourth, and fifth item:

```
thislist =
["apple", "banana", "cherry", "orange", "kiwi", "melon", "mango"]
print(thislist[2:5])
```

Note: The search will start at index 2 (included) and end at index 5 (not included). Remember that the first item has index 0.

By leaving out the start value, the range will start at the first item:

Example

This example returns the items from the beginning to, but NOT including, "kiwi":

```
thislist =
["apple", "banana", "cherry", "orange", "kiwi", "melon", "mango"]
print(thislist[:4])
```

By leaving out the end value, the range will go on to the end of the list:

Example

This example returns the items from "cherry" to the end:

```
thislist =
["apple", "banana", "cherry", "orange", "kiwi", "melon", "mango"]
print(thislist[2:])
```

Range of Negative Indexes

Specify negative indexes if you want to start the search from the end of the list:

Example

```
This example returns the items from "orange" (-4) to, but NOT including "mango" (-1):

thislist =
["apple", "banana", "cherry", "orange", "kiwi", "melon", "mango"]
print(thislist[-4:-1])
```

Check if Item Exists

To determine if a specified item is present in a list use the in keyword:

Example

```
Check if "apple" is present in the list:
thislist = ["apple", "banana", "cherry"]
if "apple" in thislist:
    print("Yes, 'apple' is in the fruits list")
```

Python - Change List Items

Change Item Value

To change the value of a specific item, refer to the index number:

Example

```
Change the second item:

thislist = ["apple", "banana", "cherry"]

thislist[1] = "blackcurrant"

print(thislist)
```

Change a Range of Item Values

To change the value of items within a specific range, define a list with the new values, and refer to the range of index numbers where you want to insert the new values:

Example

```
Change the values "banana" and "cherry" with the values "blackcurrant" and "watermelon":
```

```
thislist = ["apple", "banana", "cherry", "orange", "kiwi", "mango"]
thislist[1:3] = ["blackcurrant", "watermelon"]
print(thislist)
```

If you insert *more* items than you replace, the new items will be inserted where you specified, and the remaining items will move accordingly:

Example

Change the second value by replacing it with *two* new values:

```
thislist = ["apple", "banana", "cherry"]
thislist[1:2] = ["blackcurrant", "watermelon"]
print(thislist)
```

Note: The length of the list will change when the number of items inserted does not match the number of items replaced.

If you insert *less* items than you replace, the new items will be inserted where you specified, and the remaining items will move accordingly:

Example

Change the second and third value by replacing it with *one* value:

```
thislist = ["apple", "banana", "cherry"]
thislist[1:3] = ["watermelon"]
print(thislist)
```

Insert Items

To insert a new list item, without replacing any of the existing values, we can use the insert() method.

The insert() method inserts an item at the specified index:

Example

Insert "watermelon" as the third item:

```
thislist = ["apple", "banana", "cherry"]
thislist.insert(2, "watermelon")
print(thislist)
```

Note: As a result of the example above, the list will now contain 4 items.

Python - Add List Items

Append Items

To add an item to the end of the list, use the append() method:

Example

```
Using the append() method to append an item:
thislist = ["apple", "banana", "cherry"]
thislist.append("orange")
print(thislist)
```

Insert Items

To insert a list item at a specified index, use the insert() method.

The insert() method inserts an item at the specified index:

Example

```
Insert an item as the second position:
```

```
thislist = ["apple", "banana", "cherry"]
thislist.insert(1, "orange")
print(thislist)
```

Note: As a result of the examples above, the lists will now contain 4 items.

Extend List

To append elements from *another list* to the current list, use the extend() method.

Example

```
Add the elements of tropical to this list:
```

```
thislist = ["apple", "banana", "cherry"]
tropical = ["mango", "pineapple", "papaya"]
thislist.extend(tropical)
print(thislist)
```

The elements will be added to the *end* of the list.

Add Any Iterable

The extend() method does not have to append *lists*, you can add any iterable object (tuples, sets, dictionaries etc.).

Example

Add elements of a tuple to a list:

```
thislist = ["apple", "banana", "cherry"]
thistuple = ("kiwi", "orange")
thislist.extend(thistuple)
print(thislist)
```

Python - Remove List Items

Remove Specified Item

The remove() method removes the specified item.

Example

```
Remove "banana":

thislist = ["apple", "banana", "cherry"]
thislist.remove("banana")
print(thislist)
```

Remove Specified Index

The pop() method removes the specified index.

Example

```
Remove the second item:
```

```
thislist = ["apple", "banana", "cherry"]
thislist.pop(1)
print(thislist)
```

If you do not specify the index, the pop() method removes the last item.

Example

Remove the last item:

```
thislist = ["apple", "banana", "cherry"]
thislist.pop()
print(thislist)
```

The del keyword also removes the specified index:

Example

Remove the first item:

```
thislist = ["apple", "banana", "cherry"]
del thislist[0]
print(thislist)
```

The del keyword can also delete the list completely.

Example

```
Delete the entire list:
```

```
thislist = ["apple", "banana", "cherry"]
del thislist
```

Clear the List

The clear() method empties the list.

The list still remains, but it has no content.

Example

Clear the list content:

```
thislist = ["apple", "banana", "cherry"]
thislist.clear()
print(thislist)
```

Python - Loop Lists

Loop Through a List

You can loop through the list items by using a for loop:

Example

```
Print all items in the list, one by one:

thislist = ["apple", "banana", "cherry"]
for x in thislist:
    print(x)
```

Loop Through the Index Numbers

You can also loop through the list items by referring to their index number.

Use the range() and len() functions to create a suitable iterable.

Example

Print all items by referring to their index number:

```
thislist = ["apple", "banana", "cherry"]
for i in range(len(thislist)):
    print(thislist[i])
```

The iterable created in the example above is [0, 1, 2].

Using a While Loop

You can loop through the list items by using a while loop.

Use the len() function to determine the length of the list, then start at 0 and loop your way through the list items by referring to their indexes.

Remember to increase the index by 1 after each iteration.

Example

Print all items, using a while loop to go through all the index numbers

```
thislist = ["apple", "banana", "cherry"]
i = 0
while i < len(thislist):
    print(thislist[i])
    i = i + 1</pre>
```

Looping Using List Comprehension

List Comprehension offers the shortest syntax for looping through lists:

Example

A short hand for loop that will print all items in a list:

```
thislist = ["apple", "banana", "cherry"]
[print(x) for x in thislist]
```

Python - List Comprehension

List Comprehension

List comprehension offers a shorter syntax when you want to create a new list based on the values of an existing list.

Example:

Based on a list of fruits, you want a new list, containing only the fruits with the letter "a" in the name.

Without list comprehension you will have to write a for statement with a conditional test inside:

Example

```
fruits = ["apple", "banana", "cherry", "kiwi", "mango"]
newlist = []

for x in fruits:
   if "a" in x:
      newlist.append(x)

print(newlist)
```

With list comprehension you can do all that with only one line of code:

Example

```
fruits = ["apple", "banana", "cherry", "kiwi", "mango"]
newlist = [x for x in fruits if "a" in x]
print(newlist)
```

The Syntax

```
newlist = [expression for item in iterable if condition == True]
```

The return value is a new list, leaving the old list unchanged.

Condition

The *condition* is like a filter that only accepts the items that valuate to True.

Example

```
Only accept items that are not "apple":
```

```
newlist = [x for x in fruits if x != "apple"]
```

The condition if x != "apple" will return True for all elements other than "apple", making the new list contain all fruits except "apple".

The *condition* is optional and can be omitted:

Example

```
With no if statement:
```

```
newlist = [x for x in fruits]
```

Iterable

The *iterable* can be any iterable object, like a list, tuple, set etc.

Example

You can use the range() function to create an iterable:

```
newlist = [x \text{ for } x \text{ in } range(10)]
```

Same example, but with a condition:

Example

Accept only numbers lower than 5:

```
newlist = [x \text{ for } x \text{ in range}(10) \text{ if } x < 5]
```

Expression

The *expression* is the current item in the iteration, but it is also the outcome, which you can manipulate before it ends up like a list item in the new list:

Example

Set the values in the new list to upper case:

```
newlist = [x.upper() for x in fruits]
```

You can set the outcome to whatever you like:

Example

Set all values in the new list to 'hello':

```
newlist = ['hello' for x in fruits]
```

The *expression* can also contain conditions, not like a filter, but as a way to manipulate the outcome:

Example

```
Return "orange" instead of "banana":
```

```
newlist = [x if x != "banana" else "orange" for x in fruits]
```

The *expression* in the example above says:

"Return the item if it is not banana, if it is banana return orange".

Python - Sort Lists

Sort List Alphanumerically

List objects have a sort() method that will sort the list alphanumerically, ascending, by default:

Example

```
Sort the list alphabetically:
    thislist =
    ["orange", "mango", "kiwi", "pineapple", "banana"]
    thislist.sort()
    print(thislist)
```

Example

```
Sort the list numerically:
  thislist = [100, 50, 65, 82, 23]
  thislist.sort()
  print(thislist)
```

Sort Descending

To sort descending, use the keyword argument reverse = True:

Example

```
Sort the list descending:
    thislist =
    ["orange", "mango", "kiwi", "pineapple", "banana"]
    thislist.sort(reverse = True)
    print(thislist)
```

Example

```
Sort the list descending:
    thislist = [100, 50, 65, 82, 23]
    thislist.sort(reverse = True)
    print(thislist)
```

Customize Sort Function

You can also customize your own function by using the keyword argument key = function.

The function will return a number that will be used to sort the list (the lowest number first):

Example

Sort the list based on how close the number is to 50:

```
def myfunc(n):
    return abs(n - 50)

thislist = [100, 50, 65, 82, 23]
thislist.sort(key = myfunc)
print(thislist)
```

Case Insensitive Sort

By default the sort() method is case sensitive, resulting in all capital letters being sorted before lower case letters:

Example

Case sensitive sorting can give an unexpected result:

```
thislist = ["banana", "Orange", "Kiwi", "cherry"]
thislist.sort()
print(thislist)
```

Luckily we can use built-in functions as key functions when sorting a list.

So if you want a case-insensitive sort function, use str.lower as a key function:

Example

Perform a case-insensitive sort of the list:

```
thislist = ["banana", "Orange", "Kiwi", "cherry"]
thislist.sort(key = str.lower)
print(thislist)
```

Reverse Order

What if you want to reverse the order of a list, regardless of the alphabet?

The reverse() method reverses the current sorting order of the elements.

Example

```
Reverse the order of the list items:
```

```
thislist = ["banana", "Orange", "Kiwi", "cherry"]
thislist.reverse()
print(thislist)
```

Python - Copy Lists

Copy a List

You cannot copy a list simply by typing list2 = list1, because: list2 will only be a *reference* to list1, and changes made in list1 will automatically also be made in list2.

There are ways to make a copy, one way is to use the built-in List method copy().

Example

Make a copy of a list with the copy() method:

```
thislist = ["apple", "banana", "cherry"]
mylist = thislist.copy()
print(mylist)
```

Another way to make a copy is to use the built-in method list().

Example

Make a copy of a list with the list()) method:

```
thislist = ["apple", "banana", "cherry"]
mylist = list(thislist)
print(mylist)
```

Python - Copy Lists

Copy a List

You cannot copy a list simply by typing list2 = list1, because: list2 will only be a *reference* to list1, and changes made in list1 will automatically also be made in list2.

There are ways to make a copy, one way is to use the built-in List method copy().

Example

Make a copy of a list with the copy() method:

```
thislist = ["apple", "banana", "cherry"]
mylist = thislist.copy()
print(mylist)
```

Another way to make a copy is to use the built-in method list().

Example

Make a copy of a list with the list()) method:

```
thislist = ["apple", "banana", "cherry"]
mylist = list(thislist)
print(mylist)
```

Python - Join Lists

Join Two Lists

There are several ways to join, or concatenate, two or more lists in Python. One of the easiest ways are by using the + operator.

Example

Join two list:

```
list1 = ["a", "b", "c"]
list2 = [1, 2, 3]
list3 = list1 + list2
print(list3)
```

Another way to join two lists is by appending all the items from list2 into list1, one by one:

Example

Append list2 into list1:

```
list1 = ["a", "b" , "c"]
list2 = [1, 2, 3]
for x in list2:
   list1.append(x)
print(list1)
```

Or you can use the extend() method, which purpose is to add elements from one list to another list:

Example

Use the extend() method to add list2 at the end of list1:

```
list1 = ["a", "b" , "c"]
list2 = [1, 2, 3]

list1.extend(list2)
print(list1)
```

Python List Exercises

Test Yourself With Exercises

Now you have learned a lot about lists, and how to use them in Python.

Are you ready for a test?

Try to insert the missing part to make the code work as expected:

Exercise:

Print the second item in the fruits list.

```
fruits = ["apple", "banana", "cherry"]
print( )
```